

AD-A179 731




U.S. Department
of Transportation
Federal Aviation
Administration

General Aviation Activity and Avionics Survey

Annual Summary Report 1985 Data

DTIC
ELECTE
APR 27 1987




January 1987

Report No. FAA-MS-86-5
DOT-TSC-FAA-87-2

Office of Management Systems
Management Standards and Statistics Division

87 4 21 004

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

NOTICE

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for its contents or use thereof.

NOTICE

The United States Government does not endorse products of manufacturers. Trade or manufacturers' names appear herein solely because they are considered essential to the object of this report.

1. Report No. FAA-MS-86-5	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle GENERAL AVIATION ACTIVITY AND AVIONICS SURVEY Annual Summary Report 1985 Data		5. Report Date March 1987	
		6. Performing Organization Code TSC/DTS-63	
7. Author(s) Statistical Analysis Division		8. Performing Organization Report No. DOT-TSC-FAA-87-2	
9. Performing Organization Name and Address U.S. Department of Transportation Research and Special Programs Administration Transportation Systems Center Cambridge, MA 02142		10. Work Unit No. (TRAIS) FA643/A6217	
		11. Contract or Grant No.	
		12. Sponsoring Agency Name and Address U.S. Department of Transportation Federal Aviation Administration Office of Management Systems Management Standards and Statistics Division Washington, DC 20591	
13. Type of Report and Period Covered Annual Report, CY 1985		14. Sponsoring Agency Code AMS-420	
15. Supplementary Notes			
16. Abstract <p>This report presents the results and a description of the 1985 General Aviation Activity and Avionics Survey. The survey was conducted during 1986 by the FAA to obtain information on the activity and avionics of the United States registered general aviation aircraft fleet, the dominant component of civil aviation in the U.S. The survey was based on a statistically selected sample of about 10.3 percent of the general aviation fleet. A response rate of 63.7 percent was obtained. Survey results are based upon responses but are expanded upward to represent the total population.</p> <p>Survey results revealed that during 1985 an estimated 34.1 million hours of flying time were logged and 88.7 million operations were performed by the 210,654 active general aviation aircraft in the U.S. fleet. The mean annual flight time per aircraft was 158.2 hours. The active aircraft represented about 77.9 percent of the registered general aviation fleet. The report contains breakdowns of these and other statistics by manufacturer/model group, aircraft type, state and region of based aircraft, and primary use. Also included are fuel consumption, lifetime airframe hours, avionics, engine hours, and miles flown estimates, as well as tables for detailed analysis of the avionics capabilities of the general aviation fleet. New to the report this year are estimates of the number of landings, IFR hours flown, and the cost and grade of fuel consumed by the GA fleet.</p>			
17. Key Words Aircraft, Aircraft Activity, Aircraft Use, Avionics, Fuel Consumption, General Aviation, Hours Flown, Miles Flown		18. Distribution Statement DOCUMENT IS AVAILABLE TO THE PUBLIC THROUGH THE NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD VIRGINIA 22161	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 292	22. Price

PREFACE

This report presents the results of the 1985 General Aviation Activity and Avionics Survey. The survey is the continuation of an FAA data collection program to gain information on the activities and avionics equipment of the general aviation aircraft fleet. The results represent the cumulative effort of several agencies within the Department of Transportation. Within the FAA, the Management Standards and Statistics Division sponsored and coordinated the activities associated with the survey. The Transportation Systems Center (TSC), under Project Plan Agreement with the FAA, and with contract support from the Systems Development Corporation, developed the sample design and computer system for sample selection, data editing and estimation of results, ran the system during survey production, analyzed survey results, and prepared the survey report. DYNATREND, Incorporated produced the camera-ready copy of this report.

Individual contributions to this survey include: Lawrence Kelly, Nicholas Soldo and Shung-Chai Huang, AMS-400, who sponsored the project; Donald Wright, TSC, who managed the project; Judith Schwenk, TSC, who developed the computer specifications, managed the survey operations, and reviewed and updated the text; Marilyn Marotta of Systems Development Corporation, who revised the computer programs for the 1985 survey and performed the production runs to produce the estimates contained in this report; and James Kelley of DYNATREND, Incorporated, who provided editorial support.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



Distribution: ZMS-348D.

METRIC CONVERSION FACTORS

Approximate Conversions to Metric Measures			
Symbol	When You Know	Multiply by	To Find
LENGTH			
in	inches	2.5	centimeters
ft	feet	30	centimeters
yd	yards	0.9	meters
mi	miles	1.6	kilometers
AREA			
sq in	square inches	6.5	square centimeters
sq ft	square feet	0.09	square meters
sq yd	square yards	0.8	square meters
sq mi	square miles	2.6	square kilometers
ac	acres	0.4	hectares
MASS (weight)			
oz	ounces	28	grams
lb	pounds	0.45	kilograms
sh	short tons (2000 lb)	0.9	metric tons
VOLUME			
cup	cup	0.24	liters
pt	pints	0.47	liters
qt	quarts	0.95	liters
gal	gallons	3.8	liters
cu ft	cubic feet	0.028	cubic meters
cu yd	cubic yards	0.76	cubic meters
TEMPERATURE (index)			
F	Fahrenheit temperature	5/9 (after subtracting 32)	Celsius temperature
C	Celsius temperature	9/5 (then add 32)	Fahrenheit temperature



EXECUTIVE SUMMARY

This report presents the results of the ninth General Aviation Activity and Avionics Survey, conducted in 1986 by the Federal Aviation Administration to obtain information on the activities and avionics of the 1985 general aviation aircraft fleet, the major component of civil aviation in the United States. The FAA selected a statistically designed sample of about 10.3 percent of the registered general aviation fleet to be included in the survey. The sampled aircraft represented all states and FAA regions, and all of the major manufacturer/model groups of aircraft. The survey was conducted through a mailed questionnaire, yielding in total a response rate of 63.7 percent.

Some important survey findings appear below:

- An estimated 34.1 million hours of flying time were logged by the 210,654 active general aviation aircraft in the U.S. fleet during 1985. The active aircraft had a mean flight time per aircraft of 158.2 hours and represented about 77.9 percent of the registered general aviation fleet. These statistics portray an overall decline in general aviation activity from 1984 to 1985, with total hours decreasing 6 percent and number of active aircraft decreasing 5 percent.
- Turboprop and turbojet aircraft averaged a greater number of flight hours per aircraft than other aircraft types with 362 hours and 369 hours, respectively. Twin engine turboprops with 13 or more seats flew about 831 hours per aircraft. In contrast, single engine piston powered aircraft with fewer than four seats averaged approximately 135 hours.
- An estimated 88.7 million operations (takeoffs and landings) were performed by the active aircraft. About 65 percent were in local flight and 35 percent in cross-country flight.
- The most common primary use of general aviation aircraft was personal for an estimated 49 percent of the active fleet, followed by business for 22 percent of the fleet, instructional for 7 percent of the fleet, and executive for 6 percent of the fleet.
- The most populous region in terms of active aircraft was the Great Lakes Region, which housed an estimated 18 percent of all active general aviation aircraft, followed closely by the Western-Pacific Region with 17 percent. The most populous state was California, which housed 14 percent of the registered aircraft.
- About 83 percent of the general aviation aircraft had two-way VHF communication equipment, about 66 percent were equipped with 4096-code transponders, about 54 percent had at least one component of an instrument landing system, and about 79 percent had some form of navigation equipment. Almost 39 percent had automated guidance and control equipment, such as a flight director or autopilot.

- An estimated 26.5 percent of general aviation aircraft had avionics equipment enabling them to fly above 18,000 feet in positive controlled airspace. Approximately 66.6 percent of the general aviation fleet could not fly above 12,500 feet due to avionics limitations alone.
- An estimated 42 percent of the active general aviation fleet flew by instrument flight rules (IFR) at some time during 1985.
- About 77 percent of the total hours logged by the 1985 general aviation fleet were flown in visual meteorological (VM) conditions during the day. Aircraft flown in VM night, instrument meteorological (IM) day, and IM night conditions accounted for 11 percent, 8 percent, and 3 percent of the total hours flown, respectively.
- The general aviation aircraft fleet consumed an estimated 1,112 million gallons of fuel during 1985: 421 million gallons of aviation gasoline and 691 million gallons of jet fuel.
- The general aviation aircraft fleet flew an estimated 4,183 million air miles during 1985.

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1. INTRODUCTION	1-1
1.1 General	1-1
1.1.1 Purpose of Survey	1-1
1.1.2 Background	1-1
1.2 Survey Coverage	1-3
1.2.1 Aircraft	1-3
1.2.2 Geographic	1-4
1.2.3 Content	1-4
1.3 Survey Method	1-4
1.4 Summary of Survey Results	1-5
1.4.1 National Scene	1-5
1.4.2 Results by Aircraft Type	1-5
1.4.3 Results by Primary Use	1-9
1.4.4 Results by Flying Conditions	1-15
1.4.5 Results by FAA Region	1-15
1.4.6 Results by Avionics Capability	1-15
1.4.6.1 Individual Avionics Components	1-15
1.4.6.2 Avionics Capability Groups	1-19
1.4.7 Fuel Consumption Results	1-27
1.4.8 Other Results	1-27
2. TABLES OF RESULTS	2-1
APPENDIX A.	A-1
A.1 First Mailing Cover Letter	A-1
A.2 Second Mailing Cover Letter	A-2
A.3 Third Mailing Cover Letter	A-3
A.4 Survey Questionnaire	A-4
APPENDIX B. Sample Design	B-1
B.1 Sample Frame and Size	B-1
B.2 Description of Sample Design	B-2
B.3 Error	B-6
B.3.1 Sampling Error	B-6
B.3.2 Non-Sampling Error	B-7

TABLE OF CONTENTS

Section

APPENDIX C.	FAA Regional Boundaries	C-1
APPENDIX D.	SDR Aircraft Group Name - FAA Manufacturer/Model Codes	D-1
APPENDIX E.	SDR Engine Group Name - FAA Manufacturer/Model Codes	E-1
BIBLIOGRAPHY		R-1

LIST OF ILLUSTRATIONS

<u>Figure</u>	<u>Page</u>
1.1 A COMPARISON OF GENERAL AVIATION AND AIR CARRIER ACTIVITY IN 1985	1-2
1.2 GENERAL AVIATION ACTIVE FLEET SIZE, 1981-1985	1-6
1.3 GENERAL AVIATION TOTAL FLYING TIME, 1981-1985	1-7
1.4 GENERAL AVIATION MEAN ANNUAL FLYING TIME FOR ACTIVE AIRCRAFT, 1981-1985	1-8
1.5 1985 GENERAL AVIATION ACTIVITY BY AIRCRAFT TYPE	1-10
1.6 1985 GENERAL AVIATION NUMBER OF LANDINGS BY AIRCRAFT TYPE	1-13
1.7 1985 GENERAL AVIATION ACTIVITY BY PRIMARY USE	1-14
1.8 1985 GENERAL AVIATION ANNUAL HOURS FLOWN BY WEATHER AND LIGHT CONDITIONS	1-16
1.9 1985 GENERAL AVIATION ACTIVITY BY FAA REGION	1-17
1.10 AVIONICS EQUIPMENT IN THE 1985 GENERAL AVIATION AIRCRAFT FLEET	1-18
1.11 1985 GENERAL AVIATION ACTIVE AIRCRAFT FLOWN IFR AND TRANSPONDER EQUIPPED	1-20
1.12 1985 MEAN FUEL CONSUMPTION RATES BY AIRCRAFT TYPE	1-28
1.13 1985 ESTIMATED FUEL CONSUMPTION BY AIRCRAFT TYPE	1-29
1.14 1985 GENERAL AVIATION FUEL CONSUMPTION BY FUEL GRADE	1-30
B.1 COMPARISON OF POPULATION AND SAMPLE DISTRIBUTIONS BY AIRCRAFT TYPE	B-4
B.2 COMPARISON OF POPULATION AND SAMPLE DISTRIBUTIONS BY REGION OF REGISTERED AIRCRAFT	B-5

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1-1 SUMMARY OF RESPONSE INFORMATION BY SURVEY PHASE	1-5
1-2 GROWTH OF GENERAL AVIATION TOTAL HOURS FLOWN BY AIRCRAFT TYPE 1980-1985	1-11
1-3 GROWTH OF ACTIVE GENERAL AVIATION FLEET BY AIRCRAFT TYPE 1980-1985	1-12
1-4 HIERARCHICAL CAPABILITY GROUPS	1-22
1-5 NON-HIERARCHICAL CAPABILITY GROUPS	1-25
1-6 COMPUTED AIRCRAFT TYPE	1-26
2-1 GENERAL AVIATION TOTAL HOURS FLOWN BY TYPE OF AIRCRAFT - CY 1985	2-2
2-2 GENERAL AVIATION TOTAL HOURS FLOWN BY STATE OF BASED AIRCRAFT - CY 1985	2-4
2-3 GENERAL AVIATION TOTAL HOURS FLOWN BY REGION OF BASED AIRCRAFT - CY 1985	2-7
2-4 GENERAL AVIATION TOTAL HOURS FLOWN BY AIRCRAFT TYPE AND PRIMARY USE - CY 1985	2-8
2-5 GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT MANUFACTURER/MODEL GROUP - CY 1985	2-11
2-6 GENERAL AVIATION ACTIVE AIRCRAFT BY TYPE OF AIRCRAFT - CY 1985	2-30
2-7 GENERAL AVIATION ACTIVE AIRCRAFT BY STATE OF BASED AIRCRAFT - CY 1985	2-32
2-8 GENERAL AVIATION ACTIVE AIRCRAFT BY REGION OF BASED AIRCRAFT - CY 1985	2-35
2-9 GENERAL AVIATION AIRCRAFT IN ALL REGIONS BY AIRCRAFT TYPE AND PRIMARY USE - CY 1985	2-36
2-10 GENERAL AVIATION ACTIVE AIRCRAFT IFR FLOWN AND TRANSPONDER EQUIPPED - CY 1985	2-39
2-11 GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT MANUFACTURER/MODEL GROUP - CY 1985	2-41

LIST OF TABLES
(CONTINUED)

<u>Table</u>		<u>Page</u>
2-12	GENERAL AVIATION ANNUAL HOURS FLOWN BY WEATHER AND LIGHT CONDITIONS BY AIRCRAFT TYPE - CY 1985	2-59
2-13	GENERAL AVIATION ANNUAL HOURS FLOWN BY WEATHER AND LIGHT CONDITIONS BY BASE REGION OF AIRCRAFT - CY 1985	2-65
2-14	GENERAL AVIATION ANNUAL HOURS FLOWN BY WEATHER AND LIGHT CONDITIONS BY SDR MANUFACTURER/MODEL GROUP - CY 1985	2-68
2-15	GENERAL AVIATION AVIONICS EQUIPMENT BY AIRCRAFT TYPE - CY 1985	2-102
2-16	GENERAL AVIATION AVIONICS EQUIPMENT BY BASE STATE OF AIRCRAFT - CY 1985	2-111
2-17	GENERAL AVIATION AVIONICS EQUIPMENT BY BASE REGION OF AIRCRAFT - CY 1985	2-132
2-18	GENERAL AVIATION AVIONICS EQUIPMENT BY PRIMARY USE - CY 1985	2-138
2-19	GENERAL AVIATION LIFETIME AIRFRAME HOURS BY AIRCRAFT MANUFACTURER/MODEL GROUP - CY 1985	2-144
2-20	GENERAL AVIATION MEAN HOURS AND ACTIVE ENGINES BY ENGINE MANUFACTURER/MODEL GROUP - CY 1985	2-161
2-21	GENERAL AVIATION FUEL CONSUMPTION BY AIRCRAFT TYPE - CY 1985	2-163
2-22	GENERAL AVIATION FUEL CONSUMPTION BY AIRCRAFT MANUFACTURER/MODEL GROUP - CY 1985	2-164
2-23	GENERAL AVIATION FUEL CONSUMPTION BY AIRCRAFT TYPE AND FUEL GRADE - CY 1985	2-182
2-24	GENERAL AVIATION MILES FLOWN BY AIRCRAFT TYPE - CY 1985	2-185
2-25	NON-HIERARCHICAL VS. HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-187
2-26	PRIMARY USE VS. HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-189
2-27	HOURS FLOWN VS. HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-191

LIST OF TABLES
(CONTINUED)

<u>TABLE</u>	<u>Page</u>
2-28 AGE OF AIRCRAFT VS. HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-193
2-29 COMPUTED AIRCRAFT TYPE VS. HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-195
2-30 BASE AIRPORT REGION VS. HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-197
2-31 PRIMARY USE VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-199
2-32 HOURS FLOWN VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-201
2-33 AGE OF AIRCRAFT VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-203
2-34 COMPUTED AIRCRAFT TYPE VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-205
2-35 BASE AIRPORT REGION VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1985	2-207
2-36 GENERAL AVIATION NUMBER OF LANDINGS IN LOCAL FLIGHT BY AIRCRAFT TYPE AND REGION - CY 1985	2-209
2-37 GENERAL AVIATION NUMBER OF LANDINGS IN CROSS COUNTRY FLIGHT BY AIRCRAFT TYPE AND REGION - CY 1985	2-211
2-38 GENERAL AVIATION TOTAL NUMBER OF LANDINGS BY AIRCRAFT TYPE AND REGION - CY 1985	2-213
B-1 SAMPLE AND POPULATION DISTRIBUTIONS BY AIRCRAFT TYPE	B-3
B-2 SAMPLE AND POPULATION DISTRIBUTIONS BY REGION OF REGISTERED AIRCRAFT	B-3
B-3 CONFIDENCE OF INTERVAL ESTIMATES	B-7
B-4 RESPONSE RATES BY REGION	B-9
B-5 RESPONSE RATES BY AIRCRAFT TYPE	B-9
D-1 SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES	D-2
E-1 SDR ENGINE GROUP NAME - FAA MANUFACTURER/MODEL CODES	E-2

1. INTRODUCTION

1.1 GENERAL

1.1.1 Purpose of Survey

The purpose of the General Aviation Activity and Avionics Survey is to provide the Federal Aviation Administration (FAA) with information on the activity and avionics of the general aviation fleet. Figure 1.1 underscores the importance of general aviation to the United States civil air fleet. During calendar year 1985, general aviation composed over 98 percent of the U.S. civil air fleet¹, accounted for over 88 percent of civil operations at U.S. airports², and logged almost 80 percent of the total hours flown by the U.S. civil air fleet³. The information obtained from the survey enables the FAA to monitor the general aviation fleet so that it can, among other activities, anticipate and meet demand for National Airspace System facilities and services, assess the impact of regulatory changes on the general aviation fleet, and implement measures to assure the safe operation in the airspace of all aircraft.

1.1.2 Background

Prior to the current survey method, the FAA used the Aircraft Registration Eligibility, Identification, and Activity Report, AC Form 8050-73, in its data collection program on general aviation activity and avionics. The form, sent annually to all owners of civil aircraft in the U.S., served two purposes: (1) Part 1

¹Air Carrier: Census of U.S. Civil Aircraft, Calendar Year 1985, U.S. Department of Transportation, Federal Aviation Administration, (Washington, DC, 1986), Table 2.2.

Note: Air carrier operations as used in this publication are calculated by subtracting Air Taxi Operators, Commuter Operators, and Air Travel Clubs operations from the All Carriers figure in Table 2.2 of the Census.

General Aviation: Table 2-6.

²Air Carrier: FAA Air Traffic Activity, Fiscal Year 1985, Federal Aviation Administration, (Washington, DC, 1986), Table 1B.

General Aviation: Table 2-36.


Note: General aviation as used in the survey combines both general aviation and air taxi from Table 1B of Air Traffic Activity.

³Air Carrier: Census of U.S. Civil Aircraft, Calendar Year 1985, U.S. Department of Transportation, Federal Aviation Administration, (Washington, DC, 1986), Table 2.4.


Note: Air carrier hours as used in this publication are calculated by subtracting hours for Air Taxi, Commuters, and Air Travel Clubs from Air Carrier hours in Table 2.4 of the Census.

General Aviation: Table 2-4.

ACTIVE U.S. CIVIL AIR FLEET



OPERATIONS AT U.S. AIRPORTS



FLYING TIME




FIGURE 1.1. A COMPARISON OF GENERAL AVIATION AND AIR CARRIER ACTIVITY IN 1985

was the mandatory aircraft registration renewal form, (2) Part 2 was voluntary and applied to general aviation aircraft only, asking questions on the owner-discretionary characteristics of the aircraft such as flight hours, avionics equipment, base location, and use. In 1978, the FAA replaced AC Form 8050-73 with a new system: Part 1 was replaced by a triennial registration program; Part 2 was replaced by the General Aviation Activity and Avionics Survey, FAA Form 1800-54. (See Appendix A.4.) The survey was to be conducted annually based on a statistically selected sample of general aviation aircraft, requesting the same type of information as Part 2 of AC Form 8050-73. The first General Aviation Activity and Avionics Survey took place in 1978, collecting data on the 1977 general aviation fleet. The 1985 statistics in this report were derived from the ninth survey, which took place in 1986. Benefits resulting from the new method of data collection included quicker processing of the results, improved data quality, and a considerable savings in time and money to both the public and the Federal Government.

1.2 SURVEY COVERAGE

1.2.1 Aircraft

The General Aviation Activity and Avionics Survey covers, through a stratified probability sample, all general aviation aircraft registered in the United States. The term "general aviation," as used for this survey, is defined as all aircraft in the U.S. civil air fleet except those operated under Federal Aviation Regulations (FAR) Parts 121 and 127. FAR Part 121, as modified by Special Federal Aviation Regulation 38 (SFAR-38), governs air carriers carrying passengers and cargo for hire and conducting scheduled and charter operations with aircraft having a seating capacity of more than 30 seats and/or a payload capacity of more than 7,500 pounds. General aviation thus includes aircraft operated under:

Part 91: General operating and flight rules.

Part 125: Certification and operations: Airplanes having a seating capacity of 20 or more passengers or a maximum payload capacity of 6,000 pounds or more.

Part 133: Rotorcraft external-load operations.

Part 135: Air taxi operators and commercial operators.

Part 137: Agricultural aircraft operations.

The term "general aviation" is not always defined in the same way from aviation publication to aviation publication, and thus is often a source of confusion to users of general aviation statistics. The point on which the various definitions disagree is under what categorization - air carrier or general aviation - air taxis and commuter air carriers operating under FAR Part 135, and air travel clubs operating under FAR part 125 should be included. The General Aviation Activity and Avionics Survey has always used the above definition for general aviation, which includes the air taxis, commuter air carriers and air travel clubs. Thus, it is essential for the user to understand thoroughly the definition of general aviation as it applies to the sources he is using so that proper comparisons of data can be made.

General aviation offers such varied services as air taxi, air cargo, industrial, agricultural, business, personal, instructional, research, patrol, and sport flying. General aviation aircraft range in complexity from simple gliders and balloons to four engine turbojets.

Certain aircraft meeting the general aviation criteria have been excluded from the survey. This group consists of aircraft registered to dealers, aircraft in the process of being sold or with registration pending, and aircraft for which not enough information was available to categorize them properly for sampling purposes.

1.2.2 Geographic

The sample survey conducted by the FAA covers general aviation aircraft registered with the United States Aircraft Registry as of December 31, 1985. Over 99 percent of these aircraft are registered to owners living in the 50 states and Washington, D.C., with about 0.30 percent (637 aircraft) registered in Puerto Rico and other U.S. territories, and 0.19 percent (391 aircraft) registered to owners living in foreign countries.¹

1.2.3 Content

Appendix A.4 contains a copy of the survey questionnaire, FAA Form 1800-54. The questionnaire requests the owner to provide the following information on the sampled aircraft's characteristics and uses for various periods:

- 1) Hours by use, IFR hours, percentage of hours flown in Instrument Meteorological (IM) and Visual Meteorological (VM) conditions during the day and evening, fuel consumption grade and cost, and number of local and cross-country landings for entire calendar year 1985,
- 2) Airframe hour reading and location of aircraft base as of December 31, 1985, and
- 3) Avionics equipment currently on board.

1.3 SURVEY METHOD

The method of collecting data used by the FAA for this survey was the mail questionnaire, sent to the owners of the sampled aircraft in three mailings, instead of two mailings as in previous years. The first mailing in April 1986, covered all 27,806 aircraft in the sample and had a response rate of 47.6 percent as shown in Table 1-1. This was about 74.7 percent of the total responses to the survey. The second mailing conducted in May 1986, included only those aircraft in the sample that had not yet responded. The second mailing had a response rate of 25.2 percent which accounted for 20.7 percent of the total responses to the survey. The third mailing was conducted in June 1986, and had a response rate of 7.5 percent, accounting for 4.6 percent of all survey responses. The combined response rate for the three mailings was 63.7 percent.

¹Source: FAA Aircraft Registration Master File as of December 31, 1985.

**TABLE 1-1. SUMMARY OF RESPONSE INFORMATION
BY SURVEY PHASE**

SURVEY PHASE	SAMPLE SIZE (S)	NUMBER OF RESPONSES (R)	RESPONSE RATE (R/S X 100%)	PORTION OF TOTAL RESPONSE (R/(TOTAL R) X 100%)
FIRST MAILING	27,806	13,231	47.6%	74.7%
SECOND MAILING	14,575	3,669	25.2%	20.7%
THIRD MAILING	10,906	815	7.5%	4.6%
TOTAL	27,806	17,715	63.7%	100%

1.4 SUMMARY OF SURVEY RESULTS


1.4.1 National Scene

Results of the General Aviation Activity and Avionics Survey at the national level revealed that during 1985 an estimated 34.1 million hours of flying time were logged by the 210,654 active general aviation aircraft in the U.S. fleet. The mean annual flight time per aircraft was 158.2 hours. These aircraft comprised 77.9 percent of the registered general aviation fleet. The statistics for 1985 showed a 6 percent decrease in flying hours, a 5 percent decrease in the number of active aircraft in the general aviation fleet, and no change in mean hours per aircraft over the comparable figures for 1984. Longer-term trends for these variables are found in Figures 1.2, 1.3, and 1.4. They reflect an overall decline in general aviation activity in recent years.

While results discussed above indicate certain trends in the number of active aircraft, the activity of the general aviation fleet (total hours flown) and the average hours flown per active aircraft, year to year changes may not be statistically significant. An examination of the standard errors and confidence intervals for the chosen level of confidence is needed to determine statistical significance (change not due to sampling variances). Figures 1.2, 1.3, and 1.4 show the confidence intervals of estimates over several years at the 95 percent level of confidence (\pm two standard errors).

1.4.2 Results by Aircraft Type


The most heavily used aircraft types were fixed wing turboprops with 13 or more seats, averaging over 830 hours per aircraft, because of their heavy commercial



SOURCE: TABLE 1-3

1. THE DASHED LINES REPRESENT A 95% CONFIDENCE INTERVAL FOR THE 1981-1985 TRUE VALUES. SEE APPENDIX B.


FIGURE 1.2. GENERAL AVIATION ACTIVE FLEET SIZE, 1981 - 1985



SOURCE: TABLE 2-1

1. THE DASHED LINES REPRESENT A 95% CONFIDENCE INTERVAL FOR THE 1981-1985 TRUE VALUES. SEE APPENDIX B.

FIGURE 1.3. GENERAL AVIATION TOTAL FLYING TIME, 1981 - 1985



SOURCE: TABLE 2-1

1. THE DASHED LINES REPRESENT A 95% CONFIDENCE INTERVAL FOR THE 1981 - 1985 TRUE VALUES. SEE APPENDIX B.

FIGURE 1.4. GENERAL AVIATION MEAN ANNUAL FLYING TIME FOR ACTIVE AIRCRAFT, 1981 - 1985

usage as commuter air carriers and air taxis. There was a great deal of variation in activity among all types of general aviation aircraft in terms of three measures resulting from the survey: total hours flown, number of active aircraft, and mean hours flown. Figure 1.5 highlights the variation as well as the relationship of these three measures to each other. Distance along the vertical axis indicates mean flight hours per aircraft, distance along the horizontal axis indicates the relative portion of the active fleet belonging to each aircraft type, and the area within each box is proportional to the total flying time for the aircraft type. Thus, it is evident that in terms of sheer numbers, single engine piston aircraft dominated the active fleet and contributed the largest portion of total flying time, yet had one of the lowest mean flight times per aircraft. In contrast, the turboprops, turbojet aircraft, and rotorcraft had low representation in the active fleet but contributed a relatively high proportion of flight time resulting in the greatest mean flight hours of any of the major aircraft types.


Five-year trends from 1980 to 1985 for total flight time and number of active aircraft are shown by aircraft type in Tables 1-2 and 1-3. Even though the number of active aircraft has exhibited no growth over the period, the trend for total flight time is downward at an annual rate of -3.65 percent. Closer examination of the tables reveals that lower usage of fixed-wing piston engine aircraft is largely responsible for the decline in hours. In contrast, twin engine turbojets have grown in both numbers and usage, while twin engine turboprops with 1-12 seats have grown significantly in numbers. In the rotorcraft area, piston-powered rotorcraft have been declining in number and hours flown, while turbine-powered rotorcraft have grown in number from 1980 to 1985. These results are displayed in more detail in Tables 2-1 and 2-6.

The general aviation aircraft fleet flew an estimated 4.183 billion miles over the land during 1985. The estimate is based on a mathematical model, incorporating speed differentials by phase of flight, cruising speed by manufacturer/model group of aircraft, and the number of hours flown by manufacturer/model group. Detailed estimates by aircraft type and primary use can be found in Table 2-24.

The number of landings, including touch-and-go landings, performed by the general aviation aircraft fleet was estimated this year for the first time using the results of a new question on the questionnaire. (See Appendix A.4, Question 9.) It is estimated that general aviation aircraft made approximately 44.3 million landings during 1985. Figure 1.6 shows the landings by aircraft type and type of flight (local or cross-country). It can be seen that single engine piston aircraft perform the majority of landings, and that most of the landings are in local rather than cross-country flight. It appears that rotorcraft also engage primarily in local flights. However, turboprops and turbojets, as might be expected, are used primarily for longer, cross-country flying. These results, broken down additionally by FAA region, can be found in Tables 2-36 through 2-38.

1.4.3 Results by Primary Use

Like aircraft types, primary uses were differentiated by their activity characteristics, as shown in Figure 1.7. Distance along the vertical axis indicates mean hours per aircraft. Distance along the horizontal axis indicates the relative portion of the active fleet engaged in each primary use, and the area within each box is proportional to the total flying time for each primary use. Aircraft used as commuter air carriers showed the highest individual usage with a mean of 866 hours flown per aircraft. Aircraft used as air taxis and for rental purposes also had fairly high levels of individual usage with mean hours flown per aircraft of



SOURCE: TABLE 2-1

FIGURE 1.5. 1985 GENERAL AVIATION ACTIVITY BY AIRCRAFT TYPE

**TABLE 1-2. GROWTH OF GENERAL AVIATION TOTAL HOURS FLOWN
BY AIRCRAFT TYPE, 1980 - 1985 (Thousands of Hours)**

AIRCRAFT TYPE	1980 (Standard Error)	1981 (Standard Error)	1982 (Standard Error)	1983 (Standard Error)	1984 (Standard Error)	1985 (Standard Error)	Compound Annual Growth Rate in %
FIXED WING							
1-engine piston 1 - 3 seats	10,044 (399)	10,185 (399)	8,325 (374)	8,189 (399)	8,586 (327)	7,921 (290)	-4.64
1-engine piston 4+ seats	18,295 (428)	17,506 (432)	15,934 (472)	14,959 (441)	14,919 (358)	14,931 (376)	-3.98
2-engine piston 1-6 seats	3,730 (172)	3,606 (144)	3,040 (177)	3,013 (192)	2,984 (114)	2,725 (143)	-6.09
2-engine piston 7+ seats	2,547 (143)	2,762 (153)	2,617 (197)	2,717 (235)	2,600 (165)	2,190 (141)	-2.98
Other piston	130 (18)	24 (63)	33 (10)	32 (10)	102 (30)	26 (9)	-27.52
2-engine turboprop 1 - 12 seats	1,489 (55)	1,549 (68)	1,576 (116)	1,431 (93)	1,715 (88)	1,465 (76)	-0.32
2-engine turboprop 13+ seats	964 (55)	542 (45)	520 (84)	659 (118)	736 (75)	551 (58)	-10.58
Other turboprop	56 (10)	62 (11)	71 (20)	83 (31)	54 (13)	64 (7)	2.71
2-engine turbojet	1,163 (52)	1,238 (48)	1,347 (98)	1,350 (92)	1,328 (66)	1,461 (70)	4.67
Other turbojet	169 (27)	149 (16)	264 (46)	124 (31)	237 (32)	161 (17)	-0.97
ROTORCRAFT							
Piston	736 (75)	930 (108)	579 (58)	572 (49)	591 (66)	564 (85)	-5.18
Turbine	1,603 (115)	1,754 (150)	1,771 (145)	1,700 (151)	1,903 (120)	1,590 (142)	-0.16
OTHER	359 (21)	391 (34)	379 (40)	420 (49)	358 (23)	414 (34)	2.89
TOTAL AIRCRAFT	41,016 (650)	40,704 (659)	36,456 (701)	35,249 (712)	36,118 (561)	34,063 (556)	-3.65

NOTE: Column summations may differ from printed totals due to estimation procedures.

**TABLE 1-3. GROWTH OF ACTIVE GENERAL AVIATION FLEET
BY AIRCRAFT TYPE, 1980 - 1985 (Number of Aircraft)**

AIRCRAFT TYPE	1980 (Standard Error)	1981 (Standard Error)	1982 (Standard Error)	1983 (Standard Error)	1984 (Standard Error)	1985 (Standard Error)	Compound Annual Growth Rate in %
FIXED WING							
1-engine piston 1 - 3 seats	60,505 (688)	59,914 (748)	57,670 (910)	59,199 (976)	61,989 (724)	58,829 (809)	-0.56
1-engine piston 4 + seats	107,930 (538)	107,983 (656)	106,503 (687)	107,228 (778)	109,933 (603)	105,555 (732)	-0.44
2-engine piston 1-6 seats	16,224 (246)	16,749 (246)	16,381 (303)	16,249 (315)	16,539 (231)	15,627 (300)	-0.75
2-engine piston 7 + seats	8,141 (153)	8,607 (181)	8,501 (168)	8,660 (150)	8,719 (193)	8,032 (180)	-0.27
Other piston	212 (17)	114 (29)	140 (24)	143 (14)	262 (35)	148 (31)	-6.94
2-engine turboprop 1 - 12 seats	3,339 (41)	3,968 (46)	4,427 (45)	4,733 (72)	4,992 (47)	4,633 (103)	6.77
2-engine turboprop 13 + seats	627 (18)	557 (17)	610 (28)	578 (48)	640 (29)	607 (39)	-0.65
Other turboprop	123 (10)	134 (5)	149 (28)	142 (38)	176 (15)	167 (13)	6.31
2-engine turbojet	2,551 (37)	2,808 (68)	3,309 (84)	3,447 (92)	3,780 (50)	3,914 (67)	8.94
Other turbojet	441 (13)	362 (23)	687 (73)	451 (91)	540 (45)	460 (33)	0.85
ROTORCRAFT							
Piston	2,794 (133)	3,250 (173)	2,419 (178)	2,541 (191)	2,936 (185)	2,877 (201)	0.59
Turbine	3,207 (49)	3,724 (73)	3,749 (140)	3,998 (153)	4,160 (115)	3,541 (159)	2.00
OTHER	4,945 (142)	5,049 (179)	5,233 (211)	5,923 (207)	6,275 (172)	6,263 (207)	4.84
TOTAL AIRCRAFT	211,045 (945)	213,226 (1,078)	209,779 (1,238)	213,293 (1,345)	220,943 (1,032)	210,654 (1,200)	-0.04

NOTE: Column summations may differ from printed totals due to estimation procedures.





FIGURE 1.6. 1985 GENERAL AVIATION NUMBER OF LANDINGS BY AIRCRAFT TYPE



SOURCE: TABLES 2-4 AND 2-9

FIGURE 1.7. 1985 GENERAL AVIATION ACTIVITY BY PRIMARY USE

420 and 337, respectively. General aviation aircraft were used most commonly for personal and business purposes, representing 49 and 22 percent of the active fleet.

1.4.4 Results by Flying Conditions

Survey results indicate that about 77 percent of the total hours logged by the 1984 general aviation fleet were flown in Visual Meteorological (VM) conditions during the day. Aircraft flown in VM night, Instrument Meteorological (IM) day, and IM night conditions accounted for 11 percent, 8 percent, and 3 percent of the total hours flown, respectively. These results are illustrated in Figure 1.8.

Not surprisingly, fixed wing single engine piston aircraft and rotorcraft spend the bulk of their flying time in VM conditions. Single engine piston aircraft fly 90 percent of their flight hours in VM conditions. Fixed wing piston aircraft with two engines, turboprops, and turbojets spend a considerable amount of their flying time in IM conditions, approximately 27, 27, and 28 percent, respectively. Table 2-12 contains more data on general aviation annual hours flown by weather and light conditions by aircraft type. In addition, Tables 2-13 and 2-14 give detailed breakdowns of general aviation annual hours flown by weather and light conditions by region of based aircraft and by SDR manufacturer/model group, respectively.

1.4.5 Results by FAA Region


Although the total active aircraft and flight time decreased slightly in 1985, the mean aircraft usage did not change significantly for any particular region from 1984 to 1985 with the exception of the New England Region which decreased its mean hours of flying time per aircraft by about 15 percent. In Figure 1.9, distance along the vertical axis indicates mean annual hours per aircraft, distance along the horizontal axis indicates the *relative portion of the active fleet based in each region*, and the area within each box is proportional to the total flying time occurring in each region. It can be seen that the Great Lakes Region accounted for more active aircraft than any other region. However, the Western-Pacific and Southwestern Regions accounted for more total flight time. The smallest region in continental United States was New England, with only 3.8 percent of the active aircraft and about 3.3 percent of the fleet's total flight time.

Tables 2-3 and 2-8 contain more estimates by region; Tables 2-2 and 2-7 show *similar estimates by state of based aircraft*.

aircraft have two-way VHF communications, 66 percent are equipped with 4096-code transponders, 54 percent have at least one component of an instrument landing system, and 79 percent have some form of navigation equipment. It is evident from comparing the 1985 and 1979 avionics estimates that the general


1.4.6 Results by Avionics Capability

1.4.6.1 Individual Avionics Components - The extent to which general aviation aircraft are furnished with on-board avionics equipment was a principal finding of the survey. A summary appears in Figure 1.10. Eighty-three percent of the aviation fleet is becoming more sophisticated in terms of its avionics equipment. Within two-way communications, for example, there was a significant shift from 360 channel to 720 channel equipment. In terms of transponder equipment, there



SOURCE: TABLE 2-12

**FIGURE 1.8. 1985 GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS**



SOURCE: TABLE 2.3

FIGURE 1.9. 1985 GENERAL AVIATION ACTIVITY BY FAA REGION




FIGURE 1.10. AVIONICS EQUIPMENT IN THE 1985 GENERAL AVIATION AIRCRAFT FLEET

was a substantial increase in the percentage of the general aviation aircraft containing 4096 code transponders and altitude encoding equipment, while the percentage of aircraft containing no transponder equipment declined considerably over the 5 year period. The proportion of the general aviation fleet with transponders increased from 59 percent in 1979 to 66 percent in 1985. The proportion of aircraft having two or more communications systems increased by about 4 percent from 1979 to 1985. The proportion with two or more VOR receivers increased by more than 5 percent over the same 6 year period.

A new category of avionics equipment was added to the 1985 survey, Guidance and Control Equipment, which encompasses flight directors, horizontal situation indicators (HSI), electronic flight information systems (EFIS), flight management computers, and autopilots. These types of equipment represent the more sophisticated as well as more expensive avionics equipment available to the general aviation aircraft fleet. Thus, only around 39 percent of general aviation aircraft have installed one or more of these types of avionics. More detailed breakdowns of avionics equipment by aircraft type, state, region, and primary use are provided in Tables 2-15 through 2-18.

Figure 1.11 shows the portion of active aircraft of each type which engaged in IFR (Instrument Flight Rules) flight during 1985 and further, the portions that flew IFR with and without transponder equipment. It can be seen that almost all active twin engine piston aircraft, turboprops, and turbojets flew IFR at some time during 1985 and were equipped with transponders. Although a much lower proportion of the active single engine piston aircraft and rotorcraft in the fleet flew IFR during the year, almost all that did were equipped with transponders. In fact, almost 100 percent of IFR flying was performed by aircraft equipped with transponders.


Table 2-10 shows IFR flight information in more detail and gives a breakdown of IFR hours flown by type of aircraft. It can be seen that general aviation aircraft flew approximately 8.1 million hours under IFR.

1.4.6.2 Avionics Capability Groups - Estimates of the number of aircraft containing individual pieces of avionics equipment are somewhat limited because they do not provide the means to determine an aircraft's overall ability to use the National Airspace System (NAS). Often, several pieces of equipment are required to obtain a certain capability in the NAS; it thus becomes necessary to study groups of avionics, rather than individual pieces. Therefore, avionics capability groups were developed to provide a framework for the GA fleet relating airborne avionics equipment to aircraft capability to perform in the NAS, and within this framework to analyze the activity and other characteristics of the GA fleet.

The methodology and assumptions for developing avionics capability groups are detailed in General Aviation Avionics Statistics.¹ This report also contains a glossary which explains numerous terms relating to avionics equipment and the NAS.

Two classifications of capability groups (CG's) were developed. The first type consists of avionics equipment meeting FAA requirements for use of various

¹General Aviation Avionics Statistics (1979 Data), U.S. Department of Transportation, Federal Aviation Administration, (Washington, DC, 1981), pp. 5-10.



**FIGURE 1.11. 1985 GENERAL AVIATION ACTIVE AIRCRAFT FLOWN
IFR AND TRANSPONDER EQUIPPED**

aspects of the NAS. FAA regulations deal with three basic capabilities: (1) to fly in different segments of the airspace, (2) to fly under visual flight rules (VFR) and instrument flight rules (IFR) type of flight, and (3) to land at different classes of airports. In the formation of CG's of avionics equipment which relate to these three capabilities, the groups take on a hierarchical nature; that is, there is an order to the groups. Thus, the first type of CG became known as hierarchical. In general, the avionics equipment and the associated capabilities for one capability group are a subset of the avionics equipment and the associated capabilities for the next higher group.

The second type of capability group, non-hierarchical, consists of avionics which give an aircraft additional capability but which are not required equipment according to FAA regulations. The formation of the second type of CG involved grouping component pieces of avionics equipment which together would form a complete avionics system for enabling an aircraft to make full use of a landing, communications, or navigation system in the NAS.

Hierarchical CG's are described in Table 1-4 in terms of avionics equipment and associated capabilities. Non-hierarchical CG's are described in Table 1-5.

Table 2-25 presents the estimates of the number of GA aircraft found in the hierarchical and non-hierarchical CG's. Examination of Table 2-25 reveals the following on the GA fleet:

- a. About 26.5 percent of GA aircraft have avionics equipment enabling them to fly above 18,000 feet in positive controlled airspace. Approximately 67 percent of the GA fleet cannot fly above 12,500 feet due to avionics limitations alone.
- b. About 77 percent of GA aircraft are equipped to fly IFR.
- c. About 17 percent of the GA fleet are limited to landing at uncontrolled airports. Approximately 19 percent can land at either non-TCA controlled airports or Group III TCA's. Approximately 31 percent can land at any type of airport except a Group I TCA. About 33 percent can land at Group I TCA's.
- d. In general, Table 2-25 indicates that those aircraft in the least sophisticated non-hierarchical CG's also comprise the bulk of the least sophisticated hierarchical CG's. Of the aircraft possessing none of the non-hierarchical CG equipment (i.e. NO REGULATORY ELECTRONICS), 72.1 percent fall into hierarchical CG's 1, 2, and 3. Similarly, those aircraft in the most sophisticated non-hierarchical CG's are also in the most sophisticated hierarchical CG's. For example, 93 percent of the aircraft possessing a complete ILS and a radar altimeter fall into hierarchical CG 8.
- e. LORAN-C and Omega, two types of Long Range Navigation equipment, were added to the avionics section of the 1984 questionnaire. These additions have had a strong impact on the reported total number of aircraft with Long Range Navigation equipment. In 1983 only 9,393 aircraft (3.6% of the total population) reported any type of Long Range Navigation equipment. In 1984, however, the reported number increased to 23,337 (8.7% of the total population) and in 1985, the reported number increased to 35,143 (13% of the total population). It is believed this increase reflects the specific addition of LORAN-C and Omega to the survey form, rather than a dramatic rise in the number of aircraft containing Long Range Navigation equipment.

TABLE 1-4. HIERARCHICAL CAPABILITY GROUPS

AVIONICS	CAPABILITIES
<p><u>Group 1</u> No regulatory avionics</p>	<ol style="list-style-type: none"> Up to and including 12,500 feet mean sea level (MSL) Gliders...Up to and including 18,000 feet MSL ADF...Colored airways below 12,500 feet MSL VOR or RNAV ...VOR airways below 12,500 feet MSL RNAV...Low altitude RNAV airways below 12,500 feet MSL VFR flight, day and night Uncontrolled airports
<p><u>Group 2</u> Two-way communications</p>	<ol style="list-style-type: none"> Up to and including 12,500 feet MSL Gliders...Up to and including 18,000 feet MSL VFR flight, day and night Non-TCA controlled airports Group III TCA's Helicopters with 4096 code transponders Group III TCA's All helicopters...Group I and II TCA's below 1,000 feet above ground level (AGL) <p>NOTE: Air taxis with navigation system and transponder: Group II TCA's</p> <p>Air taxis with navigation system, transponder and altitude reporting: Group I TCA's and non-positive controlled airspace</p> <p>Air taxis with navigation system, DME, transponder and altitude reporting: Group I TCA's and positive controlled airspace</p>

TABLE 1-4. HIERARCHICAL CAPABILITY GROUPS (CONTINUED)

AVIONICS	CAPABILITIES
<p><u>Group 3</u> Two-way communications Two systems--air taxis VOR or Automatic Direction Finder (ADF) or RNAV</p>	<ol style="list-style-type: none"> 1. Up to and including 12,500 feet MSL Gliders...Up to and including 18,000 feet MSL ADF...Colored airways below 12,500 feet MSL VOR or RNAV...VOR airways below 12,500 feet MSL RNAV...Low altitude RNAV airways below 12,500 feet MSL 2. IFR flight 3. Non-TCA controlled airways Group III TCA's Helicopters with 4096 code transponders...Group II TCA's All helicopters...Group I and II TCA's below 1,000 feet AGL
<p><u>Group 4</u> Two-way communications Two systems--air taxis 4096 code transponder VOR or RNAV</p>	<ol style="list-style-type: none"> 1. Up to and including 12,500 feet MSL Gliders...Up to and including 18,000 feet MSL VOR airways below 12,500 feet MSL RNAV...Low altitude RNAV airways below 12,500 feet MSL 2. IFR flight 3. Non-TCA controlled airports Group II TCA's Helicopters...Group I TCA's below 1,000 feet AGL
<p><u>Group 5</u> 4096 code transponder Altitude encoding equipment</p>	<ol style="list-style-type: none"> 1. Non-positive controlled airspace 2. VFR flight, day and night 3. Uncontrolled airports Group III TCA's

TABLE 1-4. HIERARCHICAL CAPABILITY GROUPS (CONTINUED)

AVIONICS	CAPABILITIES
<u>Group 6</u> Two-way communications 4096 code transponder Altitude encoding equipment	1. Non-positive controlled airspace 2. VFR flight, day and night 3. Non-TCA controlled airports Group III TCA's Helicopters...Group I TCA's
<u>Group 7</u> Two-way communications Two systems--air taxis 4096 code transponder Altitude encoding equipment VOR	1. Non-positive controlled airspace VOR airways 2. IFR flight 3. Group I TCA's
<u>Group 8</u> Two-way communications Two systems--air taxis 4096 code transponder Altitude encoding equipment VOR } or RNAV DME	1. Positive controlled airspace Jet routes RNAV...RNAV routes 2. IFR flight 3. Group I TCA's

TABLE 1-5. NON-HIERARCHICAL CAPABILITY GROUPS

AVIONICS	CAPABILITIES
<u>Group 1</u> Localizer	Partial use of airport ILS
<u>Group 2</u> Localizer Marker Beacon	Partial use of airport ILS
<u>Group 3</u> Localizer Marker Beacon Glide Slope	Full use of airport ILS
<u>Group 4</u> ILS Radar Altimeter	Landing approach in Category III ¹ weather conditions at airports with Category III equipment
<u>Group 5</u> Long Range RNAV (LORAN-C, Omega, or other)	Area navigation over long distances and large bodies of water
<u>Group 6</u> Radar Altimeter	Determination of altitude above level of terrain
<u>Group 7</u> Microwave Landing System (MLS)	More accurate and flexible landing approaches, especially at airports with mountains and large buildings nearby
<u>Group 8</u> ILS MLS	Backup landing systems
<u>Group 9</u> Long Range RNAV (LORAN-C, Omega, or other) MLS	Sophisticated navigational and landing capabilities

¹See Appendix D, "Weather Category Definitions," General Aviation Avionics Statistics (1979 Data), (Washington, DC, 1981)

Tables 2-26 through 2-35 show distributions of hierarchical and non-hierarchical capability groups versus aircraft characteristics. These characteristics include: primary use of the aircraft, hours flown during 1985, age of the aircraft, and computed aircraft type. The 13 computed aircraft types listed in Table 1-6 combine the four aircraft characteristics of engine type, number of engines, aircraft type (simple), and number of seats into meaningful combinations for the GA fleet.

TABLE 1-6. COMPUTED AIRCRAFT TYPE

TYPE	DESCRIPTION
1.	Fixed wing single engine piston 1-3 seats
2.	Fixed wing single engine piston 4+ seats
3.	Fixed wing two engine piston 1-6 seats
4.	Fixed wing two engine piston 7+ seats
5.	Fixed wing piston other
6.	Fixed wing two engine turboprop 1-12 seats
7.	Fixed wing two engine turboprop 13+ seats
8.	Fixed wing turboprop other
9.	Fixed wing two engine turbojet
10.	Fixed wing turbojet other
11.	Rotorcraft piston
12.	Rotorcraft turbine
13.	Other aircraft

Generally, those aircraft in low order CG's have less sophisticated characteristics than those in high order capability groups as follows:

- a. As in prior years, as the hierarchical CG's increase in sophistication, the predominant uses also change from personal, to business and personal, to executive and business (Table 2-26).
- b. As non-hierarchical CG's increase in sophistication, the predominant primary uses of aircraft change from personal, to business and personal, to business and executive. For example, executive aircraft alone composes about 41 percent of the aircraft reporting both a radar altimeter and a complete ILS yet executive aircraft compose only 5.5 percent of the fleet (Table 2-31).
- c. In the case of both hierarchical and non-hierarchical capability groups, aircraft containing more avionics equipment and capabilities are flown more hours on the average than those with smaller investments in avionics equipment (Tables 2-27 and 2-32).
- d. Aircraft in the more sophisticated groups are newer aircraft on the average than those in less sophisticated CG's (Tables 2-28 and 2-33).
- e. The computed aircraft type increases in sophistication as the level of avionics increases. (Tables 2-29 and 2-34).


1.4.7 Fuel Consumption Results

The general aviation aircraft fleet consumed an estimated 1,112 million gallons of fuel during 1985: 421 million gallons of aviation gasoline and 691 million gallons of jet fuel. From Figure 1.12, it is evident that turbojet and turboprop engines consume fuel at much higher rates than piston engines. The high rates account for turbojet's burning 40 percent of all fuel consumed in 1985, as shown in Figure 1.13, even though they represent only 2 percent of active aircraft. In spite of their low fuel consumption rates, fixed wing piston aircraft accounted for 37 percent of the fuel consumed in 1985 due to their high representation in the general aviation fleet. Table 2-21 shows more detailed fuel consumption estimates and their standard errors by aircraft type. Table 2-22 shows fuel consumption by SDR group.

Piston-powered aircraft consumed 421 million gallons of gasoline, including 36 million gallons of 80 octane gasoline, 142 million gallons of 100 octane gasoline, 217 million gallons of 100 octane low lead gasoline, and 26 million gallons of automobile gasoline. Figure 1-14 shows the distribution of fuel consumed by fuel grade. Table 2-23 gives more detailed data broken down by fuel grade and aircraft type.

1.4.8 Other Results

Additional results to those discussed above are found in the tables in Section 2. Estimates of total hours, mean hours, lifetime airframe hours, and number of active aircraft for over 360 SDR manufacturer/model groups of general aviation aircraft are found in Tables 2-5, 2-11, and 2-19. Appendix D contains definitions of these groups. The report also includes a table (Table 2-20) on mean hours and number of active engines for 76 different manufacturer/model groups of engines. Appendix E contains definitions of these groups.



SOURCE: TABLE 2-21

FIGURE 1.12. 1985 MEAN FUEL CONSUMPTION RATES BY AIRCRAFT TYPE





FIGURE 1.13. 1985 ESTIMATED FUEL CONSUMPTION BY AIRCRAFT TYPE



SOURCE: TABLE 2-23

**FIGURE 1.14. 1985 GENERAL AVIATION FUEL CONSUMPTION
BY FUEL GRADE**

2. TABLES OF RESULTS

TABLE 2 - 1

GENERAL AVIATION TOTAL HOURS FLOWN

BY
TYPE OF AIRCRAFT

PAGE 1 OF 2

AIRCRAFT TYPE	POPULATION SIZE	ESTIMATE OF NUMBER ACTIVE	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
FIXED WING									
FIXED WING - PISTON									
1 ENG: 1-3 SEATS	87513	58829	809	7920534	289874	3.7	134.9	4.7	3.5
1 ENG: 4+ SEATS	122872	105555	732	14930541	376289	2.5	142.0	3.5	2.4
1 ENGINE: TOTAL	210385	164385	1091	22851080	474995	2.1	139.5	2.8	2.0
2 ENG: 1-6 SEATS	18929	15627	300	2725412	142589	5.2	173.9	8.7	5.0
2 ENG: 7+ SEATS	10184	8032	180	2189888	140873	6.4	273.8	16.0	5.8
2 ENGINE: TOTAL	29123	23659	349	4915300	200441	4.1	207.6	7.9	3.8
PISTON: OTHER	347	148	31	26197	8573	32.7	184.2	49.8	27.0
PISTON: TOTAL	23985E	188191	1146	27792574	515626	1.9	147.1	2.6	1.8
FIXED WING - TURBOPROP									
2 ENG: 1-12 SEATS	5201	4633	103	1485134	75970	5.2	318.7	16.0	5.0
2 ENG: 13+ SEATS	876	607	39	550748	58286	10.6	831.4	69.8	8.4
2 ENGINE: TOTAL	6077	5240	110	2015882	95754	4.7	360.7	15.8	4.4
TURBOPROP: OTHER	284	167	13	64257	7127	11.1	396.5	23.8	6.0
TURBOPROP: TOTAL	6361	5407	111	2080139	96018	4.6	362.0	15.3	4.2

TABLE 2 - 1

GENERAL AVIATION TOTAL HOURS FLOWN
BY
TYPE OF AIRCRAFT
1985

PAGE 2 OF 2

AIRCRAFT TYPE	POPULATION SIZE	ESTIMATE OF NUMBER ACTIVE	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
FIXED WING - TURBOJET									
2 ENGINE TURBOJET	4151	3914	67	1461284	70147	4.8	374.6	16.5	4.4
TURBOJET: OTHER	683	460	33	160509	17239	10.7	325.1	19.0	5.8
TURBOJET: TOTAL	4834	4375	74	1621793	72234	4.5	368.7	14.8	4.0
FIXED WING: TOTAL	251050	197974	1154	31494506	529441	1.7	155.5	2.6	1.6
ROTORCRAFT									
PISTON	5588	2877	201	564363	84742	15.0	191.6	24.5	12.8
TURBINE	4792	3541	159	1590254	142189	8.9	460.3	36.7	8.0
ROTORCRAFT: TOTAL	10380	6418	256	2154617	165526	7.7	336.1	22.7	6.8
OTHER	8854	8263	207	413843	33753	8.2	67.1	5.1	7.7
TOTAL	270284	210654	1200	34062956	555739	1.6	158.2	2.5	1.6

TABLE 2 - 2

GENERAL AVIATION TOTAL HOURS FLOWN
BY
STATE OF BASED AIRCRAFT
1985

PAGE 1 OF 3

STATE	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR
ALABAMA	2608	326	493379	80986
ALASKA	6421	460	1024622	134971
ARIZONA	4796	440	916960	123187
ARKANSAS	2687	324	428492	58031
CALIFORNIA	29392	1012	4327490	178832
COLORADO	4606	435	647557	77956
CONNECTICUT	1724	263	256171	43217
DELAWARE	530	144	69484	21392
DIST. OF COLUMBIA	50	39	21563	20039
FLORIDA	12340	681	2295560	147720
GEORGIA	4588	430	718179	82408
HAWAII	348	109	137107	56146
IDAH0	1839	273	292379	65434
ILLINOIS	7155	533	1210245	130807
INDIANA	4139	408	632991	78543
IOWA	2800	333	417417	60953
KANSAS	3855	394	574150	71226
KENTUCKY	1635	263	242833	47856
LOUISIANA	3674	378	1164980	132325
MAINE	1039	207	120855	33302
MARYLAND	2654	326	370757	67370

TABLE 2 - 2

GENERAL AVIATION TOTAL HOURS FLOWN
BY
STATE OF BASED AIRCRAFT
1985

PAGE 2 OF 3

STATE	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR
MASSACHUSETTS	2994	345	363869	50755
MICHIGAN	7511	543	1147573	107191
MINNESOTA	4350	416	608431	76922
MISSISSIPPI	2139	295	349627	60907
MISSOURI	3934	399	603623	86575
MONTANA	1890	289	213579	47557
NEBRASKA	1788	270	305127	85101
NEVADA	1945	277	252875	44418
NEW HAMPSHIRE	1363	231	186173	38393
NEW JERSEY	3741	374	621340	71760
NEW MEXICO	1942	280	303052	51343
NEW YORK	6164	489	908085	84823
NORTH CAROLINA	4544	430	666454	78687
NORTH DAKOTA	1655	261	296903	51743
OHIO	7686	540	1246611	127732
OKLAHOMA	4234	418	557248	71509
OREGON	4622	436	671439	81244
PENNSYLVANIA	5705	471	965050	94241
RHODE ISLAND	220	92	29436	21761
SOUTH CAROLINA	1700	261	218674	38979
SOUTH DAKOTA	1227	225	164246	38026

TABLE 2 - 2

GENERAL AVIATION TOTAL HOURS FLOWN
BY
STATE OF BASED AIRCRAFT
1985

PAGE 3 OF 3

STATE	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR
TENNESSEE	2643	322	507159	79937
TEXAS	19887	843	3269779	157211
UTAH	1106	219	139437	40287
VERMONT	676	168	147082	46886
VIRGINIA	2741	326	496446	72766
WASHINGTON	5740	484	823305	88574
WEST VIRGINIA	1000	204	149602	41005
WISCONSIN	3694	386	432654	55199
WYOMING	1098	221	192561	50229
PUERTO RICO	233	92	70577	20233
OTHER U.S. TERRITORIES	174	79	100401	54552
FOREIGN	1421	234	473189	106413
TOTAL	210654	1200	34062936	555739

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 3
GENERAL AVIATION TOTAL HOURS FLOWN
BY
REGION OF BASED AIRCRAFT
1985

REGION	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR
ALASKAN	6421	460	1024622	134971
CENTRAL	12377	689	1958911	208859
EASTERN	22584	892	3609536	231834
EUROPEAN OFFICE	519	133	89275	34520
GREAT LAKES	37417	1115	5747441	306852
NEW ENGLAND	8016	558	1110768	107961
NORTHWEST MT.	21143	889	3096134	221676
SOUTHERN	32721	1051	5654551	292872
SOUTHWESTERN	32599	1046	5883097	324272
WESTERN-PACIFIC	36846	1107	5860680	394529
TOTAL	210654	1200	34062956	555739

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 4

GENERAL AVIATION TOTAL HOURS FLOWN
IN ALL REGIONS
BY AIRCRAFT TYPE AND PRIMARY USE
1985

PAGE 1 OF 3

AIRCRAFT TYPE	EXECUTIVE	BUSINESS	PERSONAL	INSTRUCTIONAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER	RENTAL	TOTAL
FIXED WING												
FIXED WING - PISTON												
1 ENG: 1-3 SEATS												
EST. TOT. HOURS	33167	219866	2469494	2458625	1727397	164920	154285	0	18714	104306	568470	7920536
% STD. ERROR	48.7	16.8	4.1	8.8	5.3	34.4	30.9	0.0	73.7	18.3	25.5	3.7
1 ENG: 4+ SEATS												
EST. TOT. HOURS	482066	4129027	5140505	1432858	93486	591344	60631	0	831432	247957	1921241	14930543
% STD. ERROR	18.4	4.4	3.4	11.3	53.4	23.5	34.7	0.0	15.6	24.2	10.6	2.5
1 ENGINE: TOTAL												
EST. TOT. HOURS	515233	4348693	7609999	3891482	1820882	756264	214916	0	850146	352264	2489712	22851074
% STD. ERROR	17.5	4.3	2.6	7.0	5.3	19.3	24.1	0.0	15.4	15.6	10.0	2.1
2 ENG: 1-6 SEATS												
EST. TOT. HOURS	527775	1069312	336070	173026	25132	19726	2503	4391	473457	36127	42020	2725413
% STD. ERROR	14.6	8.7	10.2	31.2	37.5	42.4	125.8	283.9	18.9	49.8	44.1	5.2
2 ENG: 7+ SEATS												
EST. TOT. HOURS	629853	476101	114179	8570	71828	35934	3359	181591	630003	26651	7950	2189888
% STD. ERROR	13.9	12.6	28.4	75.8	39.7	26.6	122.6	36.9	15.1	34.3	80.2	6.4
2 ENGINE: TOTAL												
EST. TOT. HOURS	1157628	1545413	450249	181596	96960	55660	5861	185982	1103460	62778	49969	4915300
% STD. ERROR	10.1	7.2	10.1	29.3	28.2	25.7	89.1	41.9	11.9	32.7	38.8	4.1
PISTON: OTHER												
EST. TOT. HOURS	300	138	1418	0	10262	0	194	10653	1134	1730	367	26197
% STD. ERROR	66.0	173.1	62.1	0.0	29.2	0.0	227.3	56.3	303.8	48.6	194.7	32.7
PISTON: TOTAL												
EST. TOT. HOURS	1673161	5894243	8061667	4073078	1928104	811925	220972	196635	1954741	416771	2540048	27792572
% STD. ERROR	8.9	3.7	2.5	6.8	5.2	18.2	23.6	38.8	9.5	14.0	9.9	1.9
FIXED WING - TURBOPROP												
2 ENG: 1-12 SEATS												
EST. TOT. HOURS	912202	299101	16067	8542	0	436	71	68381	131796	40762	14969	1465134
% STD. ERROR	7.3	21.6	42.6	67.7	0.0	182.8	308.0	31.2	22.6	39.9	96.6	5.1

TABLE 2 - 4

GENERAL AVIATION TOTAL HOURS FLOWN
IN ALL REGIONS
BY AIRCRAFT TYPE AND PRIMARY USE
1985

PAGE 2 OF 3

AIRCRAFT TYPE	EXECUTIVE	BUSINESS	PERSONAL	INSTRUCTIONAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER	RENTAL	TOTAL
2 ENG: 13+ SEATS												
EST. TOT. HOURS	86607	8389	0	5415	0	533	0	386713	58517	18659	0	550748
% STD. ERROR	13.6	50.1	0.0	169.6	0.0	119.3	0.0	11.5	35.8	52.2	0.0	10.1
2 ENGINE: TOTAL												
EST. TOT. HOURS	998809	307490	16067	13957	0	969	71	455094	190313	59421	14969	2015882
% STD. ERROR	6.8	21.2	42.6	61.5	0.0	126.0	308.0	11.1	20.0	33.3	96.6	4.6
TURBOPROP: OTHER												
EST. TOT. HOURS	2325	2175	711	1975	36130	0	0	8098	8173	4671	0	64257
% STD. ERROR	47.5	47.2	41.1	44.9	8.5	0.0	0.0	27.9	20.3	28.7	0.0	11.1
TURBOPROP: TOTAL												
EST. TOT. HOURS	1001133	309665	16777	15932	36130	969	71	463192	198486	64092	14969	2080139
% STD. ERROR	6.8	21.0	39.0	56.8	8.5	126.0	308.0	10.4	18.9	30.6	96.6	4.5
FIXED WING - TURBOJET												
2 ENGINE TURBOJET												
EST. TOT. HOURS	1090266	121252	11414	10	191	6353	0	3840	127576	83532	0	1461284
% STD. ERROR	6.4	26.8	48.3	134.5	233.3	97.7	0.0	331.1	23.1	33.1	0.0	4.6
TURBOJET: OTHER												
EST. TOT. HOURS	103340	11010	1537	0	0	0	0	0	1287	7877	35458	160509
% STD. ERROR	8.9	50.5	20.1	0.0	0.0	0.0	0.0	0.0	74.8	20.7	6.1	10.7
TURBOJET: TOTAL												
EST. TOT. HOURS	1193605	132262	12951	10	191	6353	0	3840	128883	91408	35458	1621793
% STD. ERROR	5.9	25.1	40.0	134.5	233.3	97.7	0.0	331.1	22.8	23.9	6.1	4.3
FIXED WING: TOTAL												
EST. TOT. HOURS	3867899	6336170	8091396	4089021	1964425	819246	221043	663667	2282090	572272	2590475	31494502
% STD. ERROR	4.9	3.5	2.5	6.8	5.2	18.1	23.6	17.5	8.4	11.5	9.7	1.7
ROTORCRAFT												
PISTON												
EST. TOT. HOURS	1058	41248	49878	100735	144542	153440	8718	0	7339	51855	757	564363
% STD. ERROR	61.6	33.6	23.2	27.2	22.2	40.2	59.4	0.0	74.6	29.8	209.2	14.9

TABLE 2 - 4

GENERAL AVIATION TOTAL HOURS FLOWN
IN ALL REGIONS
BY AIRCRAFT TYPE AND PRIMARY USE
1985

PAGE 3 OF 3

AIRCRAFT TYPE	EXECUTIVE	BUSINESS	PERSONAL	INSTRUCTIONAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER	RENTAL	TOTAL
TURBINE												
EST. TOT. HOURS	305086	148279	3982	12755	58698	336113	102275	10812	429760	164340	18161	1590254
% STD. ERROR	20.6	46.7	56.2	72.0	42.8	25.2	33.7	77.5	23.4	49.9	106.7	8.9
ROTORCRAFT: TOTAL												
EST. TOT. HOURS	306144	189527	53859	113490	203240	489554	110993	10812	437100	216195	18918	2154817
% STD. ERROR	20.2	35.0	22.1	26.1	19.4	20.5	29.1	107.4	22.9	36.5	95.8	7.7
OTHER												
EST. TOT. HOURS	1930	8174	246576	61446	0	5717	11075	0	0	42228	36695	413843
% STD. ERROR	71.4	36.1	12.0	24.7	0.0	37.2	33.8	0.0	0.0	26.6	27.0	8.2
TOTAL												
EST. TOT. HOURS	4175973	6533872	8391831	4263957	2167865	1314517	343112	674478	2719190	830695	2646088	34062948
% STD. ERROR	4.8	3.6	2.4	6.5	5.0	13.5	17.6	17.2	7.9	12.1	9.5	1.6

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.
ROW SUMMATIONS MAY DIFFER FROM PRINTED TOTALS BECAUSE SOME ACTIVE AIRCRAFT DID NOT REPORT USE.

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 1 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
* OTHER 1	15012	439466	49463	11.3	58.8	5.8	9.8
OTHER 2	1628	162218	35120	21.6	163.6	32.6	19.9
OTHER 3	324	18535	3668	19.8	145.5	18.2	12.5
OTHER 4	267	29405	10602	36.1	236.7	68.8	29.1
OTHER 5	152	12989	7529	58.0	231.8	104.4	45.0
OTHER 6	408	56506	18327	32.4	179.0	51.8	29.0
OTHER 7	174	60234	25261	41.9	756.9	247.2	32.7
OTHER 8	179	26774	3281	12.3	285.6	24.3	8.5
OTHER 9	653	151888	38655	25.4	262.4	63.0	24.0
OTHER 10	249	24962	3299	13.2	175.9	18.4	10.5
OTHER 11	1694	47680	16138	33.8	59.6	17.4	29.2
OTHER 12	340	79204	27950	35.3	493.2	145.4	29.5
OTHER 13	2605	125862	25023	19.9	79.4	14.0	17.6
ADAMS A50S	111	2501	342	13.7	30.1	3.4	11.3
AERORSJ2	38	277	86	31.1	22.2	3.6	16.2
AEROSPAS355	152	8877	14131	159.2	276.1	158.4	57.4
AEROSPAS316	120	36658	24948	68.1	593.0	0.0	0.0
AGUSTA205	28	2872	1635	56.9	258.9	18.9	7.3
AGUSTAA109	54	10463	2499	23.9	334.6	73.4	21.9
AIRPTSA	225	10186	2329	22.9	98.9	18.4	18.6
AIRSPC18	24	104	60	57.5	18.5	5.3	28.5

*See Note on page 2-12

* NOTE: OTHER XX REFERS TO ALL GENERAL AVIATION AIRCRAFT
BELONGING TO MANUFACTURER/MODEL GROUPS OF FEWER THAN
20 AIRCRAFT IN SIZE FOR AIRCRAFT TYPE XX WHERE XX STANDS
FOR:

- 01 FIXED WING PISTON, 1 ENGINE, 1-3, SEATS.
- 02 FIXED WING PISTON, 1 ENGINE, 4+ SEATS.
- 03 FIXED WING PISTON, 2 ENGINE, 1-6 SEATS.
- 04 FIXED WING PISTON, 2 ENGINE, 7+ SEATS.
- 05 FIXED WING PISTON, OTHER.
- 06 FIXED WING TURBOPROP, 2 ENGINES, 1-12 SEATS.
- 07 FIXED WING TURBOPROP, 2 ENGINES, 13+ SEATS.
- 08 FIXED WING TURBOPROP, OTHER.
- 09 FIXED WING TURBOJET, 2 ENGINES.
- 10 FIXED WING TURBOJET, OTHER.
- 11 ROTORCRAFT, PISTON.
- 12 ROTORCRAFT, TURBINE.
- 13 OTHER AIRCRAFT.

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 2 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
AIRTRCAT300	421	134356	18538	13.8	367.1	37.4	10.2
AIRTRCAT400	58	19482	5799	29.8	474.7	79.2	16.7
AMD FALC10	141	56200	5526	9.8	398.6	39.2	9.8
AMD FALC20	224	87413	10262	11.7	409.7	43.3	10.6
AMD FALC50	106	59186	7110	12.0	558.4	67.1	12.0
AMTR TMK	22	1100	412	37.5	70.0	18.6	26.6
ARCRNEH37	46	0	0	0.0	0.0	0.0	0.0
ARCTICS1A	92	2223	990	44.5	70.2	28.2	40.1
ARCTICS1B1	25	347	138	39.9	37.0	4.9	13.2
ARONCA15	202	5807	2388	41.1	37.5	13.3	35.6
ARONCA58	149	6463	2262	35.0	93.3	26.2	28.1
ARONCA65	150	2891	2067	71.5	62.3	35.6	57.2
ARONCAC3	61	190	173	91.3	12.8	10.4	81.2
AVIAN/FALCON	27	518	69	13.3	23.5	2.3	9.6
AVIAN/MSKYMK	40	1544	146	9.5	39.9	3.6	9.1
AYRES S2	884	230428	39426	17.1	339.5	44.9	13.2
BAC 111	27	10079	1659	16.5	373.3	61.4	16.5
BAG B206	30	1860	381	23.0	57.9	10.4	18.0
BAG DH125	73	30344	2429	8.0	429.8	30.0	7.0
BALWKSFIREFY	1338	43732	10134	23.2	42.4	9.1	21.6
BBAVIA11	833	28043	6089	21.7	52.0	10.1	19.4

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 3 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
BBAVIA7	3501	138313	17387	12.6	56.4	6.1	10.9
BBAVIA8	233	30849	5426	17.6	168.5	26.8	15.9
BEECH 100	278	76307	14571	19.1	338.1	52.8	15.6
BEECH 17	199	4786	753	15.7	53.7	5.6	10.4
BEECH 18	856	236669	39924	16.9	458.8	68.1	14.8
BEECH 1900	42	11541	4755	41.2	828.4	133.8	16.2
BEECH 200	869	335500	26375	7.9	392.2	29.6	7.5
BEECH 23	2836	294268	46028	15.6	112.9	17.3	15.3
BEECH 300	54	15117	1234	8.2	287.3	22.8	7.9
BEECH 33	1736	249548	38569	15.5	148.8	22.7	15.2
BEECH 35	6919	649511	51629	7.9	112.3	7.9	7.1
BEECH 36	2210	340652	29853	8.8	161.8	13.2	8.2
BEECH 45	293	30780	5810	18.9	137.1	21.5	15.7
BEECH 50	332	23128	5744	24.8	111.7	19.7	17.7
BEECH 55	2273	250705	31652	12.6	127.5	14.6	11.5
BEECH 56	60	2428	878	36.1	52.0	17.0	32.7
BEECH 58	1561	373959	49950	13.4	258.8	32.9	12.7
BEECH 60	427	59809	11690	19.5	145.1	27.5	18.9
BEECH 65	134	20928	3375	16.1	213.4	29.0	13.6
BEECH 76	335	68243	8300	12.2	211.3	23.8	11.3
BEECH 77	244	59745	19659	32.9	265.4	84.9	32.0

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 4 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
BEECH 80	175	23309	2940	12.6	193.2	19.0	9.8
BEECH 90	1138	333823	48010	14.4	307.6	42.9	13.9
BEECH 95	475	48120	7808	16.2	122.6	17.6	14.4
BEECH 99	113	129301	30186	23.3	1406.9	257.7	18.3
BELL 204	178	19983	3166	15.8	203.9	23.2	11.4
BELL 206	2254	958558	119395	12.5	515.0	55.5	10.8
BELL 212	85	35049	17482	49.9	721.6	227.7	31.5
BELL 222	78	30279	5097	16.8	419.7	65.4	15.6
BELL 412	24	17464	2358	13.5	727.7	98.3	13.5
BELL 47	1398	166342	44337	26.7	225.3	47.9	21.3
BLANCA11	79	2136	691	32.3	58.6	13.7	23.4
BLANCA1413	264	5167	1434	27.8	39.3	6.0	15.2
BLANCA1419	274	12596	1774	14.1	66.3	7.6	11.5
BLANCA17	1051	72282	9124	12.6	79.5	8.8	10.8
BLANCA7	2365	195518	39720	20.3	115.4	22.1	19.1
BLANCA8	474	44235	8306	18.8	99.8	18.0	18.0
BNORM BN2	119	44507	15029	33.8	980.8	127.0	13.0
BOEING707	40	1027	1902	185.2	154.0	0.0	0.0
BOEING727	61	17555	5024	28.6	311.9	82.4	26.4
BOEING75	1931	73286	21025	28.7	87.8	21.5	24.5
BOLKMS105	120	46885	17873	38.1	408.5	151.5	37.1

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 5 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
BOLKMS117	22	1760	1688	95.9	217.1	136.4	62.8
BRASOVIS28	51	3388	503	14.8	74.5	9.3	12.4
BRWSTRFLEET2	28	306	122	40.1	35.9	5.1	14.1
BRWSTRFLEET7	23	333	74	22.3	29.0	4.6	15.9
BUKER 131	32	683	244	35.8	42.7	9.2	21.6
CAMRONMODELO	198	5707	2376	41.6	34.5	13.8	39.9
CASA C212	21	19127	13198	69.0	1138.5	719.1	63.2
CESSNA120	880	31005	5309	17.1	53.5	5.7	10.7
CESSNA140	2373	69488	11085	16.0	46.0	5.7	12.5
CESSNA150	19821	3300609	235455	7.1	201.6	13.6	6.7
CESSNA170	2466	168556	33655	20.0	83.3	15.8	19.0
CESSNA172	25492	3818931	227479	6.0	188.2	9.7	5.8
CESSNA175	1324	46154	9129	19.8	60.2	8.3	13.7
CESSNA177	2910	331901	45987	13.9	129.1	17.1	13.3
CESSNA180	2741	380050	76010	20.0	157.8	30.7	19.4
CESSNA182	14068	1547825	102011	6.6	122.7	7.7	6.3
CESSNA185	1628	304381	83734	27.5	203.0	54.9	27.0
CESSNA188	1793	427392	51124	12.0	292.0	29.7	10.2
CESSNA190	85	3590	701	19.5	60.9	9.5	15.6
CESSNA195	494	15681	6441	41.1	66.5	16.4	24.6
CESSNA205	248	22256	5207	23.4	99.8	22.1	22.1

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 6 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
CESSNA206	3041	521261	74290	14.3	212.3	27.6	13.0
CESSNA207	406	139838	40049	28.6	481.5	86.9	18.1
CESSNA210	6295	936974	96234	10.3	160.8	16.0	9.9
CESSNA303	202	44863	7368	16.4	233.6	36.6	15.7
CESSNA305	275	32480	2634	8.1	159.8	12.0	7.5
CESSNA310	3234	489038	68872	14.1	175.2	23.4	13.3
CESSNA320	331	37460	8707	23.2	133.3	28.0	21.0
CESSNA335	48	15112	2898	19.2	333.4	60.4	18.1
CESSNA336	87	4547	851	18.7	61.2	10.3	16.9
CESSNA337	1227	115438	19268	16.7	113.4	16.7	14.7
CESSNA340	974	194380	33580	17.3	206.3	34.9	16.9
CESSNA401	236	36001	9062	25.2	215.2	42.6	19.8
CESSNA402	734	226143	58609	25.9	406.0	94.9	23.4
CESSNA404	164	50460	13391	26.5	655.0	133.0	20.3
CESSNA411	161	7684	1838	23.9	90.4	14.1	15.6
CESSNA414	799	214674	61985	28.9	291.7	81.9	28.1
CESSNA421	1304	248936	30052	12.1	218.2	22.2	10.2
CESSNA425	185	38755	13907	35.9	289.0	86.1	29.8
CESSNA441	257	93301	26079	28.0	410.7	109.0	26.5
CESSNA500	548	158340	19163	12.1	303.8	33.9	11.2
CESSNA501	54	15639	4622	29.6	289.6	85.6	29.6

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 7 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
CESSNA650	80	33782	4482	13.3	430.1	55.0	12.8
CESSNA750	69	799	187	23.4	27.0	3.6	13.5
CESSNAUC94	36	682	248	36.3	51.6	9.2	17.8
CHILD S1	62	3692	968	26.2	60.8	15.8	26.0
CHILD S2	176	15795	3296	20.9	104.1	18.4	17.7
CNDAIRCL600	68	26650	3519	13.2	391.9	51.8	13.2
COMWTH185	108	965	466	48.3	38.1	6.9	18.2
CONAERLA4	502	30424	8001	26.3	72.3	17.2	23.8
CURTISC46	42	1345	861	64.0	105.1	28.7	27.3
CURTISJR	25	64	22	34.0	14.0	0.6	4.5
CURTISROBIN	38	95	54	56.4	16.7	2.7	16.4
CURTISTRVAIR	187	1372	345	25.1	50.0	8.3	16.6
CVAC 240	43	376	722	191.8	210.0	0.0	0.0
CVAC 340	10	1560	987	63.2	312.0	0.0	0.0
CVAC 440	15	900	1068	118.7	300.0	0.0	0.0
CVAC BT13	104	2399	920	38.4	61.1	15.5	25.3
CVAC L13	21	95	125	130.8	50.0	0.0	0.0
CVAC STC580	45	28076	9258	33.0	662.9	195.3	29.5
DART G	24	185	90	48.8	22.0	5.0	22.9
DHAV DMC1	89	2452	754	30.7	40.1	10.5	26.2
DHAV DMC2	278	22162	16251	73.3	254.5	81.4	32.0

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 8 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
DHAV DHC3	31	10277	2846	27.7	390.0	84.2	16.5
DHAV DHC6	88	84233	20977	24.9	1244.3	244.4	19.6
DHAVXXDH82	79	1500	455	30.3	45.2	5.2	11.6
DOUG A26	29	373	248	66.5	45.0	12.6	28.0
DOUG DC3	394	67723	49429	73.0	278.4	189.5	68.1
DOUG DC4	82	7851	2735	34.8	141.5	39.4	27.9
DOUG DC6	78	4532	2827	62.4	163.0	20.0	12.3
DOUG DC7	35	824	1153	140.1	100.0	0.0	0.0
DOUG DC8	84	34486	14125	41.0	536.0	0.0	0.0
DOUG DC9	30	5670	1666	29.4	189.0	55.5	29.4
EAGLE DW	80	18956	6069	32.0	377.8	111.1	29.4
EAGLEBAX7	20	761	98	12.9	40.2	4.5	11.2
EAGLEBC7	40	1611	303	18.8	40.3	7.6	18.8
EIRVON20	116	4920	713	14.5	51.2	5.5	10.7
EMAIR MA1	21	1313	1091	83.1	312.5	22.4	7.2
EMB 110	60	41119	15028	36.5	1121.4	72.6	6.5
ENSTRMF28	448	65179	10483	16.1	187.6	28.5	15.2
FLEET 16B	22	342	102	29.9	40.0	6.0	14.9
FOKKERF27	11	6336	0	0.0	576.0	0.0	0.0
FOKKERF28	8	1160	0	0.0	145.0	0.0	0.0
FRCHLD24	292	5025	898	17.9	42.0	5.7	13.5

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 9 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
FRCHLDC119	33	0	0	0.0	0.0	0.0	0.0
FRCHLDF27	30	9292	2532	27.2	371.7	88.7	23.9
FRCHLDW62	228	6604	2101	31.8	65.1	15.4	23.6
GENBALAX6	68	557	357	64.1	21.5	1.4	6.7
GLASFL201	36	1640	279	17.0	50.9	8.1	16.0
GLASFLH301	117	5409	529	9.8	57.7	5.0	8.7
GR0B 103CAT	57	11565	2681	23.2	226.8	46.2	20.4
GR0B 109	74	6622	1312	19.8	102.7	17.4	16.9
GR0B ASTIR	63	2959	614	20.7	53.6	10.5	19.7
GRTLKS2T1	187	10340	1791	17.3	76.0	12.6	16.6
GRUMAVAA1	584	46687	8662	19.0	92.2	16.6	18.0
GRUMAVAA5	1057	131254	19367	14.8	129.3	18.5	14.3
GRUMAVG1159	38	17911	1638	9.1	471.4	43.1	9.1
GRUMAVG164	1251	405735	35838	8.8	364.8	25.8	7.1
GRUMAVG21	53	4517	1182	26.2	205.9	28.6	13.9
GRUMAVTBM	38	650	294	45.3	20.5	8.9	43.2
GULSTM112	697	70521	10764	15.3	105.3	15.2	14.5
GULSTM500	327	64165	11844	18.5	222.6	37.8	17.0
GULSTM520	56	1845	478	25.9	69.5	12.8	18.4
GULSTM560	120	10249	3872	37.8	137.3	45.7	33.3
GULSTM680	319	21700	4337	20.0	100.4	15.8	15.7

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 10 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
GULSTM680TP	115	15035	4658	31.0	180.4	35.0	19.4
GULSTM690TC	30	6042	997	16.5	258.9	26.3	10.2
GULSTM690TP	513	124434	18120	14.6	296.0	30.8	10.4
GULSTMAA1	602	39635	4175	10.5	75.1	7.1	9.5
GULSTMAA5	649	70914	13816	19.5	126.8	22.7	17.9
GULSTMG1159	172	84622	12805	15.1	502.4	73.4	14.6
GULSTMG159	120	30089	9396	31.2	336.7	87.5	26.0
GULSTMG44	82	14709	7869	53.5	390.8	144.0	36.9
GULSTMG73	24	1809	645	35.7	288.9	45.9	15.9
GULSTMGA7	57	6640	1949	29.4	131.5	35.5	27.0
H23/HTE	45	3032	883	29.1	173.4	40.9	23.6
H34/55	30	0	0	0.0	0.0	0.0	0.0
HELIO H295	103	11865	2714	22.9	132.3	28.7	21.7
HELIO H391	21	768	528	68.7	54.8	34.6	63.1
HILLERFH1100	81	7078	2163	30.6	111.2	26.1	23.5
HILLERUH12	596	66837	11182	16.7	226.0	26.3	11.7
HUGHES269	734	167135	67105	40.2	377.0	138.9	36.8
HUGHES369	673	166414	58252	35.0	314.9	102.0	32.4
HMKSLYDH104	35	1383	1033	74.7	105.3	63.2	60.0
HMKSLYDH125	198	44889	7293	16.2	245.2	35.8	14.6
HYNES B2	127	1180	819	69.4	37.8	8.5	22.4

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 11 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
INTRCP200	30	1368	284	20.8	72.9	9.9	13.6
ISRAEL1121	112	16859	9233	54.8	200.7	103.0	51.3
ISRAEL1123	24	2601	1173	45.1	144.5	57.2	39.6
ISRAFL1124	210	98836	18209	18.4	470.6	86.7	18.4
JBMSTRDGA15	81	1050	257	24.4	38.2	5.9	15.4
LAIKFN10	37	18	12	70.4	5.0	0.0	0.0
LEAR 23	61	11335	4633	40.9	200.1	80.1	40.0
LEAR 24	171	77208	22281	28.9	550.2	143.0	26.0
LEAR 25	270	95633	19759	20.7	396.1	74.0	18.7
LEAR 35	469	200074	32479	16.2	426.6	69.3	16.2
LEAR 55	94	45533	5520	12.1	484.4	58.7	12.1
LET L13	168	6883	2113	30.7	79.6	15.9	20.0
LKHEED12A	20	162	44	26.8	27.6	4.8	17.4
LKHEED1329	94	23152	2706	11.7	280.9	26.6	9.5
LKHEED18	59	0	0	0.0	0.0	0.0	0.0
LKHEED188	8	1352	73	5.4	169.0	9.1	5.4
LKHEED382	22	0	0	0.0	0.0	0.0	0.0
LKHEEDPV1	29	674	342	50.7	28.2	11.5	40.6
LKHEEDT33	49	140	184	131.5	50.0	0.0	0.0
LUSCOM8	2173	48442	9702	20.0	40.4	6.7	16.5
MARTIN404	25	202	206	102.2	35.0	0.0	0.0

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 12 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
MAULE M4	273	12047	2526	21.0	55.6	10.5	19.0
MAULE M5	456	38826	8573	22.1	102.7	18.9	18.4
MAULE M6	73	7446	1488	20.1	112.4	20.2	17.9
MCILISHFUNKB	142	2129	977	45.9	55.6	15.9	28.5
MEYERSOTW	51	323	221	68.5	31.7	10.9	34.4
MNCOUPO90	68	774	426	55.0	117.7	42.2	35.9
MNWMITEM18	152	1611	456	28.3	30.2	3.8	12.5
MOONEYM20	6243	721198	66852	9.3	122.6	11.1	9.0
MRCHTIS205	44	1347	352	26.1	33.4	8.1	24.3
MTSBSIMU2	354	73911	15653	21.2	220.1	43.6	19.8
MTSBSIMU300	79	26154	4388	16.8	353.5	38.7	10.9
MULTECD16	45	936	316	33.8	49.2	4.5	9.1
NAMER B25	54	166	158	95.0	25.2	5.1	20.4
NAMER F51	143	4662	1216	26.1	44.8	9.6	21.3
NAMER NA260	65	1561	719	46.0	52.0	16.2	31.1
NAMER T6	549	28339	4722	16.7	59.4	8.5	14.2
NATBAL752	27	390	63	16.2	18.7	2.4	12.7
NAVAL N3N	137	3616	2266	62.7	79.8	23.6	29.6
NAVIONNAVION	576	31011	6958	22.4	80.6	13.6	16.9
NORD SV4	42	1981	435	22.0	70.8	14.1	20.0
NORWST65	56	960	303	31.6	44.3	12.2	27.4

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 13 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
ORLHELH19	75	736	731	99.3	101.0	3.9	3.8
ORLHELH58	34	752	779	103.6	472.0	0.0	0.0
PARTENP68	42	12760	1520	11.9	312.7	35.8	11.5
PICARDAX6	154	1488	946	63.6	12.2	7.4	60.5
PILATS84	24	1328	421	31.7	59.0	18.2	30.9
PIPER 600	417	69823	14290	20.5	170.4	34.3	20.1
PIPER E2	20	92	29	31.3	18.3	3.2	17.7
PIPER J2	58	793	378	47.7	27.9	12.2	43.9
PIPER J3	4176	131050	31718	24.2	60.4	13.6	22.5
PIPER J4	245	7136	3909	54.8	93.6	41.6	44.5
PIPER J5	355	8956	777	8.7	52.6	3.8	7.2
PIPER PA12	1357	77612	16694	21.5	84.8	16.7	19.7
PIPER PA14	108	3372	688	20.4	53.8	7.6	14.2
PIPER PA15	187	6763	2772	41.0	75.1	24.1	32.1
PIPER PA16	366	14539	3539	24.3	68.4	12.8	18.7
PIPER PA17	113	2017	673	33.4	45.9	7.7	16.8
PIPER PA18	3573	241199	58144	24.1	100.5	21.5	21.4
PIPER PA20	453	30121	9898	32.9	92.1	26.8	29.1
PIPER PA22	4847	153290	15133	9.9	55.2	4.2	7.6
PIPER PA23	3497	494247	86799	17.6	191.5	30.6	16.0
PIPER PA24	3215	241061	25396	10.5	82.0	8.2	10.0

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 14 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
PIPER PA25	1320	205531	33534	16.3	185.0	27.2	14.7
PIPER PA28	22892	2964021	160677	5.4	143.4	7.5	5.2
PIPER PA30	1280	125909	14690	11.7	110.0	11.2	10.2
PIPER PA31	2079	513321	68028	13.3	296.0	38.4	13.0
PIPER PA31T	620	156532	19812	12.7	293.7	28.6	9.7
PIPER PA32	4531	670176	63124	9.4	164.0	14.5	8.8
PIPER PA34	2232	462973	53352	11.5	226.5	24.4	10.8
PIPER PA36	403	78272	16110	20.6	226.8	41.0	18.1
PIPER PA38	1526	377970	71592	18.9	272.4	50.0	18.4
PIPER PA42	89	26086	3548	13.6	298.2	39.6	13.3
PIPER PA44	352	115086	37735	32.8	361.0	114.7	31.8
PIPER PA46	171	27804	5007	18.0	177.6	29.1	16.4
PRATT PRG1	20	140	52	37.0	14.0	2.6	18.8
PROPT200	69	6923	1352	19.5	129.4	23.7	18.3
RAVEN RX6	205	1753	676	38.6	15.5	4.6	30.0
RAVEN S50	89	504	126	25.1	10.1	1.8	18.2
RAVEN S55	817	17996	4669	25.9	30.7	6.7	21.8
RAVEN S60	215	10865	1665	15.3	58.0	8.6	14.9
RAVEN S66	45	1800	794	44.1	40.0	17.6	44.1
RKWE1500	41	12098	1387	11.5	327.0	33.2	10.2
RKWE1700	25	3199	713	22.3	191.9	32.1	16.7

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 15 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
RKWE11NA265	347	162484	14388	8.9	468.3	41.5	8.9
ROBSINR22	294	56838	15355	27.0	240.8	60.5	25.1
ROLSCHLS	113	8603	1122	13.0	78.2	9.7	12.4
RYAN ST3	161	3763	1519	40.4	39.4	13.4	34.0
RYAN STA	34	271	68	25.1	22.9	3.6	15.8
SCHLERASK21	26	6237	947	15.2	250.1	36.4	14.6
SCHLERASW15	37	1853	395	21.3	62.0	10.8	17.5
SCHLERASW19	57	2019	469	23.2	40.1	8.7	21.8
SCHLERASW20	97	8104	1430	17.6	93.3	14.1	15.1
SCHLERK8	25	1240	274	22.1	69.9	13.3	19.0
SCHLERKA6	74	1828	398	21.8	32.3	5.9	18.3
SCHWZERG164	238	60299	17167	28.5	333.7	73.4	22.0
SCHWZERSG1	763	26627	5050	19.0	52.4	8.9	17.0
SCHWZERSG2	585	78301	18128	23.2	172.6	35.8	20.8
SEMCO CLINGER	23	134	68	50.7	35.0	2.6	7.3
SEMCO MODEL T	29	0	0	0.0	0.0	0.0	0.0
SKRSKYS55	31	333	346	103.9	145.0	19.4	13.4
SKRSKYS58	63	3311	805	24.3	134.0	22.6	16.9
SKRSKYS58T	31	1364	2034	149.1	286.0	89.7	31.4
SKRSKYS76	111	58912	7777	13.2	671.0	75.9	11.3
SLINDS100	314	21757	4151	19.1	87.2	14.9	17.1

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 16 OF 18

MANUFACTURER MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
SMITH 600	374	36137	7725	21.4	128.4	19.1	14.8
SNIAS 350	244	87565	13897	15.9	416.5	38.6	9.3
SNIAS SA318	23	0	0	0.0	0.0	0.0	0.0
SNIAS SA341	43	1322	366	27.7	57.3	8.5	14.9
SOCATA MS894	40	2147	570	26.6	65.9	13.6	20.6
SOCATA RALLYE	21	1824	502	27.5	86.9	23.9	27.5
SPORTHICIRUS	103	5390	1521	28.2	61.5	16.5	26.8
SPORTHINIMBUS	52	3633	657	18.1	83.8	8.6	10.3
SPORTHVENTUS	50	5527	832	15.0	110.5	16.6	15.0
STBROSSD3	32	36658	18509	50.5	2062.0	0.0	0.0
STN SON10	156	806	467	57.9	23.7	8.9	37.4
STN SONL5	126	2353	781	33.6	40.8	9.4	23.0
STN SONSR9	27	222	46	20.7	41.2	6.3	15.4
STN SONV77	105	1407	216	15.4	48.2	4.8	9.9
STOLAMRC3	221	4283	1849	43.1	58.5	12.4	21.2
SUPAC LA	99	1439	880	61.1	60.4	33.5	55.5
SUPAC V	29	327	169	51.7	67.7	20.5	30.3
SWRNGNSA226	208	11587	22319	19.2	394.1	47.4	12.0
SWRNGNSA227	93	50652	16499	32.6	730.7	215.0	29.4
SWRNGNSA26	105	23062	4366	19.0	226.5	41.7	18.4
TCRAFK21	20	2121	409	19.3	106.1	20.5	19.3

TABLE 2 5

GENERAL AVIATION ANNUAL HOURS BY SOR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 17 OF 18

MANUFACTURER MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
TCRAFKD	290	4136	1724	41.7	41.2	5.9	14.4
TCRAFTA	33	124	122	98.4	90.0	0.0	0.0
TCRAFTBC	1854	48575	11112	22.9	46.3	8.9	19.3
TCRAFTBF	39	1011	310	30.7	64.8	8.9	13.7
TCRAFTBL	230	4275	597	14.0	40.5	4.9	12.1
TEMCO 11A	30	257	98	38.1	12.0	3.9	32.7
TH55	42	4173	1608	38.5	361.3	87.5	24.2
THUNDRA7	58	1889	414	21.9	45.8	7.2	15.6
THOMPSONNAVION	634	29779	2616	8.8	64.9	4.8	7.4
TRYTEK65	350	7221	2681	37.1	53.6	15.9	29.7
TRYTEKK	33	17	6	38.0	5.0	0.6	11.6
UNIVACGC1	672	20038	4784	23.9	55.5	9.2	16.5
UNIVAR108	2018	166628	84585	50.8	196.6	92.9	47.3
UNIVAR415	2405	51257	8397	16.4	41.7	4.9	11.7
VARGA 2150	133	7220	2028	28.1	65.1	15.9	24.4
WACO ASO	31	227	78	34.3	35.2	8.1	23.1
WACO GXE	38	328	147	44.9	50.0	14.6	29.2
WACO R	29	148	49	33.4	12.8	3.0	23.2
WACO UPF7	167	4402	846	19.2	51.8	6.8	13.2
WACO YK	55	353	88	25.0	23.2	4.3	18.4
WSK M18	42	7918	3436	43.4	207.6	86.0	41.4

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 18 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
WTHRLY201	63	13581	5460	40.2	343.6	122.5	35.7
TOTAL	270284	34062956	555739	1.6	158.2	2.5	1.6

TABLE 2 - 8

GENERAL AVIATION ACTIVE AIRCRAFT
BY
TYPE OF AIRCRAFT
1985

PAGE 1 OF 2

AIRCRAFT TYPE	POPULATION SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
FIXED WING						
FIXED WING - PISTON						
1 ENG: 1-3 SEATS	87513	58829	809	1.4	67.2	0.9
1 ENG: 4+ SEATS	122872	105555	732	0.7	85.9	0.6
1 ENGINE: TOTAL	210385	184385	1091	0.7	78.1	0.5
2 ENG: 1-6 SEATS	18929	15627	300	1.9	82.6	1.6
2 ENG: 7+ SEATS	10194	8032	180	2.2	78.8	1.8
2 ENGINE: TOTAL	29123	23659	349	1.5	81.2	1.2
PISTON: OTHER	347	148	31	21.2	42.5	9.0
PISTON: TOTAL	239855	188181	1146	0.6	78.5	0.5
FIXED WING - TURBOPROP						
2 ENG: 1-12 SEATS	5201	4633	103	2.2	89.1	2.0
2 ENG: 13+ SEATS	876	607	39	6.4	69.3	4.4
2 ENGINE: TOTAL	6077	5240	110	2.1	86.2	1.8
TURBOPROP: OTHER	284	167	13	7.8	58.8	4.6
TURBOPROP: TOTAL	6361	5407	111	2.0	85.0	1.7

TABLE 2 - 6

GENERAL AVIATION ACTIVE AIRCRAFT
BY
TYPE OF AIRCRAFT
1985

PAGE 2 OF 2

AIRCRAFT TYPE	POPULATION SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
FIXED WING - TURBOJET						
2 ENGINE TURBOJET	4151	3914	67	1.7	94.3	1.6
TURBOJET: OTHER	683	460	33	7.1	67.4	4.8
TURBOJET: TOTAL	4834	4375	74	1.7	90.5	1.5
FIXED WING: TOTAL	251050	197974	1154	0.6	78.9	0.5
ROTORCRAFT						
PISTON	5588	2877	201	7.0	51.5	3.6
TURBINE	4792	3541	159	4.5	73.9	3.3
ROTORCRAFT: TOTAL	10380	6418	256	4.0	61.8	2.5
OTHER	8854	6263	207	3.3	70.7	2.3
TOTAL	270284	210654	1200	0.6	77.9	0.4

TABLE 2 - 7

GENERAL AVIATION ACTIVE AIRCRAFT
BY
STATE OF BASED AIRCRAFT
1985

PAGE 1 OF 3

STATE	ESTIMATE OF POPULATION	STANDARD ERROR	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
ALABAMA	3307	379	2608	326	78.9	13.4
ALASKA	8883	583	6421	460	72.3	7.0
ARIZONA	6807	535	4796	440	70.5	8.5
ARKANSAS	3297	375	2687	324	81.5	13.5
CALIFORNIA	37157	1174	29392	1012	79.1	3.7
COLORADO	5566	498	4606	435	82.8	10.8
CONNECTICUT	2146	298	1724	263	80.4	16.6
DELAWARE	665	160	530	144	79.7	28.9
DIST. OF COLUMBIA	65	47	50	39	76.5	81.2
FLORIDA	15765	789	12340	681	78.3	5.8
GEORGIA	5626	489	4588	430	81.5	10.4
HAWAII	551	151	348	109	63.0	26.2
IDAH0	2619	339	1839	273	70.2	13.8
ILLINOIS	8750	609	7155	533	81.8	8.3
INDIANA	5278	477	4139	408	78.4	10.5
IOWA	3531	388	2800	333	79.3	12.8
KANSAS	4758	451	3855	394	81.0	11.3
KENTUCKY	2114	309	1635	263	77.3	16.8
LOUISIANA	4407	430	3674	378	83.4	11.8
MAINE	1369	248	1039	207	75.9	20.5
MARYLAND	3341	376	2654	326	79.4	13.2

TABLE 2 - 7

GENERAL AVIATION ACTIVE AIRCRAFT
BY
STATE OF BASED AIRCRAFT
1985

PAGE 2 OF 3

STATE	ESTIMATE OF POPULATION	STANDARD ERROR	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
MASSACHUSETTS	3746	403	2994	345	79.9	12.6
MICHIGAN	9604	639	7511	543	78.2	7.7
MINNESOTA	6138	511	4350	416	70.9	9.0
MISSISSIPPI	2649	338	2139	295	80.7	15.2
MISSOURI	4980	464	3934	399	79.0	10.9
MONTANA	2365	331	1890	289	79.9	16.5
NEBRASKA	2528	334	1788	270	70.7	14.2
NEVADA	2555	327	1945	277	76.1	14.6
NEW HAMPSHIRE	1736	270	1363	231	78.5	18.1
NEW JERSEY	4858	445	3741	374	77.0	10.4
NEW MEXICO	2532	329	1842	280	76.7	14.9
NEW YORK	7992	577	6164	489	77.1	8.3
NORTH CAROLINA	5533	488	4544	430	82.1	10.6
NORTH DAKOTA	2089	307	1655	261	79.2	17.1
OHIO	9684	636	7686	540	79.4	7.6
OKLAHOMA	5375	486	4234	418	78.8	10.5
OREGON	6142	523	4622	436	75.3	9.6
PENNSYLVANIA	7732	564	5705	471	73.8	8.1
RHODE ISLAND	293	111	220	92	74.9	42.2
SOUTH CAROLINA	2066	295	1700	261	82.3	17.2
SOUTH DAKOTA	1549	267	1227	225	79.2	19.9

TABLE 2 - 7

GENERAL AVIATION ACTIVE AIRCRAFT
BY
STATE OF BASED AIRCRAFT
1985

PAGE 3 OF 3

STATE	ESTIMATE OF POPULATION	STANDARD ERROR	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
TENNESSEE	3301	377	2843	322	80.1	13.4
TEXAS	25188	987	19887	843	79.0	4.6
UTAH	1534	269	1106	219	72.1	19.1
VERMONT	812	188	676	168	83.2	28.2
VIRGINIA	3615	389	2741	326	75.8	12.2
WASHINGTON	7678	575	5740	484	74.8	8.4
WEST VIRGINIA	1244	237	1000	204	80.4	22.5
WISCONSIN	4834	459	3694	386	76.4	10.8
WYOMING	1359	254	1098	221	80.8	22.2
PUERTO RICO	368	125	233	92	63.2	33.0
OTHER U. S. TERRITORIES	236	99	174	79	73.7	45.6
FOREIGN	1867	277	1421	234	76.1	16.9
TOTAL	270284		210654	1200	77.9	0.4

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 8

GENERAL AVIATION ACTIVE AIRCRAFT
BY
REGION OF BASED AIRCRAFT
1985

REGION	ESTIMATE OF POPULATION	STANDARD ERROR	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
ALASKAN	9078	583	6421	460	72.3	7.0
CENTRAL	15964	806	12377	689	78.4	5.9
EASTERN	29832	1053	22584	892	76.5	4.1
EUROPEAN OFFICE	735	168	519	133	72.0	24.8
GREAT LAKES	47598	1311	37417	1115	78.1	3.2
NEW ENGLAND	9980	648	8016	558	79.3	7.5
NORTHWEST MT.	27385	1052	21143	889	76.8	4.4
SOUTHERN	40813	1216	32721	1051	79.5	3.5
SOUTHWESTERN	41050	1219	32599	1046	79.4	3.5
WESTERN-PACIFIC	47747	1294	36846	1107	77.5	3.1
TOTAL	270284		210654	1200	77.9	0.4

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 9

GENERAL AVIATION AIRCRAFT
IN ALL REGIONS
BY AIRCRAFT TYPE AND PRIMARY USE
1985

PAGE 1 OF 3

AIRCRAFT TYPE	ACTIVE USE												IN- ACTIVE
	TOTAL ACTIVE	EXECU- TIVE	BUSI- NESS	PER- SONAL	INSTRUC- TIONAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER	RENTAL	
FIXED WING													
FIXED WING - PISTON													
1 ENG: 1-3 SEATS													
EST. NO. ACTIVE	58829	143	2491	37511	7561	5923	1201	681	5	94	1608	1611	28684
% STD. ERROR	1.4	48.7	12.7	1.7	6.5	3.0	18.6	23.0	*	*	14.4	16.1	
EST. % ACTIVE	67.2												
1 ENG: 4+ SEATS													
EST. NO. ACTIVE	105555	2072	31468	55703	5250	141	1874	459	0	1938	1070	5580	17317
% STD. ERROR	0.7	14.4	3.0	1.9	9.0	*	15.2	30.8	0.0	13.8	20.0	8.7	
EST. % ACTIVE	85.9												
1 ENGINE: TOTAL													
EST. NO. ACTIVE	164385	2215	33959	93214	12810	6064	3075	1140	5	2032	2679	7191	46000
% STD. ERROR	0.7	13.9	2.9	1.3	5.3	3.2	11.8	18.5	*	13.6	11.7	7.7	
EST. % ACTIVE	78.1												
2 ENG: 1-6 SEATS													
EST. NO. ACTIVE	15627	2034	6752	3922	581	145	126	18	107	1341	429	173	3302
% STD. ERROR	1.9	12.0	5.4	8.1	23.8	36.7	43.9	*	*	15.3	27.0	43.2	
EST. % ACTIVE	82.6												
2 ENG: 7+ SEATS													
EST. NO. ACTIVE	8032	2236	2705	629	83	220	135	16	317	1438	210	43	2162
% STD. ERROR	2.2	9.5	8.9	21.0	*	38.0	25.5	*	29.4	13.5	30.6	*	
EST. % ACTIVE	78.8												
2 ENGINE: TOTAL													
EST. NO. ACTIVE	23659	4270	9457	4551	664	365	261	34	424	2779	639	216	5464
% STD. ERROR	1.5	7.6	4.6	7.6	22.3	27.2	25.0	*	27.2	10.2	20.7	38.0	
EST. % ACTIVE	81.2												
PISTON: OTHER													
EST. NO. ACTIVE	148	10	3	14	0	56	0	2	26	1	32	2	199
% STD. ERROR	21.2	*	*	*	0.0	25.9	0.0	*	46.8	*	47.3	*	
EST. % ACTIVE	42.5												
PISTON: TOTAL													
EST. NO. ACTIVE	188191	6495	43419	97779	13474	6485	3336	1176	455	4812	3351	7409	51664
% STD. ERROR	0.6	6.9	2.5	1.3	5.2	3.4	11.0	18.1	25.7	8.2	10.2	7.5	
EST. % ACTIVE	78.5												

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 9

GENERAL AVIATION AIRCRAFT
IN ALL REGIONS
BY AIRCRAFT TYPE AND PRIMARY USE
1985

PAGE 2 OF 3

AIRCRAFT TYPE	ACTIVE USE												IN- ACTIVE
	TOTAL ACTIVE	EXECU- TIVE	BUSI- NESS	PER- SONAL	INSTRUC- TIONAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER	RENTAL	
FIXED WING - TURBOPROP													
2 ENG: 1-12 SEATS													
EST NO. ACTIVE	4633	2771	947	115	56	0	7	3	41	415	248	29	568
% STD. ERROR	2.2	5.8	14.4	42.7	*	0.0	*	*	41.7	22.7	30.7	*	
EST. % ACTIVE	89.1												
2 ENG: 13+ SEATS													
EST NO. ACTIVE	607	204	14	0	3	0	4	0	272	62	48	0	269
% STD. ERROR	6.4	8.8	48.4	0.0	*	0.0	*	0.0	9.8	34.2	37.5	0.0	
EST. % ACTIVE	69.3												
2 ENGINE: TOTAL													
EST NO. ACTIVE	5240	2975	962	115	59	0	10	3	313	477	296	29	837
% STD. ERROR	2.1	5.4	14.2	42.7	*	0.0	*	*	10.1	20.2	26.5	*	
EST. % ACTIVE	86.2												
TURBOPROP: OTHER													
EST NO. ACTIVE	167	8	12	10	6	62	0	0	16	26	27	0	117
% STD. ERROR	7.8	37.4	30.2	33.0	44.8	0.0	0.0	0.0	22.8	18.1	15.8	0.0	
EST. % ACTIVE	58.8												
TURBOPROP: TOTAL													
EST NO. ACTIVE	5407	2983	973	124	65	62	10	3	329	504	323	29	954
% STD. ERROR	2.0	5.4	14.0	39.4	*	0.0	*	*	9.7	19.2	24.3	*	
EST. % ACTIVE	85.0												
FIXED WING - TURBOJET													
2 ENGINE TURBOJET													
EST NO. ACTIVE	3914	2896	295	101	2	7	20	0	58	318	216	0	237
% STD. ERROR	1.7	4.1	23.7	39.5	*	*	*	0.0	*	21.3	30.1	0.0	
EST. % ACTIVE	94.3												
TURBOJET: OTHER													
EST NO. ACTIVE	460	272	21	23	0	0	0	0	0	5	73	66	223
% STD. ERROR	7.1	5.7	49.1	22.6	0.0	0.0	0.0	0.0	0.0	*	16.0	6.1	
EST. % ACTIVE	67.4												
TURBOJET: TOTAL													
EST NO. ACTIVE	4375	3169	315	125	2	7	20	0	58	323	290	66	459
% STD. ERROR	1.7	3.7	22.3	32.5	*	*	*	0.0	*	21.1	22.9	6.1	
EST. % ACTIVE	90.5												

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 9

GENERAL AVIATION AIRCRAFT
IN ALL REGIONS
BY AIRCRAFT TYPE AND PRIMARY USE
1985

PAGE 3 OF 3

AIRCRAFT TYPE	ACTIVE USE												
	TOTAL ACTIVE	EXECU- TIVE	BUSI- NESS	PER- SONAL	INSTRUC- TIONAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER	RENTAL	IN- ACTIVE
FIXED WING TOTAL													
EST NO ACTIVE	197974	12647	44708	98028	13541	6555	3387	1179	842	5639	3964	7504	53077
% STD ERROR	0.6	3.9	2.4	1.3	5.2	3.4	10.9	18.1	15.2	7.3	9.0	7.4	
EST % ACTIVE	78.9												
ROTORCRAFT													
PISTON													
EST NO ACTIVE	2877	26	281	713	379	575	446	49	19	30	350	6	2711
% STD ERROR	7.0	*	23.8	14.7	24.6	18.3	22.1	*	*	*	30.4	*	
EST % ACTIVE	51.5												
TURBINE													
EST NO ACTIVE	3541	875	403	54	84	158	555	226	14	789	355	30	1251
% STD ERROR	4.5	17.3	27.7	*	*	40.1	22.6	31.4	*	17.9	26.7	*	
EST % ACTIVE	73.9												
ROTORCRAFT TOTAL													
EST NO ACTIVE	6418	901	685	768	463	732	1001	274	32	820	705	36	3962
% STD ERROR	4.0	16.9	19.0	14.1	23.4	16.8	15.9	27.8	45.1	17.5	20.2	*	
EST % ACTIVE	61.8												
OTHER													
EST NO ACTIVE	6283	62	152	4257	408	0	165	187	0	0	675	378	2591
% STD ERROR	3.3	*	36.4	4.0	18.5	0.0	36.3	33.2	0.0	0.0	19.1	21.4	
EST % ACTIVE	70.7												
TOTAL													
EST NO ACTIVE	210654	13610	45544	103053	14410	7286	4533	1620	875	6459	5344	7919	59630
% STD ERROR	0.6	3.8	2.4	1.3	4.9	3.5	8.9	14.4	14.8	6.8	7.6	7.1	
EST % ACTIVE	77.9												

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.
ROW SUMMATIONS MAY DIFFER FROM PRINTED TOTALS BECAUSE SOME ACTIVE AIRCRAFT DID NOT REPORT USE.

TABLE 2 10

GENERAL AVIATION ACTIVE AIRCRAFT
IFR FLOWN AND TRANSPONDER EQUIPPED
1985

PAGE 1 OF 2

ENGINE TYPE	ESTIMATED NUMBER AIRCRAFT FLOWN IFR	PERCENT STANDARD ERROR	ESTIMATED PERCENT ACTIVE FLOWN IFR	TOTAL HOURS FLOWN IFR	PERCENT STANDARD ERROR	TOTAL HRS FLOWN IFR AS % OF ALL HOURS	EST. NUMBER FLOWN IFR WITH TRANSPONDER	PERCENT STANDARD ERROR	ESTIMATED PERCENT OF IFR WITH TRANSPONDER
FIXED WING									
1 ENG 1-2 SEATS	4003	1.4	6.8	122459	11.4	1.5	3647	12.0	91.1
2 ENG 3-4 SEATS	5018	2.3	4.5	215940	2.3	14.5	49898	2.3	99.4
ENGINE TOTAL	5414	2.3	33.0	228186	2.3	10.0	53545	2.3	98.8
2 ENG 5-6 SEATS	1478	2.4	94.6	142277	2.4	52.2	14696	2.4	99.4
2 ENG 7-9 SEATS	841	2.3	100.0	114650	2.3	52.4	8360	2.4	99.4
2 ENGINE TOTAL	2320	1.7	98.1	256935	1.7	52.3	23056	1.8	99.4
PISTON OTHER	211	19.9	100.0	9683	19.9	37.0	213	19.9	100.0
PISTON TOTAL	2756	1.7	41.2	486028	1.4	17.5	76814	1.7	98.0
FIXED WING TURBOPROP									
2 ENG 1-2 SEATS	5165	0.7	100.0	130390	0.7	89.0	5158	0.7	99.9
2 ENG 3-4 SEATS	867	1.7	100.0	44399	1.7	80.6	867	1.7	100.0
2 ENGINE TOTAL	6033	0.6	100.0	174790	0.7	86.7	6026	0.7	99.9
TURBOPROP OTHER	129	6.9	77.5	18610	6.9	29.0	132	6.8	100.0
TURBOPROP TOTAL	6162	0.6	100.0	176651	0.7	84.9	6158	0.7	99.9

TABLE 2 - 10

GENERAL AVIATION ACTIVE AIRCRAFT
IFR FLOWN AND TRANSPONDER EQUIPPED
1985

PAGE 2 OF 2

AIRCRAFT TYPE	ESTIMATED NUMBER AIRCRAFT FLOWN IFR	PERCENT STANDARD ERROR	ESTIMATED PERCENT ACTIVE FLOWN IFR	TOTAL HOURS FLOWN IFR	PERCENT STANDARD ERROR	TOTAL HRS FLOWN IFR AS % OF ALL HOURS	EST. NUMBER FLOWN IFR WITH TRANSPONDER	PERCENT STANDARD ERROR	ESTIMATED PERCENT OF IFR WITH TRANSPONDER
FIXED WING - TURBOJET									
2 ENGINE TURBOJET	4092	0.7	100.0	1308890	0.7	89.6	4083	0.9	99.8
TURBOJET: OTHER	561	4.7	100.0	178145	4.7	100.0	574	2.2	100.0
TURBOJET: TOTAL	4654	0.8	100.0	1487035	0.8	91.7	4657	0.8	100.0
FIXED WING: TOTAL	88412	1.5	44.7	8114476	0.9	25.8	87629	1.5	99.1
ROTORCRAFT									
PISTON	45	128.3	1.6	593	128.3	0.1	9	97.1	19.1
TURBINE	303	17.2	8.6	21684	17.2	1.4	304	17.2	100.0
ROTORCRAFT: TOTAL	348	22.3	5.4	22277	17.1	1.0	312	17.0	89.9
OTHER	16	82.1	0.2	468	82.1	0.1	9	114.4	60.3
TOTAL	88775	1.5	42.1	8137221	0.9	23.9	87951	1.5	99.1

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 1 OF 18

MANUFACTURER MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
OTHER 1	15012	7474	409	5.5	49.8	2.7
OTHER 2	1628	991	84	8.5	60.9	5.2
OTHER 3	324	127	20	15.3	39.3	6.0
OTHER 4	267	124	27	21.4	46.5	9.9
OTHER 5	152	56	20	36.5	36.9	13.5
OTHER 6	408	316	46	14.6	77.4	11.3
OTHER 7	174	80	21	26.3	45.7	12.0
OTHER 8	179	94	8	8.8	52.4	4.6
OTHER 9	653	579	49	8.4	88.6	7.4
OTHER 10	249	142	11	8.0	57.0	4.6
OTHER 11	1694	799	137	17.1	47.2	8.1
OTHER 12	340	161	31	19.4	47.2	9.2
OTHER 13	2605	1586	146	9.2	60.9	5.6
ADAMS ASOS	111	83	6	7.7	74.9	5.8
ADAMS S2	38	12	3	26.6	32.8	8.7
ADAMS S35	152	32	48	148.5	21.2	31.4
ADAMS S416	120	62	42	68.1	51.5	35.1
ADAMS S415	28	11	6	56.4	38.6	22.4
ADAMS S419	54	31	3	9.4	57.9	5.5
ADAMS S4	225	103	14	13.3	45.8	6.1
ADAMS S4	24	6	3	50.0	23.5	11.8

TABLE 2 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER MODEL GROUP

PAGE 2 OF 18

1985

MANUFACTURER MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
A1000 A1000	627	300	34	9.3	86.9	8.1
A1000 A1000	54	41	10	24.7	70.7	17.5
A1000 A1000	141	141	0	0.0	100.0	0.0
A1000 A1000	224	211	11	5.1	95.2	4.9
A1000 A1000	108	108	0	0.0	100.0	0.0
A1000 A1000	22	16	4	26.3	71.4	18.8
A1000 A1000	64	0	0	0.0	0.0	0.0
A1000 A1000	92	32	6	18.3	34.4	6.7
A1000 A1000	25	9	4	37.6	37.5	14.1
A1000 A1000	202	155	32	20.6	76.7	15.8
A1000 A1000	149	68	14	20.8	46.5	9.7
A1000 A1000	190	46	20	42.9	30.9	13.3
A1000 A1000	61	15	6	41.6	24.4	10.1
A1000 A1000	27	22	2	9.1	81.6	7.5
A1000 A1000	40	38	1	2.7	96.8	2.6
A1000 A1000	884	879	76	11.2	76.8	8.6
A1000 A1000	27	27	0	0.0	100.0	0.0
A1000 A1000	30	28	4	14.3	95.7	13.7
A1000 A1000	13	11	3	3.9	96.7	3.8
A1000 A1000	1336	1032	68	8.5	77.2	6.6
A1000 A1000	833	540	52	9.7	64.8	6.3

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP

PAGE 3 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
BBAVIA	3501	2451	155	6.3	70.0	4.4
BBAVIA	233	183	14	7.6	78.6	5.9
BEECH 100	278	226	25	11.0	81.2	8.9
BEECH 11	199	89	10	11.8	44.8	5.3
BEECH 18	856	508	46	9.1	59.4	5.4
BEECH 1900	42	14	5	37.9	33.2	12.6
BEECH 200	869	855	19	2.2	98.4	2.2
BEECH 23	2836	2606	86	3.4	91.9	3.1
BEECH 300	54	53	1	1.9	97.4	1.8
BEECH 33	1736	1677	45	2.7	96.6	2.6
BEECH 35	6919	5783	211	3.7	83.6	3.1
BEECH 36	2210	2106	68	3.2	95.2	3.1
BEECH 45	283	224	24	10.5	78.6	8.1
BEECH 50	332	207	36	17.5	62.4	10.9
BEECH 55	2273	1966	103	5.2	86.5	4.5
BEECH 56	60	47	7	15.5	77.8	12.1
BEECH 58	1561	1445	59	4.1	92.6	3.8
BEECH 60	427	413	19	4.7	96.7	4.6
BEECH 65	134	98	8	8.6	73.2	6.3
BEECH 76	335	323	15	4.6	96.4	4.4
BEECH 77	244	225	17	7.7	92.3	7.1

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP

PAGE 4 OF 18

MANUFACTURER MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
BEECH 80	175	121	10	7.9	68.9	5.5
BEECH 90	1138	1085	38	3.5	95.4	3.4
BEECH 95	475	393	29	7.5	82.6	6.2
BEECH 99	113	92	13	14.5	81.3	11.8
BELL 204	178	98	11	11.0	55.1	6.1
BELL 208	2254	1861	116	6.3	82.6	5.2
BELL 212	85	49	19	38.6	57.1	22.1
BELL 222	76	72	5	6.3	92.5	5.9
BELL 412	24	24	0	0.0	100.0	0.0
BELL 47	1398	738	119	16.1	52.8	8.5
BLANCA 11	78	36	8	22.3	48.2	10.3
BLANCA 1413	264	131	31	23.2	49.8	11.6
BLANCA 1419	274	190	15	8.1	69.3	5.6
BLANCA 17	1081	908	60	6.6	86.5	5.7
BLANCA 17	2385	1699	118	6.9	71.3	5.0
BLANCA 18	474	443	23	5.2	93.5	4.9
BOOMER 842	119	45	14	31.2	38.1	11.9
BOEING 707	40	7	12	185.2	16.7	30.9
BOEING 727	81	56	6	11.0	92.3	10.1
BOEING 73	1931	874	125	15.0	43.2	6.5
BOLING 108	120	115	10	8.8	95.7	8.4

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 5 OF 18

MANUFACTURER MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
BOLKES 117	22	8	6	72.4	36.8	26.7
BRASOVIS 28	51	45	4	8.1	89.2	7.2
BRWSTRFLEET 2	28	9	3	37.5	30.4	11.4
BRWSTRFLEET 7	23	11	2	15.6	50.0	7.8
BUKER 131	32	16	5	28.5	50.0	14.2
CAMPOROMODELO	198	166	20	11.9	83.6	9.9
CASA C212	21	17	5	27.8	80.0	22.2
CESSNA 120	880	580	77	13.3	65.9	8.8
CESSNA 140	2373	1510	150	9.9	63.6	6.3
CESSNA 150	19821	16373	386	2.4	82.6	1.9
CESSNA 170	2466	2023	125	6.2	82.0	5.1
CESSNA 172	25492	22709	352	1.5	89.1	1.4
CESSNA 175	1324	766	109	14.2	57.9	8.2
CESSNA 177	2910	2572	104	4.1	88.4	3.6
CESSNA 180	2741	2408	115	4.8	87.8	4.2
CESSNA 182	14068	12614	248	2.0	89.7	1.8
CESSNA 185	1628	1500	77	5.1	92.1	4.7
CESSNA 188	1793	1464	92	6.3	81.6	5.2
CESSNA 190	85	59	7	11.8	69.4	8.2
CESSNA 195	494	236	78	32.9	47.8	15.7
CESSNA 205	248	223	17	7.7	89.9	6.9

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SOR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 6 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
CESSNA208	3041	2456	144	5.8	80.8	4.7
CESSNA207	406	290	65	22.2	71.5	15.9
CESSNA210	6295	5826	150	2.6	92.6	2.4
CESSNA303	202	192	9	4.8	95.3	4.5
CESSNA305	275	203	6	3.1	73.9	2.3
CESSNA310	3234	2791	126	4.5	86.3	3.9
CESSNA320	331	281	28	9.9	84.9	8.4
CESSNA335	48	45	3	6.3	94.4	6.0
CESSNA336	87	74	6	8.1	85.4	6.9
CESSNA337	1227	1018	80	7.9	83.0	6.6
CESSNA340	974	942	33	3.5	96.7	3.4
CESSNA401	236	167	26	15.5	70.9	11.0
CESSNA402	734	557	62	11.2	75.9	8.5
CESSNA404	164	77	13	17.1	47.0	8.0
CESSNA411	161	85	15	18.2	52.8	9.6
CESSNA414	799	736	49	6.7	92.1	6.2
CESSNA421	1304	1141	74	6.5	87.5	5.7
CESSNA425	185	134	27	20.0	72.5	14.5
CESSNA441	257	227	20	8.8	88.4	7.8
CESSNA500	548	521	24	4.7	95.1	4.4
CESSNA501	54	54	0	0.0	100.0	0.0

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 7 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
CESSNA850	80	78	3	3.8	98.1	3.5
CESSNA750	69	30	6	19.1	42.8	8.2
CESSNAUC94	36	13	4	31.7	36.7	11.6
CHILD S1	62	61	2	3.3	98.0	3.2
CHILD S2	176	152	17	11.1	86.2	9.6
CNDAIRCL800	88	68	0	0.0	100.0	0.0
COMWTH185	108	25	11	44.7	23.4	10.5
CONAERLA4	502	421	47	11.3	83.8	9.4
CURTISC46	42	13	7	57.9	30.5	17.6
CURTISJR	25	5	2	33.7	18.2	6.1
CURTISROBIN	38	6	3	54.0	15.0	8.1
CURTISTRVAIR	187	27	5	18.9	14.7	2.8
CVAC 240	43	2	3	191.8	4.2	8.0
CVAC 340	10	5	3	63.2	50.0	31.6
CVAC 440	15	3	4	118.7	20.0	23.7
CVAC BT13	104	39	11	28.8	37.8	10.9
CVAC L13	21	2	2	130.8	9.1	11.9
CVAC STC580	45	42	6	14.8	94.1	13.9
DART G	24	8	4	43.1	35.0	15.1
DHAV DHC1	89	61	10	16.0	68.6	11.0
DHAV DHC2	278	87	57	66.0	31.3	20.7

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 8 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
DHAV DHC3	31	26	6	22.3	85.0	18.9
DHAV DHC8	88	68	10	15.3	76.8	11.8
DHAVXXDH82	79	33	9	28.0	42.0	11.8
DOUG A28	29	8	5	60.3	28.6	17.2
DOUG DC3	394	243	64	26.3	61.7	16.2
DOUG DC4	82	55	12	20.9	67.7	14.2
DOUG DC8	78	28	17	61.2	35.7	21.8
DOUG DC7	35	8	12	140.1	23.5	33.0
DOUG DC8	84	64	26	41.0	76.6	31.4
DOUG DC9	30	30	0	0.0	100.0	0.0
EAGLE DW	80	50	6	12.7	82.7	7.9
EAGLEBAX7	20	19	1	6.4	94.7	6.0
EAGLEBC7	40	40	0	0.0	100.0	0.0
EIRVON20	116	96	9	9.8	82.9	8.1
EMAIR MA1	21	4	3	82.8	20.0	16.6
EMB 110	60	37	13	36.0	61.1	22.0
ENSTRMF28	448	347	19	5.5	77.5	4.3
FLEET 168	22	9	2	26.0	38.8	10.1
FOKKERF27	11	11	0	0.0	100.0	0.0
FOKKERF28	8	8	0	0.0	100.0	0.0
FRCHLD24	292	119	13	11.3	40.7	4.6

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP

PAGE 9 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
FRCHLDC119	33	0	0	0.0	0.0	0.0
FRCHLDF27	30	25	3	13.1	83.3	11.0
FRCHLDM62	228	101	22	21.3	44.5	9.5
GENBALAX6	68	28	17	63.8	38.1	24.3
GLASFL201	36	32	2	5.9	89.5	5.3
GLASFLH301	117	94	4	4.4	80.1	3.5
GROB 103CAT	57	51	6	11.1	89.5	9.9
GROB 108	74	64	7	10.3	87.1	9.0
GROB ASTIR	83	55	4	6.6	87.6	5.8
GRTLKS2T1	187	138	7	5.0	72.7	3.6
GRUMAVAA1	584	508	30	6.0	86.7	5.2
GRUMAVAA5	1057	1015	38	3.5	96.0	3.4
GRUMAVG1159	38	38	0	0.0	100.0	0.0
GRUMAVG164	1251	1112	59	5.3	88.9	4.7
GRUMAVG21	53	22	5	22.2	41.4	9.2
GRUMAVTBM	38	32	4	13.7	83.3	11.4
GULSTM112	697	670	33	4.9	96.1	4.7
GULSTM500	327	288	21	7.2	88.2	6.4
GULSTM520	58	27	5	18.3	47.4	8.7
GULSTM560	120	75	13	17.8	62.2	11.1
GULSTM680	519	218	27	12.4	67.8	8.4

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 10 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
GULSTM880TP	115	83	20	24.2	72.5	17.5
GULSTM890TC	30	23	3	13.0	77.8	10.1
GULSTM890TP	513	420	43	10.2	81.9	8.3
GULSTNAA1	602	528	24	4.5	87.6	4.0
GULSTNAA5	649	559	43	7.8	86.2	6.7
GULSTMG1159	172	168	7	3.9	97.9	3.8
GULSTMG159	120	89	15	17.3	74.5	12.9
GULSTMG44	82	38	15	38.8	45.9	17.8
GULSTMG73	24	6	2	31.9	26.1	8.3
GULSTMGA7	57	50	6	11.6	88.6	10.3
H23/HTE	45	17	3	17.1	38.8	6.6
H34/55	30	2	4	248.7	5.3	13.1
HELIO H295	103	90	7	7.3	87.1	6.3
HELIO H391	21	14	4	27.4	66.7	18.3
HILLERFH1100	81	64	12	19.5	78.6	15.4
HILLERUH12	596	296	35	12.0	49.6	6.0
HUGHES268	734	443	71	16.0	60.4	9.6
HUGHES368	673	528	70	13.3	78.5	10.4
HMKSLYDH104	35	13	6	44.6	37.5	16.7
HMKSLYDH125	198	183	13	7.1	92.5	6.6
HYNES B2	127	31	21	65.7	24.6	16.1

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP

PAGE 11 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
INTRCP200	30	19	3	15.8	62.5	9.9
ISRAEL1121	112	84	16	19.2	75.0	14.4
ISRAEL1123	24	18	4	21.7	75.0	16.2
ISRAEL1124	210	210	0	0.0	100.0	0.0
JBWSTRDGA15	81	27	5	18.9	33.9	6.4
LAIKFN10	37	4	2	70.4	9.5	6.7
LEAR 23	61	57	5	8.3	92.9	7.7
LEAR 24	171	140	18	12.5	82.1	10.3
LEAR 25	270	241	21	8.8	89.4	7.9
LEAR 35	469	469	0	0.0	100.0	0.0
LEAR 55	94	94	0	0.0	100.0	0.0
LET L13	168	86	20	23.3	51.4	12.0
LKHEED12A	20	6	1	20.4	29.4	6.0
LKHEED1329	94	82	6	6.9	87.7	6.0
LKHEED18	59	0	0	0.0	0.0	0.0
LKHEED188	8	8	0	0.0	100.0	0.0
LKHEED382	22	3	3	102.4	13.6	14.0
LKHEEDPV1	29	24	7	30.4	82.4	25.1
LKHEEDT33	49	3	4	131.5	5.7	7.5
LUSCOM8	2173	1199	136	11.3	55.2	6.3
MARTIN404	25	6	6	102.2	23.1	23.6

TABLE 2 11
GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER MODEL GROUP 1985 PAGE 12 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
MAULE M4	273	217	19	8.9	79.3	7.1
MAULE M5	456	378	48	12.2	82.9	10.1
MAULE M6	73	66	6	9.1	90.8	8.3
MCLISHFUNK8	142	38	14	36.0	27.0	9.7
MEYERSOTW	51	10	6	58.3	20.0	11.9
MNCOUP90	68	7	3	41.6	9.3	4.0
MNMITEM18	152	53	14	25.4	35.1	8.9
MOONEYM20	6243	5884	120	2.0	94.3	1.9
MRCHTIS205	44	40	4	9.1	91.1	8.9
MTSBSIMU2	354	336	25	7.4	94.9	7.0
MTSBSIMU300	79	74	9	12.1	93.1	11.9
MULTCD16	45	19	6	32.5	42.1	13.1
NAMER B25	54	7	6	92.1	12.2	11.4
NAMER F51	143	104	16	15.0	72.1	10.9
NAMER NA260	65	30	10	34.0	46.2	15.1
NAMER T8	549	477	41	8.3	86.9	7.5
NATBAL752	27	21	2	10.0	77.4	7.4
NAVAL N3N	137	45	25	55.2	11.1	18.1
NAVIONNAVION	576	385	57	14.7	66.4	9.9
NORD SV4	42	28	3	9.1	66	9.1
NORWST65	56	22	7	31.5	18	9.1

TABLE 7
GENERAL AVIATION ACTIVE AIRCRAFT BY SIZE AIRCRAFT
MANUFACTURE MODEL GROUP
1985 PAGE 13 OF 14

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
ORLHELH19	75	7	7	99.2	9.1	9.6
ORLHELSS8	34	2	2	103.6	4.1	4.9
PARTENP68	42	41	1	3.3	97.1	1.2
PICARDAX6	154	122	24	19.8	79.1	15.6
PILATSB4	24	23	2	7.1	93.8	6.7
PIPER 600	417	410	15	3.8	98.2	3.7
PIPER E2	20	5	1	25.8	25.0	6.5
PIPER J2	58	28	5	18.7	49.1	9.2
PIPER J3	4176	2169	191	8.8	51.9	4.6
PIPER J4	245	76	24	32.0	31.1	10.0
PIPER J5	355	170	8	4.8	48.0	2.3
PIPER PA12	1357	915	80	8.7	67.4	5.9
PIPER PA14	108	63	9	14.6	58.1	8.5
PIPER PA15	187	90	23	25.5	48.2	12.3
PIPER PA16	366	213	33	15.5	58.1	9.0
PIPER PA17	113	44	13	28.8	38.9	11.2
PIPER PA18	3573	2401	267	11.1	67.2	7.5
PIPER PA20	453	327	50	15.2	72.2	11.0
PIPER PA22	4847	2779	173	6.2	57.3	3.6
PIPER PA21	3497	2581	187	7.2	73.8	5.3
PIPER PA24	3215	2839	99	3.4	91.4	3.1

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP

PAGE 14 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
PIPER PA25	1320	1111	78	7.0	84.2	5.9
PIPER PA28	22892	20894	295	1.4	90.4	1.3
PIPER PA30	1280	1144	84	5.6	89.4	5.0
PIPER PA31	2079	1756	97	5.5	84.5	4.7
PIPER PA31T	620	533	43	8.1	85.9	7.0
PIPER PA32	4531	4087	132	3.2	90.2	2.9
PIPER PA34	2232	2044	84	4.1	91.6	3.7
PIPER PA36	403	345	34	9.8	85.6	8.4
PIPER PA38	1526	1388	65	4.7	90.9	4.3
PIPER PA42	89	87	3	3.0	98.3	2.9
PIPER PA44	352	319	26	8.2	90.6	7.4
PIPER PA46	171	157	12	7.5	91.5	6.8
PRATT PRG1	20	10	3	31.9	50.0	15.9
PROPIJT200	69	54	4	6.8	77.6	5.3
RAVEN RX6	205	113	28	24.3	55.2	13.4
RAVEN S50	89	50	9	17.3	56.0	9.7
RAVEN S55	817	587	83	14.1	71.8	10.1
RAVEN S60	215	187	7	3.7	87.2	3.2
RAVEN S66	45	45	0	0.0	100.0	0.0
RKWE1500	41	37	2	5.3	90.3	4.8
RKWE1700	25	17	2	14.7	66.7	9.8

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 15 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
RKWE11NA285	347	347	0	0.0	100.0	0.0
ROBS1NR22	294	236	23	9.9	80.3	8.0
ROLSCHLS	113	110	4	4.0	97.3	3.9
RYAN ST3	181	95	21	21.7	59.3	12.9
RYAN STA	34	12	2	19.8	34.8	8.8
SCHLERASK21	26	25	1	4.4	95.9	4.2
SCHLERASW15	37	30	4	12.2	80.8	9.9
SCHLERASW19	57	50	4	8.2	88.4	7.2
SCHLERASW20	97	87	8	9.1	89.6	8.2
SCHLERK8	25	18	2	11.3	70.9	8.0
SCHLERKA6	74	57	7	11.7	76.6	9.0
SCHWZERG184	236	181	33	18.1	76.6	13.8
SCHWZERSG1	763	508	43	8.4	66.6	5.6
SCHWZERSG2	585	454	47	10.2	77.6	8.0
SEWCO CLINGER	23	4	2	50.1	16.7	8.4
SEWCO MODEL T	29	0	0	0.0	0.0	0.0
SKRSKYS55	31	2	2	103.0	7.4	7.6
SKRSKYS58	63	25	4	17.5	39.2	6.9
SKRSKYS58T	31	5	7	145.8	15.4	22.4
SKRSKYS76	111	88	6	6.8	79.1	5.4
SLINDS100	314	250	21	8.5	79.5	6.7

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP

1985 PAGE 16 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
SMITH 600	374	281	43	15.4	75.3	11.6
SNIAS 350	244	210	27	12.9	86.2	11.1
SNIAS SA318	23	0	0	0.0	0.0	0.0
SNIAS SA341	43	23	5	23.3	53.6	12.5
SOCATAMS894	40	33	5	16.7	81.5	13.6
SOCATARALLYE	21	21	0	0.0	100.0	0.0
SPHRTHCIRRIUS	103	88	8	8.8	85.1	7.5
SPHRTHNIMBUS	52	43	6	14.9	83.3	12.4
SPHRTHVENTUS	50	50	0	0.0	100.0	0.0
STBROSSD3	32	18	9	50.5	55.6	28.1
STNSON10	156	34	15	44.2	21.8	9.6
STNSONL5	126	58	14	24.5	45.7	11.2
STNSONSR9	27	5	1	13.9	20.0	2.8
STNSONV77	105	29	3	11.8	27.8	3.3
STOLAMRC3	221	73	28	37.5	33.2	12.5
SUPAC LA	99	24	6	25.7	24.1	6.2
SUPAC V	29	5	2	41.9	16.7	7.0
SWRNGNSA226	208	173	16	9.5	83.1	7.9
SWRNGNSA227	93	69	10	14.0	74.5	10.4
SWRNGNSA26	105	102	5	4.7	97.0	4.6
TCRAFK21	20	20	0	0.0	100.0	0.0

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP
1985

PAGE 17 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
TCRAFKD	290	100	39	39.1	34.6	13.5
TCRAFTA	33	1	1	98.4	4.2	4.1
TCRAFTBC	1854	1049	129	12.3	56.6	6.9
TCRAFTBF	39	16	4	27.4	40.0	11.0
TCRAFTBL	230	106	7	7.1	45.9	3.2
TEMCO 11A	30	21	4	19.5	71.4	14.0
TH55	42	12	3	30.0	27.5	8.2
THUNDRA7	58	41	6	15.4	71.1	10.9
TMPSONNAVION	634	459	22	4.8	72.3	3.4
TRYTEK65	350	135	30	22.3	38.5	8.6
TRYTEK	33	3	1	36.2	10.0	3.6
UNIVACGC1	672	361	62	17.2	53.7	9.3
UNIVAR108	2018	848	157	18.5	42.0	7.8
UNIVAR415	2405	1229	141	11.5	51.1	5.9
VARGA 2150	133	111	15	13.8	83.3	11.5
WACO ASD	31	6	2	25.3	20.8	5.3
WACO GXE	38	7	2	34.1	17.2	5.9
WACO R	29	12	3	24.1	40.0	9.6
WACO UPF7	167	85	12	14.0	50.8	7.1
WACO YK	55	15	3	16.9	27.7	4.7
WSK M18	42	38	5	12.9	90.8	11.7

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT
MANUFACTURER/MODEL GROUP

1985 PAGE 18 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
WTHRLY201	63	40	7	18.6	62.7	11.7
TOTAL	270284	210854	1200	0.6	77.9	0.4

TABLE 2 - 12

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY AIRCRAFT TYPE
1985

PAGE 1 OF 6

AIRCRAFT TYPE	IMC DAY			IMC NIGHT			IMC TOTAL		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN
FIXED WING									
FIXED WING - PISTON									
1 ENG: 1-3 SEATS	3386	376	82267	1308	238	29716	3502	381	112209
1 ENG: 4+ SEATS	42611	1056	1111725	22978	910	344067	43196	1059	1455961
1 ENGINE: TOTAL	45997	1121	1193993	24284	940	373783	46698	1126	1568170
2 ENG: 1-6 SEATS	12737	294	488736	10049	373	212885	12843	291	711468
2 ENG: 7+ SEATS	6798	172	390071	5853	232	212010	6842	169	601863
2 ENGINE: TOTAL	19535	341	888807	15902	439	424895	19685	337	1313431
PISTON: OTHER	68	15	1228	39	16	947	69	15	2175
PISTON: TOTAL	65600	1172	2084027	40225	1038	799625	66452	1175	2883775
FIXED WING - TURBOPROP									
2 ENG: 1-12 SEATS	4569	43	261419	4385	81	111896	4591	37	373082
2 ENG: 13+ SEATS	535	24	114271	507	28	60298	598	9	175008
2 ENGINE: TOTAL	5105	49	375691	4892	86	172194	5189	38	548090
TURBOPROP: OTHER	51	6	1332	55	6	3948	70	6	5229
TURBOPROP: TOTAL	5156	50	377023	4946	86	176142	5259	38	553319

TABLE 2 - 12

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY AIRCRAFT TYPE
1985

PAGE 2 OF 6

AIRCRAFT TYPE	IMC DAY				IMC NIGHT				IMC TOTAL			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
FIXED WING - TURBOJET												
2 ENGINE TURBOJET	3872	22	280432	26188	3745	55	124132	9421	3876	20	404557	32568
TURBOJET: OTHER	421	10	32536	4232	379	15	19358	2547	421	10	51881	6218
TURBOJET: TOTAL	4293	25	312969	26528	4124	57	143490	9760	4297	23	456438	33157
FIXED WING: TOTAL	75048	1173	2774018	102570	49295	1043	1119256	65888	76008	1176	3893532	143061
ROTORCRAFT												
PISTON	14	11	120	108	31	32	5635	9144	32	33	5754	9145
TURBINE	344	77	18161	5020	272	66	6518	1702	344	77	24760	6290
ROTORCRAFT: TOTAL	358	78	18280	5021	302	73	12153	9301	377	84	30515	11100
OTHER AIRCRAFT	97	62	9062	5037	1	6	5	29	97	62	9067	5037
TOTAL	75503	1177	2852450	102816	49598	1046	1152048	66541	76481	1180	4004498	143579

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 12

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY AIRCRAFT TYPE
1985

PAGE 3 OF 6

AIRCRAFT TYPE	VMC DAY				VMC NIGHT				VMC TOTAL			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
FIXED WING												
FIXED WING - PISTON												
1 ENG: 1-3 SEATS	58459	116	7175632	252789	22958	680	571817	57757	58696	69	7747571	277173
1 ENG: 4+ SEATS	104358	243	11406814	280174	73084	1012	1505119	73673	104858	187	12911360	322108
1 ENGINE: TOTAL	162817	269	18582446	384842	96041	1219	2076936	93614	163554	200	20658924	424945
2 ENG: 1-6 SEATS	15463	74	1658091	75903	12368	321	413161	49278	15524	57	2071037	103188
2 ENG: 7+ SEATS	7658	120	1279655	101801	6650	189	356495	33600	7694	116	1633542	115266
2 ENGINE: TOTAL	23121	141	2937745	126983	19018	373	769657	58643	23218	129	3707579	154706
PISTON: OTHER	144	5	21308	5595	83	12	1262	506	146	4	22574	5761
PISTON: TOTAL	168082	304	21541498	405289	115142	1275	2847855	111001	186917	237	24389086	452267
FIXED WING - TURBOPROP												
2 ENG: 1-12 SEATS	4412	76	862480	56209	4139	110	217186	18723	4429	72	1078572	63800
2 ENG: 13+ SEATS	598	9	215189	28670	498	29	99480	14276	598	9	315108	34017
2 ENGINE: TOTAL	5010	76	1077669	63099	4637	114	316666	23544	5027	73	1394680	72302
TURBOPROP: OTHER	154	4	48668	4353	116	14	9802	1954	164	0	58527	4530
TURBOPROP: TOTAL	5164	76	1126337	63249	4752	114	326468	23625	5191	73	1453208	72444

TABLE 2 - 12

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY AIRCRAFT TYPE
1985

PAGE 4 OF 6

AIRCRAFT TYPE	VMC DAY				VMC NIGHT				VMC TOTAL			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
FIXED WING - TURBOJET												
2 ENGINE TURBOJET	3534	94	807298	47579	3282	112	219279	21165	3543	93	1026498	57797
TURBOJET: OTHER	381	16	87941	8497	302	20	24425	2432	381	16	112368	9899
TURBOJET: TOTAL	3915	95	895239	48332	3584	113	243704	21304	3924	95	1138866	58639
FIXED WING: TOTAL	195180	327	23563064	413032	123478	1285	3418027	115469	196032	266	28981160	461771
ROTORCRAFT												
PISTON	2855	31	474289	54988	911	108	85037	40200	2858	30	561921	80151
TURBINE	3529	13	1345134	106931	2489	154	232890	78783	3533	13	1575464	124741
ROTORCRAFT: TOTAL	6385	33	1819423	120241	3400	188	317927	88447	6391	33	2137386	148272
OTHER AIRCRAFT	6155	63	403039	31326	47	19	1042	527	6175	61	404101	31293
TOTAL	207700	335	28253623	431318	126926	1299	3804835	145452	208598	275	30058458	486000

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 12

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY AIRCRAFT TYPE
1985

PAGE 5 OF 6

AIRCRAFT TYPE	DAY TOTAL				NIGHT TOTAL			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
FIXED WING								
FIXED WING - PISTON								
1 ENG: 1-3 SEATS	58550	101	7256271	256324	23008	680	601387	61562
1 ENG: 4+ SEATS	105217	127	12527820	312766	74145	1001	1852583	95698
1 ENGINE: TOTAL	163767	163	19784084	404382	97153	1210	2453970	113790
2 ENG: 1-6 SEATS	15612	25	2158777	96776	13022	296	625898	66677
2 ENG: 7+ SEATS	7997	32	1668874	111107	7123	147	568610	52980
2 ENGINE: TOTAL	23609	41	3825651	147344	20145	330	1194508	85163
PISTON: OTHER	146	4	22542	5785	84	12	2209	928
PISTON: TOTAL	187522	168	23632274	430428	117383	1255	3650686	142133
FIXED WING - TURBOPROP								
2 ENG: 1-12 SEATS	4619	22	1127632	60466	4481	65	329847	24903
2 ENG: 13+ SEATS	607	0	329460	42444	528	25	159779	21169
2 ENGINE: TOTAL	5226	22	1457092	73876	5008	70	489626	32685
TURBOPROP: OTHER	157	3	49980	4405	117	14	13710	2648
TURBOPROP: TOTAL	5383	22	1507072	74007	5125	71	503335	32792

TABLE 2 - 12

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY AIRCRAFT TYPE
1985

AIRCRAFT TYPE	DAY TOTAL			NIGHT TOTAL		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN
FIXED WING - TURBOJET						
2 ENGINE TURBOJET	3910	9	1087467	3825	40	343304
TURBOJET: OTHER	460	0	120487	383	15	43773
TURBOJET: TOTAL	4371	9	1207954	4209	43	387076
FIXED WING: TOTAL	197276	169	26347294	126717	1257	4541097
ROTORCRAFT						
PISTON	2855	31	474384	930	110	90655
TURBINE	3537	3	1365075	2500	154	239464
ROTORCRAFT: TOTAL	6393	31	1839459	3430	189	330119
OTHER AIRCRAFT	6242	13	412093	47	19	1048
TOTAL	208811	173	29104539	130194	1272	4958417

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 13

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY BASE REGION OF AIRCRAFT
1985

PAGE 1 OF 3

REGION	IMC DAY			IMC NIGHT			IMC TOTAL		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN
ALASKAN	804	193	11800	483	147	6913	817	193	18713
CENTRAL	4164	423	169265	3099	355	83657	4253	428	252922
EASTERN	9488	615	405881	5832	475	153297	9586	618	559183
EUROPEAN OFFICE	344	111	9399	192	82	2195	344	111	11594
GREAT LAKES	13211	730	550206	9497	613	238014	13380	734	788232
NEW ENGLAND	2982	368	101340	1887	290	31736	3131	378	133074
NORTHWEST MT	5255	488	251306	3119	369	82488	5385	494	333918
SOUTHERN	14918	765	541928	9832	613	236584	15001	767	778548
SOUTHWESTERN	11630	662	425837	8541	559	156923	11810	668	582601
WESTERN-PACIFIC	12810	731	294518	7224	547	127264	12912	734	421005
TOTAL	75503	1177	2852450	49598	1046	1152048	76481	1180	4004498

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 13

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY BASE REGION OF AIRCRAFT
1985

PAGE 2 OF 3

REGION	VMC DAY				VMC NIGHT				VMC TOTAL			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
ALASKAN	6290	477	906842	126980	2883	347	67861	18193	6319	478	973479	138204
CENTRAL	12283	722	1441378	142678	7685	582	257448	53638	12305	723	1736422	199037
EASTERN	22799	942	2649583	185264	13819	757	422790	41429	22850	944	3073256	210692
EUROPEAN OFFICE	511	142	71537	34189	61	45	2809	2500	511	142	74345	34700
GREAT LAKES	36609	1162	4092655	233730	22383	953	694688	67791	36748	1164	4787623	271664
NEW ENGLAND	8108	593	894809	90584	5528	503	119230	21772	8176	595	1014055	102177
NORTHWEST MT.	20667	927	2344359	176692	11251	714	272944	35787	20850	931	2616998	195812
SOUTHERN	32095	1098	4088440	232289	21281	923	598630	48644	32192	1099	4686883	258015
SOUTHWESTERN	32128	1095	4679964	288527	18226	850	580635	67200	32260	1096	5259500	318730
WESTERN-PACIFIC	36189	1153	4587821	271011	23960	979	662454	109578	36324	1155	5250598	315388
TOTAL	207700	335	26253623	431318	126926	1299	3804835	145452	208598	275	30058458	486000

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 13

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY BASE REGION OF AIRCRAFT
1985

PAGE 3 OF 3

REGION	DAY TOTAL				NIGHT TOTAL			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
ALASKAN	6292	477	918741	128019	2912	348	75015	19250
CENTRAL	12454	726	1610722	158305	7857	587	341138	58649
EASTERN	23034	945	3056287	204790	14246	765	576228	56535
EUROPEAN OFFICE	524	142	80936	35410	201	85	5004	3508
GREAT LAKES	36862	1165	4643377	258699	23038	985	933297	90211
NEW ENGLAND	8128	593	996131	98324	5607	506	150928	25814
NORTHWEST MT.	20942	931	2596504	193328	11430	718	355548	55234
SOUTHERN	32569	1104	4633422	255663	21840	932	836079	73055
SOUTHWESTERN	32465	1098	5109327	303789	18676	857	738060	77433
WESTERN-PACIFIC	36630	1159	4883142	281458	24500	989	789363	116295
TOTAL	209911	173	29104539	456996	130194	1272	4958417	172659

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 1 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
* OTHER 1	337	128	2935	1444	7474	0	452647	45720
OTHER 2	558	72	17030	7578	991	0	150585	31033
OTHER 3	25	7	1468	867	127	0	17188	2165
OTHER 4	114	13	15246	8091	109	15	14141	6996
OTHER 5	8	9	257	421	56	0	11108	5018
OTHER 6	302	22	12813	5859	312	11	42038	13612
OTHER 7	75	7	6415	3498	80	0	37297	20098
OTHER 8	62	6	4672	1042	94	0	21471	2453
OTHER 9	579	0	49968	17249	433	75	90299	21435
OTHER 10	107	9	7184	1924	132	6	18211	2838
OTHER 11	0	0	0	0	799	0	43592	12006
OTHER 12	20	14	1740	1644	161	0	81581	27201
OTHER 13	2	9	203	876	1584	9	130177	23531
ADAMS A50S	0	0	0	0	83	0	2585	351
AERORSJ2	0	0	0	0	12	0	277	57
AEROSPAS355	3	4	181	221	32	0	8696	5111
AEROSPSA316	0	0	0	0	62	0	36658	0
AGUSTA205	1	1	49	59	11	0	2823	218
AGUSTAA109	18	4	599	161	31	0	10057	4295
AIRPTSA	0	0	0	0	103	0	9962	2812
AIRSPC18	0	0	0	0	6	0	120	49
AIRTRCAT300	0	0	0	0	366	0	131828	17989

*See Note on page 2-12

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 2 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
AIRTRCAT400	0	0	0	0	41	0	21322	4005
AMD FALC10	141	0	13137	4044	132	8	42945	5049
AMD FALC20	213	0	23055	5487	197	14	64871	10282
AMD FALC50	104	4	8271	2704	102	6	48921	8094
AMTR TMK	6	4	13	9	16	0	1084	307
ARCTICS1A	0	0	0	0	32	0	2399	1201
ARCTICS1B1	0	0	0	0	9	0	347	52
ARONCA15	0	0	0	0	155	0	6070	2232
ARONCA58	0	0	0	0	69	0	6488	2043
ARONCA65	0	0	0	0	46	0	2891	1750
ARONCAC3	0	0	0	0	15	0	461	300
AVIANWFALCON	1	1	0	0	22	0	520	66
AVIANWSKYHWK	1	1	0	1	39	0	1524	176
AYRES S2	45	37	31914	37432	648	37	196330	27735
BAC 111	27	0	7598	2201	13	5	2488	1073
BAG B206	3	6	8	19	29	0	1652	296
BAG DH125	71	0	14059	2995	54	7	16730	2983
BALWKSFIREFY	1	6	26	146	1032	0	43396	9972
BBAVIA11	0	0	0	0	540	0	28331	5824
BBAVIA7	79	52	5293	4375	2373	52	134974	15594
BBAVIA8	16	10	41	25	183	0	32028	5559
BEECH 100	226	0	20456	4498	221	8	55851	11302

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 3 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
BEECH 17	27	7	424	256	86	3	4599	564
BEECH 18	388	41	75764	20993	496	15	169020	34275
BEECH 1900	14	0	5287	1717	14	0	8606	1774
BEECH 200	855	0	76764	11411	840	21	253125	23762
BEECH 23	894	151	32259	10873	2606	0	256756	38822
BEECH 300	50	2	4869	774	51	1	11269	1139
BEECH 33	1018	123	31050	7381	1677	0	215632	36816
BEECH 35	3045	277	84056	15341	5783	0	551319	40543
BEECH 36	1740	120	54387	14373	2105	0	281732	18972
BEECH 45	119	27	2263	753	223	4	29549	5005
BEECH 50	144	30	2730	909	207	0	20002	4353
BEECH 55	1726	97	38506	6482	1966	0	196598	22612
BEECH 56	32	8	561	360	47	0	1785	705
BEECH 58	1439	15	124190	21623	1445	0	242824	27265
BEECH 60	391	26	17810	4635	413	0	44897	11209
BEECH 65	79	7	4056	754	92	5	17108	3050
BEECH 76	275	30	19237	5509	323	0	47300	6348
BEECH 77	69	30	872	591	225	0	59943	19742
BEECH 80	107	6	5434	1006	121	0	18739	2453
BEECH 90	1085	0	81521	14171	1042	38	270187	46562
BEECH 95	326	28	10634	3626	393	0	37576	4819
BEECH 99	92	0	59127	31187	92	0	72118	18636

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 4 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
BELL 204	0	0	0	0	98	0	19983	2628
BELL 206	122	72	8512	5732	1861	0	958791	105657
BELL 212	6	10	154	242	46	7	32782	11737
BELL 222	43	9	2350	700	72	0	27443	5011
BELL 412	24	0	3180	559	24	0	14283	1934
BELL 47	19	30	5588	9144	720	30	181527	41186
BLANCA11	0	0	0	0	36	0	2123	632
BLANCA1413	0	0	0	0	131	0	5167	828
BLANCA1419	72	16	874	340	190	0	11848	1527
BLANCA17	358	81	9837	3559	909	0	62512	7253
BLANCA7	20	25	250	318	1699	0	198267	39991
BLANCA8	38	26	811	570	441	7	43635	8113
BNORM BN2	6	4	459	387	45	0	46352	6942
BOEING707	7	0	1027	0	0	0	0	0
BOEING727	56	0	15659	4778	25	11	7205	4489
BOEING75	55	42	2230	1717	834	0	65541	18274
BOLKMS105	5	10	616	1225	110	10	46270	18124
BOLKMS117	0	0	0	0	8	0	1780	1169
BRASOV1S28	0	0	0	0	45	0	3467	542
BRWSTRFLEET2	0	0	0	0	9	0	315	95
BRWSTRFLEET7	0	0	0	0	11	0	418	84
BUKER 131	0	0	0	0	16	0	683	161

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 5 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
CAMRONMODELO	0	0	0	0	166	0	5855	2422
CASA C212	17	0	27	0	17	0	845	0
CESSNA120	0	0	0	0	580	0	31005	3352
CESSNA140	0	0	0	0	1510	0	67498	8658
CESSNA150	1355	270	35215	15501	16371	10	3173888	226387
CESSNA170	198	96	1377	1334	2023	0	182048	35866
CESSNA172	6739	517	248293	38518	22621	70	3335820	205014
CESSNA175	118	62	2481	1481	730	36	41792	6426
CESSNA177	949	153	23945	7894	2572	0	312975	43421
CESSNA180	630	153	11776	3671	2381	37	303473	52990
CESSNA182	5504	402	182185	47371	12473	85	1402852	90576
CESSNA185	361	128	9883	4934	1452	53	284733	93808
CESSNA188	48	45	287	251	1464	0	394028	32163
CESSNA190	19	7	109	59	59	0	3511	826
CESSNA195	6	11	324	613	236	0	15513	3746
CESSNA205	96	28	1566	662	223	0	20408	4472
CESSNA206	1006	160	25596	7412	2456	0	500970	68306
CESSNA207	59	48	1745	1490	290	0	139275	25657
CESSNA210	3688	279	133244	22722	5723	76	774823	79044
CESSNA303	192	0	13414	4166	187	7	32656	6591
CESSNA305	4	2	33	21	203	0	32216	3234
CESSNA310	2091	153	130377	25705	2791	0	362417	50657

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 6 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
CESSNA320	167	37	5176	2636	281	0	32653	6844
CESSNA335	45	0	5846	1767	45	0	9266	2187
CESSNA336	16	7	287	147	74	0	4382	826
CESSNA337	634	98	22214	5810	1018	0	94430	13379
CESSNA340	942	0	45320	10138	942	0	153152	32893
CESSNA401	159	10	8925	1757	167	0	26571	7285
CESSNA402	508	39	54494	15221	557	0	194739	50916
CESSNA404	60	12	14160	4475	72	7	41188	12624
CESSNA411	61	10	1020	362	85	0	6896	1282
CESSNA414	736	0	56723	16539	718	27	169926	54360
CESSNA421	1141	0	85458	19659	1034	65	158390	23066
CESSNA425	134	0	12621	3001	134	0	26452	9368
CESSNA441	227	0	14601	2309	225	6	45963	7419
CESSNA500	521	0	32660	6740	503	21	129786	17316
CESSNA501	54	0	4166	1536	52	3	8211	1405
CESSNA650	78	0	6347	915	78	0	28101	4435
CESSNAT50	0	0	0	0	30	0	819	149
CESSNAUC94	0	0	0	0	13	0	682	146
CHILD S1	0	0	0	0	61	0	3731	1012
CHILD S2	0	0	0	0	152	0	16539	2961
CNDAIRCL600	68	0	8512	4314	62	7	19852	4632
COMWTH185	0	0	0	0	25	0	1020	218

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 7 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
CONAERLA4	124	57	692	473	421	0	29535	7713
CURTISC46	6	3	560	305	13	0	785	282
CURTISJR	0	0	0	0	5	0	64	5
CURTISROBIN	0	0	0	0	6	0	95	19
CURTISTRVAIR	0	0	0	0	27	0	1436	375
CVAC 240	2	0	94	0	2	0	282	0
CVAC 340	5	0	156	0	5	0	1404	0
CVAC 440	3	0	765	0	3	0	135	0
CVAC BT13	0	0	0	0	39	0	2549	744
CVAC L13	0	0	0	0	2	0	95	0
CVAC STC580	42	0	3071	0	42	0	3071	0
DART G	0	0	0	0	8	0	160	0
DHAV DHC1	0	0	0	0	61	0	2452	675
DHAV DHC2	1	4	221	820	87	0	22240	7331
DHAV DHC3	0	0	0	0	26	0	10277	1756
DHAV DHC6	65	5	30498	10289	63	7	63756	16245
DHAVXXDH82	0	0	0	0	33	0	1500	190
DOUG A26	0	0	0	0	8	0	373	113
DOUG DC3	92	63	6165	4634	239	18	43129	27942
DOUG DC4	48	10	1051	412	55	0	6976	2675
DOUG DC6	14	7	867	573	26	4	3666	924
DOUG DC7	0	0	0	0	8	0	824	0

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 8 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
DOUG DC8	64	0	6897	0	64	0	27589	0
DOUG DC9	30	0	4366	1298	14	8	840	694
EAGLE DW	0	0	0	0	50	0	19530	6602
EAGLEBAX7	0	0	0	0	19	0	761	90
EAGLEBC7	0	0	0	0	40	0	1706	334
EIRVON20	0	0	0	0	96	0	5017	551
EMAIR MA1	0	0	0	0	4	0	1313	106
EMB 110	37	0	15654	1715	37	0	25465	4527
ENSTRMF28	13	8	169	143	347	0	68841	11552
FLEET 16B	0	0	0	0	9	0	342	68
FOKKERF27	11	0	634	0	11	0	5702	0
FOKKERF28	8	0	348	0	8	0	812	0
FRCHLD24	0	0	0	0	119	0	4912	716
FRCHLDF27	25	0	1572	404	25	0	7959	2448
FRCHLDM62	0	0	0	0	101	0	6777	1867
GENBALAX6	0	0	0	0	26	0	563	45
GLASFL201	0	0	0	0	32	0	1719	315
GLASFLH301	0	0	0	0	94	0	5518	631
GROB 103CAT	0	0	0	0	51	0	11773	2587
GROB 109	0	0	0	0	64	0	6622	1171
GROB ASTIR	0	0	0	0	55	0	3283	644
GRTLKS2T1	0	0	0	0	136	0	10864	2596

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 9 OF 34

MANUFACTURER/ MODEL GROUP	IMC			VMC		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR
GRUMAVAA1	44	25	316	199	506	0
GRUMAVAA5	584	95	10124	3937	1015	0
GRUMAVG1159	38	0	3976	852	38	0
GRUMAVG164	0	0	0	0	1112	0
GRUMAVG21	6	3	22	12	22	0
GRUMAVTBM	2	3	17	24	32	0
GULSTM112	335	85	7057	2433	670	0
GULSTM500	165	32	24250	8590	255	21
GULSTM520	10	4	287	141	27	0
GULSTM560	39	12	1556	772	75	0
GULSTM680	149	20	3638	1250	214	4
GULSTM680TP	83	0	4568	1066	83	0
GULSTM690TC	23	0	1559	399	22	2
GULSTM690TP	415	11	38842	11037	411	15
GULSTMAA1	46	21	411	302	528	0
GULSTMAA5	155	53	1701	907	559	0
GULSTMG1159	168	0	23810	5016	149	16
GULSTMG159	89	0	5599	1276	87	6
GULSTMG44	8	9	68	79	38	0
GULSTMG73	6	0	271	98	6	0
GULSTMGA7	49	4	1133	483	50	0
H23/HTE	2	2	4	5	17	0

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 10 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
H34/55	0	0	0	0	2	0	0	0
HELIO H295	42	10	599	254	88	3	11266	2611
HELIO H391	5	5	133	133	14	0	1332	466
HILLERFH1100	0	0	0	0	64	0	6575	1204
HILLERUH12	0	0	0	0	296	0	67444	10338
HUGHES269	0	0	0	0	443	0	171738	64288
HUGHES369	0	0	0	0	528	0	166257	54452
HWKSLYDH104	4	4	68	85	13	0	1315	866
HWKSLYDH125	183	0	11701	4670	175	10	32313	6391
HYNES B2	0	0	0	0	31	0	1180	276
INTRCP200	8	2	58	20	19	0	1309	197
ISRAEL1121	45	20	3039	1579	77	11	7506	6401
ISRAEL1123	18	0	2112	1244	12	4	489	224
ISRAEL1124	210	0	33438	10346	195	13	52500	8793
JBMSTRDGA15	0	0	0	0	27	0	993	217
LAIKFN10	0	0	0	0	4	0	18	0
LEAR 23	57	0	2579	1564	57	0	8795	5997
LEAR 24	140	0	17501	6389	138	7	64468	19056
LEAR 25	241	0	14447	4422	237	10	81619	18200
LEAR 35	469	0	59736	16153	442	31	126834	32254
LEAR 55	94	0	22724	6399	75	9	23038	4011
LET L13	0	0	0	0	86	0	4889	948

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 11 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
LKHEED12A	0	0	0	0	6	0	162	49
LKHEED1329	82	0	12843	2196	54	9	10301	2068
LKHEED188	8	0	557	145	8	0	795	72
LKHEEDPV1	2	5	3	8	24	0	671	287
LKHEEDT33	0	0	0	0	3	0	140	0
LUSCOM8	0	0	0	0	1199	0	48442	8065
MARTIN404	0	0	0	0	6	0	202	0
MAULE M4	0	0	0	0	217	0	12490	2529
MAULE M5	66	46	1530	1765	378	0	37871	6641
MAULE M6	5	7	58	75	66	0	7269	1652
MCLISHFUNKB	0	0	0	0	38	0	1748	300
MEYERSOTW	0	0	0	0	10	0	323	126
MNCOUP90	0	0	0	0	7	0	927	473
MNNITEM18	0	0	0	0	53	0	1611	223
MOONEYM20	3065	262	91137	15695	5884	0	596347	57506
MRCHTIS205	3	4	129	192	40	0	1191	386
MTSBSIMUJ2	316	27	29228	8028	232	53	44683	12364
MTSBSIMUJ300	74	0	4949	3481	70	9	20493	3668
MULTECD16	10	5	41	33	19	0	895	71
NAMER B25	0	0	0	0	7	0	134	22
NAMER F51	26	17	372	341	104	0	4256	1154
NAMER NA260	5	4	209	218	30	0	1227	302

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SOR MANUFACTURER/MODEL GROUP
1985

PAGE 12 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
NAMER T6	24	28	50	59	477	0	31363	4188
NATBAL752	0	0	0	0	21	0	425	66
NAVAL N3N	0	0	0	0	45	0	3616	1101
NAVIONNAVION	83	46	955	1014	385	0	33091	5790
NORD SV4	0	0	0	0	28	0	2044	551
NORWST65	0	0	0	0	22	0	1010	392
ORLHELH19	0	0	0	0	7	0	702	28
ORLHEL58	0	0	0	0	2	0	752	0
PARTENP68	33	4	1288	252	41	0	11618	1432
PICARDAX6	0	0	0	0	122	0	1488	922
PILATSB4	0	0	0	0	23	0	1328	425
PIPER 600	410	0	34665	11399	328	51	47272	11932
PIPER E2	0	0	0	0	5	0	92	27
PIPER J2	0	0	0	0	28	0	855	497
PIPER J3	0	0	0	0	2169	0	133082	30677
PIPER J4	0	0	0	0	76	0	7768	3771
PIPER J5	4	3	60	47	168	2	9279	947
PIPER PA12	22	24	87	101	911	10	81147	17465
PIPER PA14	1	2	1	2	63	0	3494	574
PIPER PA15	0	0	0	0	90	0	6763	2236
PIPER PA16	0	0	0	0	213	0	14819	2903
PIPER PA17	0	0	0	0	44	0	2017	365

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 13 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
PIPER PA18	52	63	658	831	2401	0	249356	55695
PIPER PA20	39	35	251	232	327	0	29972	9244
PIPER PA22	107	51	909	587	2779	0	146720	11459
PIPER PA23	2028	169	150836	39433	2581	0	388473	62799
PIPER PA24	1223	170	30393	9014	2939	0	203776	21497
PIPER PA25	0	0	0	0	1111	0	200247	33440
PIPER PA28	7653	469	264008	39250	20561	82	2566431	140081
PIPER PA30	939	77	24157	4752	1144	0	105568	9825
PIPER PA31	1665	69	135432	33574	1728	42	390814	59706
PIPER PA31T	533	0	42271	8828	533	0	113348	14234
PIPER PA32	2808	201	135971	29063	4087	0	535485	49159
PIPER PA34	1700	122	135642	25997	1936	73	343501	38685
PIPER PA36	0	0	0	0	345	0	79454	15902
PIPER PA38	191	78	5891	4510	1376	21	374322	73963
PIPER PA42	87	0	7412	2105	82	6	19996	4142
PIPER PA44	265	34	27204	12895	312	13	90804	27600
PIPER PA46	145	11	5093	1323	157	0	22228	4027
PRATT PRG1	0	0	0	0	10	0	140	30
PROPIJT200	27	5	1817	900	54	0	5071	810
RAVEN RX6	0	0	0	0	113	0	1823	667
RAVEN S50	0	0	0	0	50	0	484	75
RAVEN S55	80	61	6390	4849	507	61	13293	3251

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

INC

VMC

MANUFACTURER/ MODEL GROUP	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
RAVEN S60	0	0	0	0	187	0	11001	1988
RAVEN S66	0	0	0	0	45	0	1800	814
RKWELL500	37	0	4142	813	37	0	8217	1143
RKWELL700	17	0	958	190	17	0	2241	460
RKWELLNA265	347	0	40328	9919	331	18	129258	16637
ROBSINR22	5	9	24	43	236	0	55689	15415
ROLSCHLS	6	6	10	10	110	0	8593	1072
RYAN ST3	0	0	0	0	95	0	4716	1251
RYAN STA	0	0	0	0	12	0	271	63
SCHLERASK21	6	2	2438	1033	19	2	3799	860
SCHLERASW15	0	0	0	0	30	0	1853	337
SCHLERASW19	0	0	0	0	50	0	2052	471
SCHLERASW20	0	0	0	0	87	0	8104	1238
SCHLERK8	0	0	0	0	18	0	1240	288
SCHLERKA6	0	0	0	0	57	0	1828	351
SCWZERG164	52	32	6568	4066	181	0	53930	11429
SCWZERSG1	0	0	0	0	508	0	28284	5569
SCWZERSG2	0	0	0	0	454	0	70906	15961
SEMCO CLINGER	0	0	0	0	4	0	134	13
SKRSKYS55	0	0	0	0	2	0	413	0
SKRSKYS58	0	0	0	0	25	0	3258	786
SKRSKYS58T	0	0	0	0	5	0	1364	444

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 15 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
SKRSKYS76	87	2	6909	998	88	0	52941	6509
SLINDS100	53	19	876	498	250	0	19520	3785
SMITH 600	254	31	5699	2699	271	19	27763	6748
SNIAS 350	9	16	440	755	210	0	87063	8279
SNIAS SA341	0	0	0	0	23	0	1322	227
SOCATAMS894	7	6	35	29	33	0	2112	461
SOCATARALLYE	10	4	50	31	21	0	1483	427
SPHRTHCIRRUS	0	0	0	0	88	0	5390	1483
SPHRTHNIMBUS	0	0	0	0	43	0	3478	369
SPHRTHVENTUS	0	0	0	0	50	0	5527	832
STBROSSD3	18	0	5499	0	18	0	31159	0
STNSON10	0	0	0	0	34	0	806	322
STNSONL5	0	0	0	0	58	0	2353	577
STNSONSR9	0	0	0	0	5	0	275	105
STNSONV77	0	0	0	0	29	0	1407	219
STOLAMRC3	10	7	6	5	73	0	4287	950
SUPAC LA	0	0	0	0	24	0	1440	1274
SUPAC V	0	0	0	0	5	0	327	135
SWRNGNSA226	173	0	47076	16461	159	10	52970	10885
SWRNGNSA227	66	5	8405	2174	69	0	48622	17112
SWRNGNSA26	102	0	6517	1863	102	0	17428	4533
TCRAFK21	2	1	1	1	20	0	1329	273

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 16 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
TCRAFKD	0	0	0	0	100	0	4120	673
TCRAFTA	0	0	0	0	1	0	124	0
TCRAFTBC	93	63	266	180	1049	0	50558	10260
TCRAFTBF	0	0	0	0	16	0	1011	160
TCRAFTBL	0	0	0	0	106	0	5125	759
TEMCO 11A	0	0	0	0	21	0	413	56
TH55	0	0	0	0	12	0	4173	1409
THUNDRA7	0	0	0	0	41	0	1939	368
TMPSONNAVION	86	21	2061	863	459	0	28487	2276
TRYTEK65	3	7	46	132	135	0	8601	2619
TRYTEKK	0	0	0	0	3	0	17	3
UNIVACGC1	67	37	1058	841	361	0	18980	3026
UNIVAR108	117	70	61180	36371	731	70	39754	8921
UNIVAR415	9	18	120	227	1229	0	52437	6356
VARGA 2150	20	18	412	400	111	0	7519	1569
WACO ASO	0	0	0	0	6	0	260	103
WACO GXE	0	0	0	0	7	0	328	141
WACO R	0	0	0	0	12	0	148	45
WACO UPF7	0	0	0	0	85	0	4417	698

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 17 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
WACO YK	0	0	0	0	15	0	353	103
WSK M18	0	0	0	0	38	0	6634	4718
WTHRLY201	0	0	0	0	40	0	14064	5840
TOTALS	76481	1180	4004498	143579	208598	275	30058458	486000

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 18 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
* OTHER 1	7444	39	448662	45548	764	186	6835	2514
OTHER 2	991	0	148340	31098	702	66	19392	6205
OTHER 3	127	0	15908	2039	91	9	2748	683
OTHER 4	124	0	20988	7908	115	12	8400	2687
OTHER 5	56	0	11194	5107	2	5	174	417
OTHER 6	302	22	41396	13993	286	31	13455	4623
OTHER 7	80	0	33063	17069	75	7	10649	8982
OTHER 8	87	3	16011	2629	61	6	10064	2193
OTHER 9	579	0	114552	25681	566	25	25715	6972
OTHER 10	142	0	19966	2681	80	11	5440	1096
OTHER 11	799	0	43375	11917	6	19	216	721
OTHER 12	161	0	73195	27100	118	19	10060	7508
OTHER 13	1586	0	130382	23504	0	0	0	0
ADAMS A50S	83	0	2585	351	0	0	0	0
AERORSJ2	12	0	261	49	6	3	16	9
AEROSPAS355	32	0	8337	4947	15	6	540	254
AEROSPSA316	62	0	36658	0	0	0	0	0
AGUSTA205	11	0	2699	170	5	2	174	88
AGUSTAA109	31	0	7226	2206	24	3	3258	2118
AIRPTSA	103	0	9855	2791	9	8	106	90
AIRSPC18	6	0	120	49	0	0	0	0
AIRTRCAT300	366	0	130650	17791	65	45	1178	882

*See Note on page 2-12

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 19 OF 34

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN
AIRTRCAT400	41	0	18905	6	7	2417
AMD FALC10	141	0	45023	141	0	11059
AMD FALC20	213	0	66312	213	0	21814
AMD FALC50	106	0	48194	104	4	8998
AMTR TMK	16	0	1092	6	4	6
ARCTICS1A	32	0	2392	2	2	7
ARCTICS1B1	9	0	347	0	0	0
ARONCA15	155	0	5663	13	22	407
ARONCA58	69	0	6482	1	3	5
ARONCA65	45	3	2778	11	7	113
ARONCAC3	15	0	461	0	0	0
AVIANNFALCON	22	0	520	0	0	0
AVIANNSKYHWK	39	0	1525	0	0	0
AYRES S2	679	0	195801	228	76	32638
BAC 111	27	0	6909	27	0	3176
BAG B206	29	0	1338	27	4	323
BAG DH125	71	0	23097	71	0	7892
BALWKSFIREF1	1032	0	43412	1	6	10
BBAVIA11	540	0	27856	35	25	473
BBAVIA7	2381	49	132159	496	118	8054
BBAVIA8	183	0	30737	43	15	1320
BEECH 100	226	0	62497	226	0	13810
						4106

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 20 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
BEECH 17	88	2	4606	618	35	8	490	246
BEECH 18	507	6	140688	30553	421	36	104023	20376
BEECH 1900	14	0	7586	1014	14	0	6308	2514
BEECH 200	855	0	260179	24812	829	27	74448	13193
BEECH 23	2580	31	250285	35861	1917	140	38707	11320
BEECH 300	53	0	12201	1137	53	0	3937	486
BEECH 33	1677	0	222883	36278	1207	113	23799	5502
BEECH 35	5783	0	539473	39948	4291	242	95901	15695
BEECH 36	2105	0	295143	25123	1858	102	44060	7566
BEECH 45	224	0	29270	5016	102	27	2588	874
BEECH 50	207	0	16698	4349	204	8	6034	2684
BEECH 55	1952	25	195068	21092	1639	110	40252	10192
BEECH 56	47	0	2034	788	29	9	312	180
BEECH 58	1445	0	308306	29950	1350	56	58708	10594
BEECH 60	413	0	51096	11634	368	37	11713	3974
BEECH 65	98	0	17989	2938	76	8	3195	637
BEECH 76	323	0	46954	6546	301	22	19582	6056
BEECH 77	225	0	57257	19283	106	33	3557	1364
BEECH 80	121	0	16575	2009	116	4	7598	1611
BEECH 90	1085	0	290315	45413	1049	35	61393	10039
BEECH 95	393	0	38023	5118	345	24	10145	2709
BEECH 99	92	0	83448	33728	72	16	47797	13218

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 21 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
BELL 204	94	3	17495	2678	69	8	2579	1233
BELL 206	1861	0	808036	87739	1356	129	160226	76751
BELL 212	49	0	27329	7675	36	12	7238	3631
BELL 222	72	0	23405	4272	66	5	6388	1900
BELL 412	24	0	14624	1929	19	3	2662	689
BELL 47	720	30	148232	40488	172	82	18883	14048
BLANCA11	36	0	2123	632	0	0	0	0
BLANCA1413	131	0	5095	853	18	17	71	71
BLANCA1419	190	0	11437	1373	108	16	1266	477
BLANCA17	909	0	60778	7030	694	70	11431	3113
BLANCA7	1699	0	185656	38568	557	108	10859	5455
BLANCA8	443	0	42328	7719	272	45	2118	647
BNORM BN2	45	0	30449	3703	44	2	16444	3362
BOEING707	7	0	154	0	7	0	873	0
BOEING727	56	0	12996	3332	47	8	9868	2557
BOEING75	807	30	65053	19894	27	30	2793	3151
BOLKMS105	115	0	45084	17031	111	9	1801	1203
BOLKMS117	8	0	1584	1052	8	0	176	117
BRASOVIS28	45	0	3467	542	0	0	0	0
BRWSTRFLEET2	9	0	315	95	0	0	0	0
BRWSTRFLEET7	11	0	418	84	0	0	0	0
BUKER 131	16	0	683	161	0	0	0	0

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 22 OF 34

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN
CAMRONMODEL0	166	0	5639	2	7	15
CASA C212	17	0	551	17	0	121
CESSNA120	580	0	29981	209	52	1024
CESSNA140	1510	0	64990	575	124	2439
CESSNA150	16322	55	2850425	10837	464	356822
CESSNA170	2023	0	172122	1417	148	11447
CESSNA172	22528	101	3144321	15559	526	443519
CESSNA175	766	0	34152	497	82	10044
CESSNA177	2572	0	290827	1974	134	46093
CESSNA180	2408	0	298704	1066	173	17472
CESSNA182	12564	51	1366045	8570	378	198992
CESSNA185	1500	0	267238	631	148	27378
CESSNA188	1464	0	392423	159	78	1871
CESSNA190	59	0	3428	27	7	192
CESSNA195	236	0	15238	55	30	599
CESSNA205	223	0	17049	119	28	4925
CESSNA206	2454	10	464774	1748	147	62641
CESSNA207	290	0	135270	190	57	5750
CESSNA210	5826	0	763674	4289	255	145422
CESSNA303	192	0	37117	189	6	8944
CESSNA305	188	4	29463	65	7	2784
CESSNA310	2791	0	325826	2455	115	166969
						43583

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 23 OF 34

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN
CESSNA320	281	0	33272	139	38	4557
CESSNA335	45	0	12726	44	2	2386
CESSNA336	74	0	4244	47	9	425
CESSNA337	1018	0	90701	744	89	25943
CESSNA340	942	0	161204	791	74	37268
CESSNA401	167	0	28076	158	11	7420
CESSNA402	527	31	178657	540	24	70576
CESSNA404	77	0	30227	77	0	25122
CESSNA411	85	0	6485	61	10	1430
CESSNA414	736	0	183397	736	0	43251
CESSNA421	1141	0	180745	1139	10	62192
CESSNA425	134	0	21012	125	12	18061
CESSNA441	227	0	46371	227	0	14193
CESSNA500	521	0	133297	521	0	29150
CESSNA501	54	0	10642	52	3	1735
CESSNA650	78	0	27790	78	0	6658
CESSNA750	30	0	819	3	3	0
CESSNAUC94	12	1	619	5	2	62
CHILD S1	61	0	3731	0	0	0
CHILD S2	152	0	16539	0	0	0
CNDATRC1600	68	0	21999	68	0	6290
COMINT185	25	0	991	8	5	29

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
CONAERLA4	421	0	29030	7759	185	82	1197	498
CURTISC46	9	3	493	163	6	3	852	417
CURTISJR	5	0	64	5	0	0	0	0
CURTISROBIN	6	0	95	19	0	0	0	0
CURTISTRVAIR	27	0	1421	375	2	1	15	14
CVAC 240	2	0	339	0	2	0	38	0
CVAC 340	5	0	1170	0	5	0	390	0
CVAC 440	3	0	810	0	3	0	90	0
CVAC BT13	39	0	2540	743	3	6	9	21
CVAC L13	2	0	95	0	0	0	0	0
CVAC STC580	42	0	4913	0	12	14	351	417
DART G	8	0	160	0	0	0	0	0
DHAV DHC1	61	0	2400	667	9	7	52	52
DHAV DHC2	76	12	20630	8058	16	14	1648	1510
DHAV DHC3	26	0	10277	1756	0	0	0	0
DHAV DHC6	68	0	62663	15134	54	11	31591	10802
DHAVXXDH82	33	0	1500	190	0	0	0	0
DOUG A26	8	0	370	111	4	3	3	2
DOUG DC3	243	0	40027	24515	66	58	9266	8742
DOUG DC4	55	0	7209	2563	46	10	818	275
DOUG DC6	26	4	3356	900	28	0	1176	782
DOUG DC7	8	0	782	0	8	0	41	0

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 25 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
DOUG DC8	64	0	20692	0	64	0	13795	0
DOUG DC9	30	0	4390	831	24	7	817	476
EAGLE DW	50	0	18912	6632	16	5	618	280
EAGLEBAX7	19	0	761	90	0	0	0	0
EAGLEBC7	40	0	1706	334	0	0	0	0
EIRVON20	83	8	4388	669	13	8	630	396
EMAIR MA1	4	0	1313	106	0	0	0	0
EMB 110	37	0	25862	5947	37	0	15257	3134
ENSTRMF28	345	4	60936	9386	252	21	8041	3748
FLEET 168	9	0	342	68	0	0	0	0
FOKKERF27	11	0	6336	0	0	0	0	0
FOKKERF28	8	0	754	0	8	0	406	0
FRCHLD24	119	0	4858	715	17	10	58	38
FRCHLDF27	25	0	7470	2357	25	0	2061	407
FRCHLDM62	101	0	6777	1867	0	0	0	0
GENBALAX6	26	0	563	45	0	0	0	0
GLASFL201	32	0	1719	315	0	0	0	0
GLASFLH301	94	0	5518	631	0	0	0	0
GR08 103CAT	51	0	11773	2567	0	0	0	0
GR08 109	64	0	6464	1102	10	7	117	92
GR08 ASTIR	55	0	3283	644	0	0	0	0
GRTLKS2T1	136	0	10823	2593	6	4	41	32

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 28 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
GRUMAVAA1	506	0	42739	8698	347	42	4915	1093
GRUMAVAA5	1015	0	113572	19098	871	67	15773	5323
GRUMAVG1159	38	0	12684	1481	38	0	5227	612
GRUMAVG164	1112	0	415702	31039	116	58	5502	3925
GRUMAVG21	22	0	3782	413	12	4	257	127
GRUMAVT8M	32	0	776	327	4	4	23	23
GULSTM112	670	0	59251	7972	493	75	11106	3866
GULSTM500	288	0	51737	8590	183	31	14284	4346
GULSTM520	27	0	1702	366	13	4	143	77
GULSTM560	75	0	5588	1209	40	12	1100	418
GULSTM680	216	0	18175	2976	139	20	3280	1136
GULSTM680TP	83	0	9540	2207	81	7	4387	988
GULSTM690TC	23	0	4193	691	23	0	1848	375
GULSTM690TP	420	0	103833	10927	411	15	22939	6160
GULSTMAA1	525	6	35127	3302	416	30	4485	1100
GULSTMAA5	557	8	67988	10451	549	16	10133	2812
GULSTMG1159	168	0	52244	7019	168	0	31882	7296
GULSTMG159	89	0	19885	4622	89	0	7271	1438
GULSTMG44	38	0	15003	6076	8	9	88	104
GULSTMG73	6	0	1236	429	5	1	573	330
GULSTMGA7	50	0	5058	1537	32	10	797	350
H23/HTE	17	0	2887	1293	9	3	146	73

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 27 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
H34/55	2	0	0	0	2	0	0	0
HELIO H295	90	0	10594	2445	75	7	1271	482
HELIO H391	14	0	1421	554	5	5	44	44
HILLERFH1100	64	0	6326	1171	30	14	249	132
HILLERUH12	296	0	65045	10028	150	25	2398	2209
HUGHES269	443	0	113175	29847	274	55	56033	38056
HUGHES369	528	0	150661	50184	264	76	15596	14386
HMKSLYDH104	13	0	1348	900	4	4	35	46
HMKSLYDH125	183	0	34301	5086	183	0	9703	2997
HYNES B2	31	0	1175	278	2	5	6	15
INTRCP200	19	0	1265	202	10	2	102	26
ISRAEL1121	84	0	8490	5759	45	20	2056	1012
ISRAEL1123	18	0	1995	892	18	0	606	203
ISRAEL1124	210	0	68721	8871	203	9	17217	2761
JBMSTRDGA15	27	0	979	220	7	4	14	8
LAIKFN10	4	0	18	0	0	0	0	0
LEAR 23	57	0	4246	1720	57	0	7128	5102
LEAR 24	136	9	46050	12135	140	0	35919	12513
LEAR 25	241	0	65876	13224	219	21	30220	14608
LEAR 35	469	0	153122	27352	469	0	33447	7313
LEAR 55	94	0	33744	3818	94	0	11789	2097
LET L13	83	4	4852	967	3	4	37	45

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 28 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
LKHEED12A	6	0	182	48	0	0	0	0
LKHEED1329	82	0	18393	1837	78	4	4750	973
LKHEED188	8	0	1006	3	8	0	348	76
LKHEEDPV1	24	0	672	281	2	5	1	4
LKHEEDT33	3	0	91	0	3	0	49	0
LUSCOM8	1199	0	48043	7819	55	42	395	432
MARTIN404	6	0	202	0	0	0	0	0
MAULE M4	203	10	10976	2393	97	22	1514	547
MAULE M5	378	0	37287	7043	129	58	1914	1158
MAULE M6	66	0	6916	1548	51	10	411	182
MCLISHFUNKB	38	0	1742	301	1	3	5	12
MEYERSOTW	10	0	323	126	0	0	0	0
MNCOLUP90	7	0	920	475	4	1	7	3
MNMITEM18	53	0	1611	223	0	0	0	0
MOONEYM20	5884	0	583308	63584	4500	222	106778	15862
MRCHTIS205	40	0	1126	369	22	8	181	77
MTSBSIMJ2	336	0	56592	11492	316	27	17319	7024
MTSBSIMJ300	74	0	20502	2432	74	0	4939	1276
MULTECD16	19	0	705	196	19	0	231	131
NAMER B25	7	0	134	22	0	0	0	0
NAMER F51	104	0	4524	1248	22	17	104	85
NAMER NA26C	30	0	1331	405	16	5	118	157

**GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985**

PAGE 29 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
NAMER T6	477	0	31214	4194	89	50	188	133
NATBAL752	21	0	388	63	2	2	37	28
NAVAL N3N	45	0	3816	1101	0	0	0	0
NAVIONNAVION	385	0	30203	5329	237	54	3780	1085
NORD SV4	28	0	2044	551	0	0	0	0
NORWST65	22	0	1007	389	1	2	3	4
ORLHELH19	7	0	702	28	0	0	0	0
ORLHEL58	2	0	715	0	2	0	38	0
PARTENP68	41	0	11406	1363	35	3	1501	343
PICARDAX6	122	0	1488	922	0	0	0	0
PILATSB4	21	2	1275	443	1	2	52	59
PIPER 600	410	0	62536	10757	391	27	19402	5987
PIPER E2	4	1	47	22	1	1	38	29
PIPER J2	26	3	483	261	4	4	371	433
PIPER J3	2169	0	132817	30678	110	64	264	157
PIPER J4	76	0	7768	3771	0	0	0	0
PIPER J5	170	0	9113	899	21	5	224	113
PIPER PA12	914	6	79610	17327	228	68	1548	569
PIPER PA14	63	0	3414	550	23	8	88	42
PIPER PA15	90	0	6754	2238	16	11	10	7
PIPER PA16	213	0	14043	2476	60	24	776	488
PIPER PA17	44	0	2013	365	2	3	4	7

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 30 OF 34

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR
PIPER PA16	2401	0	238164	53016	783	12887
PIPER PA20	327	0	29034	8458	74	913
PIPER PA22	2777	6	136012	10835	1406	2255
PIPER PA23	2581	0	409824	60087	1931	43810
PIPER PA24	2939	0	207074	20972	2026	4697
PIPER PA25	1111	0	198840	33322	169	1021
PIPER PA28	20644	46	2454261	138659	15363	35615
PIPER PA30	1144	0	106446	9035	998	5941
PIPER PA31	1756	0	420032	56667	1536	28133
PIPER PA31T	533	0	115196	12001	531	7727
PIPER PA32	4041	46	545142	50734	3592	23051
PIPER PA34	2044	0	357434	37515	1920	24900
PIPER PA36	345	0	77126	15403	99	1191
PIPER PA38	1388	0	330851	67316	1105	12097
PIPER PA42	87	0	21961	3538	80	1248
PIPER PA44	319	0	97528	31334	308	8520
PIPER PA46	157	0	23841	4188	139	904
PRATT PRG1	10	0	140	30	0	0
PROPT200	50	2	5944	1419	43	285
RAVEN RX6	113	0	1823	667	0	0
RAVEN S50	50	0	484	75	0	0
RAVEN S55	587	0	19683	4394	0	0

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 31 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
RAVEN S60	187	0	10953	1988	6	4	41	33
RAVEN S66	45	0	1800	814	0	0	0	0
RKWEW500	37	0	9438	1145	35	2	2920	597
RKWEW700	17	0	2191	322	17	0	1008	308
RKWEWNA265	347	0	130727	13792	347	0	38858	4995
ROBSINR22	236	0	51264	14243	110	30	4445	1767
ROLSCHLS	110	0	8593	1072	6	6	10	10
RYAN ST3	95	0	4716	1251	0	0	0	0
RYAN STA	12	0	271	63	0	0	0	0
SCHLERASK21	25	0	6237	942	0	0	0	0
SCHLERASW15	30	0	1853	337	0	0	0	0
SCHLERASW19	50	0	2052	471	0	0	0	0
SCHLERASW20	87	0	8104	1238	0	0	0	0
SCHLERK8	18	0	1240	288	0	0	0	0
SCHLERKA6	57	0	1828	351	0	0	0	0
SCWZERG164	181	0	60498	14916	0	0	0	0
SCWZERSG1	508	0	28284	5569	0	0	0	0
SCWZERSG2	451	8	70825	16030	3	8	98	321
SEMCO CLINGER	4	0	134	13	0	0	0	0
SKRSKY55	2	0	372	0	2	0	41	0
SKRSKY558	25	0	2806	691	11	4	452	216
SKRSKY58T	5	0	1364	444	0	0	0	0

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 32 OF 34

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN
SKRSKYS76	88	0	51623	78	5	8228
SLINDS100	250	0	18731	171	22	1665
SMITH 600	281	0	30430	211	45	3031
SNIAS 350	210	0	68196	209	7	19389
SNIAS SA341	23	0	1273	20	3	49
SOCATAMS894	33	0	2054	12	7	93
SOCATARALLYE	21	0	1452	16	3	81
SPHRTHCIRRUS	88	0	5390	0	0	0
SPHRTINIMBUS	43	0	3478	0	0	0
SPHRTHVENTUS	50	0	5527	0	0	0
STBROSSD3	18	0	25680	18	0	10997
STNSON10	34	0	802	4	5	4
STNSONL5	58	0	2281	14	9	72
STNSONSR9	5	0	271	1	1	5
STNSONV77	29	0	1323	12	3	84
STOLAMRC3	73	0	4244	27	10	49
SUPAC LA	24	0	1440	0	0	0
SUPAC V	5	0	295	3	1	32
SWRNGNSA226	173	0	68488	173	0	31559
SWRNGNSA227	69	0	42165	66	5	14862
SWRNGNSA26	102	0	17801	95	8	6223
TCRAFK21	20	0	1201	10	3	129
						62

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 33 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
TCRAFKD	100	0	4036	666	8	10	84	99
TCRAFTA	1	0	124	0	0	0	0	0
TCRAFTBC	1049	0	49760	10113	93	63	1065	718
TCRAFTBF	16	0	1011	160	0	0	0	0
TCRAFTBL	106	0	5120	759	2	2	5	6
TEMCO 11A	21	0	410	52	2	3	3	5
TH55	12	0	3278	928	5	2	793	458
THUNDRA7	41	0	1939	368	0	0	0	0
TMPSONNAVION	459	0	27786	2288	289	26	2752	645
TRYTEK65	132	7	8489	2679	5	10	158	332
TRYTEKK	3	0	17	3	0	0	0	0
UNIVACGC1	361	0	18452	2603	178	48	1586	997
UNIVAR108	848	0	98357	33803	312	97	2578	1568
UNIVAR415	1227	7	47497	5749	683	101	5068	1856
VARGA 2150	111	0	7410	1645	94	17	521	424
WACO ASO	5	1	131	84	2	1	129	104
WACO GXE	4	2	236	165	3	2	105	64
WACO R	12	0	148	45	0	0	0	0
WACO UPF7	69	8	2786	513	21	9	1631	905
WACO YK	15	0	351	103	1	1	2	2

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN
BY WEATHER AND LIGHT CONDITIONS
BY SDR MANUFACTURER/MODEL GROUP
1985

PAGE 34 OF 34

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
WSK M18	36	6	5426	4616	29	10	1208	2902
WTHRLY201	40	0	13944	5852	5	4	120	98
TOTALS	20911	173	29104539	456996	130194	1272	4958417	172659

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT
BY
AIRCRAFT TYPE
1985

PAGE 1 OF 9

AIRCRAFT TYPE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
FIXED WING												
FIXED WING - PISTON												
1 ENG: 1-3 SEATS												
ESTIMATED POPULATION	35036	22523	10600	31835	26615	3423	60898	12305	7114	5766	390	74347
% STANDARD ERROR	2.5	3.7	5.6	2.3	2.8	10.9	1.2	5.3	7.1	8.0	37.6	0.9
% WITH CAPABILITY	40.0	25.7	12.1	36.4	30.4	3.9	69.6	14.1	8.1	6.6	0.4	85.0
1 ENG: 4+ SEATS												
ESTIMATED POPULATION	49712	77599	87102	4172	106927	50646	15945	88547	84517	77776	985	30130
% STANDARD ERROR	2.3	1.4	1.1	9.0	0.6	2.1	4.1	1.1	1.1	1.3	21.8	2.9
% WITH CAPABILITY	40.5	63.2	70.9	3.4	87.0	41.2	13.0	72.1	68.8	63.3	0.8	24.5
1 ENGINE: TOTAL												
ESTIMATED POPULATION	84748	100122	97701	36007	133542	54068	76843	100852	91631	83542	1375	104477
% STANDARD ERROR	1.7	1.4	1.2	2.3	0.7	2.1	1.3	1.1	1.2	1.3	18.9	1.1
% WITH CAPABILITY	40.3	47.6	46.4	17.1	63.5	25.7	36.5	47.9	43.6	39.7	0.7	49.7
2 ENG: 1-6 SEATS												
ESTIMATED POPULATION	5001	14405	15454	562	18050	15157	879	17684	17504	16966	128	1127
% STANDARD ERROR	7.3	2.4	2.1	23.3	0.8	2.2	16.5	1.0	1.1	1.4	45.5	15.1
% WITH CAPABILITY	26.4	76.1	81.6	3.0	95.4	80.1	4.6	93.4	92.5	89.6	0.7	6.0
2 ENG: 7+ SEATS												
ESTIMATED POPULATION	1954	8312	8495	458	9609	8598	585	9464	9393	9112	101	707
% STANDARD ERROR	10.8	2.3	2.4	20.9	1.0	2.0	16.8	1.3	1.4	1.7	*	17.2
% WITH CAPABILITY	19.2	81.5	83.3	4.5	94.3	84.3	5.7	92.8	92.1	89.4	1.0	6.9
2 ENGINE: TOTAL												
ESTIMATED POPULATION	6955	22718	23949	1020	27659	23753	1464	27148	26897	26078	229	1834
% STANDARD ERROR	6.1	1.7	1.6	15.9	0.6	1.6	11.9	0.8	0.9	1.1	37.5	11.4
% WITH CAPABILITY	23.9	78.0	82.2	3.5	95.0	81.6	5.0	93.2	92.4	89.5	0.8	6.3
PISTON: OTHER												
ESTIMATED POPULATION	23	193	154	131	202	139	145	166	168	163	3	176
% STANDARD ERROR	*	18.0	21.8	25.9	17.1	26.0	23.9	21.4	21.2	21.9	*	20.2
% WITH CAPABILITY	6.6	55.6	44.5	37.8	58.3	39.9	41.7	47.9	48.4	46.9	0.8	50.8
PISTON: TOTAL												
ESTIMATED POPULATION	91727	123032	121805	37157	161404	77960	78451	128167	118696	109783	1607	108487
% STANDARD ERROR	1.6	1.2	1.0	2.2	0.6	1.5	1.3	0.9	0.9	1.0	17.0	1.1
% WITH CAPABILITY	38.2	51.3	50.8	15.5	67.3	32.5	32.7	53.4	49.5	45.8	0.7	44.4

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT
BY
AIRCRAFT TYPE
1985

PAGE 2 OF 9

AIRCRAFT TYPE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECH	GLIDE SLOPE	MLS	NO ILS
FIXED WING - TURBOPROP												
2 ENG: 1-12 SEATS												
ESTIMATED POPULATION	544	4772	4488	8	5190	5028	11	5187	5122	5074	39	14
% STANDARD ERROR	20.7	2.1	2.8	*	0.4	1.2	*	0.4	0.9	1.1	*	*
% WITH CAPABILITY	10.5	91.8	86.3	0.1	99.8	96.7	0.2	99.7	98.5	97.6	0.7	0.3
2 ENG: 13+ SEATS												
ESTIMATED POPULATION	133	763	769	6	870	815	6	866	870	828	6	6
% STANDARD ERROR	19.4	2.9	4.3	*	1.0	3.5	*	1.2	1.0	2.6	*	*
% WITH CAPABILITY	15.2	87.1	87.7	0.7	99.3	93.0	0.7	98.9	99.3	94.6	0.7	0.7
2 ENGINE: TOTAL												
ESTIMATED POPULATION	677	5535	5257	14	6060	5843	17	6054	5991	5903	44	20
% STANDARD ERROR	17.0	1.9	2.5	*	0.4	1.2	*	0.4	0.8	1.0	*	*
% WITH CAPABILITY	11.1	91.1	86.5	0.2	99.7	96.1	0.3	99.6	98.6	97.1	0.7	0.3
TURBOPROP: OTHER												
ESTIMATED POPULATION	44	169	146	49	171	132	91	162	165	147	0	93
% STANDARD ERROR	32.4	7.7	5.8	29.9	6.9	7.0	12.9	4.3	4.0	5.7	0.0	6.5
% WITH CAPABILITY	16.8	64.6	55.6	18.6	65.2	50.6	34.8	61.8	63.0	56.2	0.0	35.4
TURBOPROP: TOTAL												
ESTIMATED POPULATION	721	5705	5403	62	6230	5975	109	6216	6157	6050	44	112
% STANDARD ERROR	16.1	1.8	2.4	35.1	0.4	1.2	23.0	0.4	0.8	1.0	*	22.1
% WITH CAPABILITY	11.4	90.0	85.2	1.0	98.3	94.3	1.7	98.1	97.1	95.4	0.7	1.8
FIXED WING - TURBOJET												
2 ENGINE TURBOJET												
ESTIMATED POPULATION	344	3956	3679	15	4131	4007	20	4115	4110	4013	94	36
% STANDARD ERROR	23.3	1.6	2.5	*	0.7	1.5	*	0.8	0.8	1.3	41.9	*
% WITH CAPABILITY	8.3	95.3	88.6	0.4	99.5	96.5	0.5	99.1	99.0	96.7	2.3	0.9
TURBOJET: OTHER												
ESTIMATED POPULATION	52	547	492	88	617	564	66	571	535	541	14	109
% STANDARD ERROR	25.3	4.2	4.9	23.7	3.2	3.5	30.3	3.8	4.1	4.1	*	19.8
% WITH CAPABILITY	7.7	80.1	72.1	13.0	90.4	82.6	9.6	83.6	78.4	79.2	2.0	16.0
TURBOJET: TOTAL												
ESTIMATED POPULATION	397	4503	4171	103	4748	4571	86	4686	4646	4554	107	145
% STANDARD ERROR	20.5	1.5	2.3	31.8	0.7	1.4	41.1	0.8	0.9	1.3	37.5	27.1
% WITH CAPABILITY	8.2	93.2	86.3	2.1	98.2	94.6	1.8	96.9	96.1	94.2	2.2	3.0

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT
BY
AIRCRAFT TYPE
1985

PAGE 3 OF 9

AIRCRAFT TYPE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
FIXED WING: TOTAL												
ESTIMATED POPULATION	92845	133240	131379	37323	172383	88506	78845	139069	129498	120386	1759	106744
% STANDARD ERROR	1.6	1.1	0.9	2.2	0.6	1.3	1.3	0.8	0.9	1.0	15.8	1.1
% WITH CAPABILITY	37.0	53.1	52.3	14.9	68.7	35.3	31.3	55.4	51.6	48.0	0.7	42.5
ROTORCRAFT												
PISTON												
ESTIMATED POPULATION	1476	1226	485	2941	1156	70	4386	215	23	155	2	5324
% STANDARD ERROR	12.6	13.1	27.2	6.5	12.9	37.4	3.4	44.8	*	*	*	1.8
% WITH CAPABILITY	26.6	22.1	8.8	53.1	20.9	1.3	79.1	3.9	0.4	2.8	0.0	96.1
TURBINE												
ESTIMATED POPULATION	1058	3627	2326	176	3872	1634	920	1919	1237	1300	18	2798
% STANDARD ERROR	16.7	4.9	8.3	21.6	3.9	11.1	16.3	9.9	12.9	12.5	*	6.8
% WITH CAPABILITY	22.1	75.7	48.5	3.7	80.8	34.1	19.2	40.1	25.8	27.1	0.4	58.4
ROTORCRAFT: TOTAL												
ESTIMATED POPULATION	2534	4853	2811	3117	5028	1703	5306	2134	1261	1455	20	8122
% STANDARD ERROR	10.1	4.9	8.4	6.3	4.2	10.8	4.0	10.0	12.8	12.5	*	2.6
% WITH CAPABILITY	24.5	47.0	27.2	30.2	48.7	16.5	51.3	20.7	12.2	14.1	0.2	78.6
OTHER												
ESTIMATED POPULATION	2251	1984	353	4777	256	114	8598	58	7	7	0	8796
% STANDARD ERROR	8.4	10.2	32.0	4.8	28.6	*	0.9	*	*	*	0.0	0.5
% WITH CAPABILITY	25.4	22.2	4.0	54.0	2.9	1.3	97.1	0.7	0.1	0.1	0.0	99.3
TOTAL												
ESTIMATED POPULATION	97629	140057	134543	45217	177667	90323	92549	141261	130766	121849	1779	123662
% STANDARD ERROR	1.6	1.0	0.9	2.0	0.6	1.3	1.1	0.8	0.9	1.0	15.7	0.9
% WITH CAPABILITY	36.1	51.8	49.8	16.7	65.7	33.4	34.3	52.3	48.4	45.1	0.7	45.8

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT
BY
AIRCRAFT TYPE
1985

PAGE 4 OF 9

AIRCRAFT TYPE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
FIXED WING												
FIXED WING - PISTON												
1 ENG: 1-3 SEATS												
ESTIMATED POPULATION	29648	22547	11972	7724	1411	570	3751	184	141	312	307	38433
% STANDARD ERROR	2.8	3.6	5.2	6.8	16.7	28.6	10.7	49.7	*	35.8	40.4	1.8
% WITH CAPABILITY	33.9	25.8	13.7	8.8	1.6	0.7	4.3	0.2	0.2	0.4	0.4	43.9
1 ENG: 4+ SEATS												
ESTIMATED POPULATION	47213	82418	96368	88747	50912	13235	16723	448	361	4562	3109	4040
% STANDARD ERROR	2.4	1.3	0.9	1.1	2.0	5.1	4.8	31.6	34.8	9.8	11.8	8.5
% WITH CAPABILITY	38.4	67.1	78.4	72.2	41.4	10.8	13.6	0.4	0.3	3.7	2.5	3.3
1 ENGINE: TOTAL												
ESTIMATED POPULATION	76861	104965	108340	96471	52322	13805	20474	632	501	4874	3416	42473
% STANDARD ERROR	1.8	1.3	1.0	1.1	2.0	5.1	4.4	26.6	29.8	9.4	11.3	1.8
% WITH CAPABILITY	36.5	49.9	51.5	45.9	24.9	6.6	9.7	0.3	0.2	2.3	1.6	20.2
2 ENG: 1-6 SEATS												
ESTIMATED POPULATION	4882	14738	17708	17729	16410	7046	3937	97	74	3480	5492	486
% STANDARD ERROR	7.5	2.3	1.0	1.0	1.6	5.1	8.6	*	*	8.7	5.9	23.0
% WITH CAPABILITY	25.8	77.9	93.5	93.7	86.7	37.2	20.8	0.5	0.4	18.4	29.0	2.6
2 ENG: 7+ SEATS												
ESTIMATED POPULATION	2852	8084	9481	9261	8696	5154	2051	137	147	3284	5317	357
% STANDARD ERROR	9.1	2.6	1.1	1.4	1.7	4.7	11.8	*	42.5	7.7	4.4	18.8
% WITH CAPABILITY	28.0	79.3	93.0	90.8	85.3	50.6	20.1	1.3	1.4	32.2	52.2	3.5
2 ENGINE: TOTAL												
ESTIMATED POPULATION	7734	22822	27188	26990	25106	12200	5988	234	221	6764	10808	843
% STANDARD ERROR	5.8	1.8	0.8	0.8	1.2	3.6	6.9	39.4	37.3	5.8	3.7	15.5
% WITH CAPABILITY	26.6	78.4	93.4	92.7	86.2	41.9	20.6	0.8	0.8	23.2	37.1	2.9
PISTON:												
OTHER												
ESTIMATED POPULATION	35	192	185	173	110	5	93	9	3	51	16	131
% STANDARD ERROR	*	17.0	19.0	20.6	30.4	*	25.2	*	*	50.0	*	25.9
% WITH CAPABILITY	10.1	55.3	53.3	49.9	31.8	1.5	26.9	2.6	0.8	14.8	4.6	37.8
PISTON: TOTAL												
ESTIMATED POPULATION	84630	127978	135713	123635	77539	26010	26555	874	726	11689	14240	43448
% STANDARD ERROR	1.7	1.1	0.8	0.9	1.4	3.2	3.7	22.0	23.5	5.2	3.9	1.8
% WITH CAPABILITY	35.3	53.4	56.6	51.5	32.3	10.8	11.1	0.4	0.3	4.9	5.9	18.1

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT

BY
AIRCRAFT TYPE
1985

PAGE 5 OF 9

AIRCRAFT TYPE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
FIXED WING - TURBOPROP												
2 ENG: 1-12 SEATS												
ESTIMATED POPULATION	823	4627	5140	5190	5180	4255	1207	559	134	4709	4786	0
% STANDARD ERROR	16.3	2.4	0.6	0.3	0.5	3.1	12.7	17.3	48.6	2.1	2.0	0.0
% WITH CAPABILITY	15.8	89.0	98.8	99.8	99.6	81.8	23.2	10.8	2.6	90.5	92.0	0.0
2 ENG: 13+ SEATS												
ESTIMATED POPULATION	93	803	854	868	870	198	55	89	17	523	735	6
% STANDARD ERROR	28.7	3.0	1.7	1.0	1.0	20.2	28.7	27.0	*	8.4	4.5	*
% WITH CAPABILITY	10.6	91.7	97.4	99.1	99.3	22.6	6.3	10.2	2.0	59.7	84.0	0.7
2 ENGINE: TOTAL												
ESTIMATED POPULATION	917	5430	5994	6059	6050	4453	1262	648	152	5232	5521	6
% STANDARD ERROR	14.9	2.1	0.6	0.3	0.4	3.1	12.2	15.4	44.0	2.1	1.9	*
% WITH CAPABILITY	15.1	89.3	98.6	99.7	99.6	73.3	20.8	10.7	2.5	86.1	90.9	0.1
TURBOPROP: OTHER												
ESTIMATED POPULATION	21	170	131	174	154	40	48	32	21	79	107	76
% STANDARD ERROR	38.0	7.0	7.1	3.0	5.1	21.2	17.3	23.6	24.6	12.4	9.3	15.2
% WITH CAPABILITY	7.8	64.8	50.2	66.3	58.8	15.4	18.4	12.2	8.2	30.1	40.7	28.9
TURBOPROP: TOTAL												
ESTIMATED POPULATION	937	5599	6125	6232	6204	4493	1310	680	173	5311	5628	82
% STANDARD ERROR	14.6	2.0	0.6	0.3	0.4	3.1	11.8	14.7	38.7	2.1	1.8	17.6
% WITH CAPABILITY	14.8	88.3	96.6	98.3	97.9	70.9	20.7	10.7	2.7	83.8	88.8	1.3
FIXED WING - TURBOJET												
2 ENGINE TURBOJET												
ESTIMATED POPULATION	511	3776	4062	4095	4133	1924	526	2232	528	3903	3823	6
% STANDARD ERROR	18.1	2.2	1.3	1.1	0.4	7.4	20.3	5.7	12.5	1.5	2.2	*
% WITH CAPABILITY	12.3	91.0	97.9	98.6	99.6	46.3	12.7	53.8	12.7	94.0	92.1	0.1
TURBOJET: OTHER												
ESTIMATED POPULATION	124	449	509	497	556	151	23	295	267	462	471	87
% STANDARD ERROR	22.3	5.9	4.7	3.1	3.9	18.0	*	7.2	7.5	4.4	2.7	16.3
% WITH CAPABILITY	18.1	65.8	74.5	72.7	81.4	22.1	3.4	43.2	39.1	67.7	68.9	12.7
TURBOJET: TOTAL												
ESTIMATED POPULATION	635	4225	4571	4591	4689	2075	549	2527	795	4365	4294	93
% STANDARD ERROR	15.2	2.0	1.3	1.0	0.6	7.0	19.7	5.1	8.7	1.4	2.0	20.9
% WITH CAPABILITY	13.1	87.4	94.6	95.0	97.0	42.9	11.4	52.3	16.5	90.3	88.8	1.9

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT
BY
AIRCRAFT TYPE
1985

PAGE 6 OF 9

AIRCRAFT TYPE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
FIXED WING: TOTAL												
ESTIMATED POPULATION	86203	137803	146410	134459	88432	32579	28414	4082	1694	21365	24162	43623
% STANDARD ERROR	1.7	1.0	0.7	0.8	1.2	2.6	3.5	6.2	11.6	2.9	2.4	1.8
% WITH CAPABILITY	34.3	54.9	58.3	53.6	35.2	13.0	11.3	1.6	0.7	8.5	9.6	17.4
ROTORCRAFT												
PISTON												
ESTIMATED POPULATION	324	281	56	209	22	8	224	0	0	7	9	4695
% STANDARD ERROR	29.9	32.0	*	31.4	*	*	27.7	0.0	0.0	*	*	2.9
% WITH CAPABILITY	5.8	5.1	1.0	3.8	0.4	0.1	4.0	0.0	0.0	0.1	0.2	84.7
TURBINE												
ESTIMATED POPULATION	993	2734	1144	3310	1250	721	2162	65	113	903	297	452
% STANDARD ERROR	17.2	7.4	13.2	5.2	13.3	19.7	9.4	*	*	13.1	16.9	20.7
% WITH CAPABILITY	20.7	57.1	23.9	69.1	26.1	15.1	45.1	1.4	2.4	18.8	6.2	9.4
ROTORCRAFT: TOTAL												
ESTIMATED POPULATION	1317	3015	1200	3519	1272	729	2386	65	113	910	306	5147
% STANDARD ERROR	14.9	7.3	13.0	5.2	13.1	19.5	8.9	*	*	13.0	16.6	3.2
% WITH CAPABILITY	12.7	29.2	11.6	34.1	12.3	7.1	23.1	0.6	1.1	8.8	3.0	49.8
OTHER												
ESTIMATED POPULATION	78	147	61	19	14	3	20	3	3	12	11	8609
% STANDARD ERROR	*	32.1	*	*	*	*	*	*	*	*	*	0.7
% WITH CAPABILITY	0.9	1.7	0.7	0.2	0.2	0.0	0.2	0.0	0.0	0.1	0.1	97.2
TOTAL												
ESTIMATED POPULATION	87598	140965	147671	137997	89718	33311	30821	4150	1811	22286	24479	57380
% STANDARD ERROR	1.7	1.0	0.7	0.8	1.2	2.6	3.3	6.2	11.4	2.8	2.3	1.4
% WITH CAPABILITY	32.4	52.2	54.6	51.1	33.2	12.3	11.4	1.5	0.7	8.2	9.1	21.2

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 15
GENERAL AVIATION AVIONICS EQUIPMENT
BY
AIRCRAFT TYPE
1985

AIRCRAFT TYPE	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPTR	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
1 ENG: 1-3 SEATS										
ESTIMATED POPULATION	540	2885	185	228	646	567	189	423	83174	
% STANDARD ERROR	28.0	12.2	*	45.9	23.8	27.6	45.4	34.6	0.5	
% WITH CAPABILITY	0.6	3.3	0.2	0.3	0.7	0.6	0.2	0.5	95.0	
1 ENG: 4+ SEATS										
ESTIMATED POPULATION	7023	20959	545	1257	12518	26539	15260	907	60564	
% STANDARD ERROR	7.1	4.0	29.6	19.1	5.5	3.4	4.3	22.6	1.6	
% WITH CAPABILITY	5.7	17.1	0.4	1.0	10.2	21.6	12.4	0.7	49.3	
1 ENGINE: TOTAL										
ESTIMATED POPULATION	7563	23843	730	1485	13165	27105	15449	1330	143739	
% STANDARD ERROR	6.9	3.8	25.9	17.7	5.4	3.4	4.3	18.9	0.7	
% WITH CAPABILITY	3.6	11.3	0.3	0.7	6.3	12.9	7.3	0.6	68.3	
2 ENG: 1-6 SEATS										
ESTIMATED POPULATION	4862	9008	366	1707	617	1848	12774	752	2486	
% STANDARD ERROR	6.6	4.1	30.6	13.6	24.4	13.8	2.9	23.4	10.7	
% WITH CAPABILITY	25.7	47.6	1.9	9.0	3.3	9.8	67.5	4.0	13.1	
2 ENG: 7+ SEATS										
ESTIMATED POPULATION	4667	6472	257	1111	64	519	7161	348	1524	
% STANDARD ERROR	5.1	3.6	37.5	17.2	41.9	25.3	2.9	34.7	8.6	
% WITH CAPABILITY	45.8	63.5	2.5	10.9	0.6	5.1	70.2	3.4	15.0	
2 ENGINE: TOTAL										
ESTIMATED POPULATION	9528	15480	623	2818	681	2366	19935	1100	4010	
% STANDARD ERROR	4.2	2.8	23.7	10.7	22.5	12.1	2.1	19.4	7.4	
% WITH CAPABILITY	32.7	53.2	2.1	9.7	2.3	8.1	68.5	3.8	13.8	
PISTON: OTHER										
ESTIMATED POPULATION	27	70	4	5	0	0	18	5	258	
% STANDARD ERROR	*	29.6	*	*	0.0	0.0	*	*	10.6	
% WITH CAPABILITY	7.8	20.2	1.3	1.5	0.0	0.0	5.2	1.5	74.5	
PISTON: TOTAL										
ESTIMATED POPULATION	17119	39393	1358	4309	13845	29472	35402	2435	148007	
% STANDARD ERROR	3.8	2.6	17.7	9.3	5.2	3.3	2.2	13.6	0.7	
% WITH CAPABILITY	7.1	16.4	0.6	1.8	5.8	12.3	14.8	1.0	61.7	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT
BY
AIRCRAFT TYPE
1985

PAGE 8 OF 9

AIRCRAFT TYPE	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
FIXED WING - TURBOPROP										
2 ENG: 1-12 SEATS										
ESTIMATED POPULATION	4779	5048	276	1089	7	153	4877	72	23	
% STANDARD ERROR	2.1	1.0	31.2	13.9	*	43.8	1.8	*	*	
% WITH CAPABILITY	91.9	97.1	5.3	20.9	0.1	2.9	93.8	1.4	0.4	
2 ENG: 13+ SEATS										
ESTIMATED POPULATION	487	735	44	134	3	4	292	24	103	
% STANDARD ERROR	6.7	3.9	26.4	22.1	*	*	11.7	50.0	21.7	
% WITH CAPABILITY	55.6	84.0	5.0	15.3	0.3	0.4	33.4	2.8	11.7	
2 ENGINE: TOTAL										
ESTIMATED POPULATION	5266	5784	319	1222	10	157	5162	97	125	
% STANDARD ERROR	2.0	1.0	27.1	12.6	*	42.8	1.8	44.3	24.1	
% WITH CAPABILITY	86.7	95.2	5.3	20.1	0.2	2.6	85.1	1.6	2.1	
TURBOPROP: OTHER										
ESTIMATED POPULATION	105	124	3	37	0	22	92	13	118	
% STANDARD ERROR	9.6	7.8	*	21.8	0.0	28.6	11.2	39.5	7.3	
% WITH CAPABILITY	38.9	47.2	1.0	14.3	0.0	8.4	35.1	5.1	45.1	
TURBOPROP: TOTAL										
ESTIMATED POPULATION	5371	5907	322	1260	10	179	5261	110	243	
% STANDARD ERROR	1.9	1.0	26.9	12.3	*	37.6	1.8	39.2	12.9	
% WITH CAPABILITY	84.7	93.2	5.1	19.9	0.2	2.8	83.0	1.7	3.8	
FIXED WING - TURBOJET										
2 ENGINE TURBOJET										
ESTIMATED POPULATION	4054	3966	462	1289	60	60	3838	123	14	
% STANDARD ERROR	1.0	1.6	21.2	10.3	*	*	2.3	37.1	*	
% WITH CAPABILITY	97.7	95.5	11.1	31.0	1.4	1.4	92.5	3.0	0.3	
TURBOJET: OTHER										
ESTIMATED POPULATION	404	504	28	83	3	0	473	1	162	
% STANDARD ERROR	6.7	3.2	42.9	21.4	*	0.0	2.9	*	8.4	
% WITH CAPABILITY	59.1	73.8	4.0	12.1	0.4	0.0	69.2	0.2	23.7	
TURBOJET: TOTAL										
ESTIMATED POPULATION	4458	4470	490	1371	63	60	4311	124	176	
% STANDARD ERROR	1.1	1.5	20.1	9.7	*	*	2.0	36.8	15.1	
% WITH CAPABILITY	92.2	92.5	10.1	28.4	1.3	1.2	89.2	2.6	3.6	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT
BY
AIRCRAFT TYPE
1985

PAGE 9 OF 9

AIRCRAFT TYPE	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
FIXED WING: TOTAL										
ESTIMATED POPULATION	26948	49770	2169	6940	13918	29710	44973	2669	148426	
% STANDARD ERROR	2.5	2.0	12.6	6.5	5.2	3.3	1.8	12.6	0.7	
% WITH CAPABILITY	10.7	19.8	0.9	2.8	5.5	11.8	17.9	1.1	59.1	
ROTORCRAFT										
PISTON										
ESTIMATED POPULATION	10	59	0	7	0	0	9	2	5477	
% STANDARD ERROR	*	38.4	0.0	*	0.0	0.0	*	*	0.4	
% WITH CAPABILITY	0.2	1.1	0.0	0.1	0.0	0.0	0.2	0.0	98.8	
TURBINE										
ESTIMATED POPULATION	301	1324	92	141	28	7	400	18	3384	
% STANDARD ERROR	14.8	12.2	*	36.6	*	*	22.2	42.1	4.9	
% WITH CAPABILITY	6.3	27.6	1.9	2.9	0.6	0.1	8.4	0.4	70.6	
ROTORCRAFT: TOTAL										
ESTIMATED POPULATION	311	1383	92	148	28	7	409	21	8860	
% STANDARD ERROR	14.8	11.8	*	35.2	*	*	21.8	38.7	1.9	
% WITH CAPABILITY	3.0	13.4	0.9	1.4	0.3	0.1	4.0	0.2	85.7	
OTHER										
ESTIMATED POPULATION	56	30	3	14	1	0	6	0	8752	
% STANDARD ERROR	*	47.0	*	*	*	0.0	*	0.0	0.5	
% WITH CAPABILITY	0.6	0.3	0.0	0.2	0.0	0.0	0.1	0.0	98.9	
TOTAL										
ESTIMATED POPULATION	27315	51183	2265	7102	13947	29717	45389	2690	166039	
% STANDARD ERROR	2.4	2.0	12.3	6.4	5.2	3.3	1.8	12.5	0.7	
% WITH CAPABILITY	10.1	18.9	0.8	2.6	5.2	11.0	16.8	1.0	61.4	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 1 OF 21

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
ALABAMA												
ESTIMATED POPULATION	1056	1710	1880	513	2246	1242	840	1881	1910	1711	19	1138
% STANDARD ERROR	20.3	15.7	15.0	26.6	13.8	18.2	21.1	14.9	14.9	15.7	*	18.6
% WITH CAPABILITY	34.2	55.4	60.9	16.6	72.8	40.3	27.2	60.9	61.9	55.4	0.6	36.9
ALASKA												
ESTIMATED POPULATION	4283	3374	2379	890	2970	837	5234	2170	2015	1873	6	5767
% STANDARD ERROR	9.8	10.9	12.6	22.3	11.3	22.4	8.6	13.4	13.8	14.5	*	8.3
% WITH CAPABILITY	52.2	41.1	29.0	10.8	36.2	10.2	63.8	26.4	24.6	22.8	0.1	70.3
ARIZONA												
ESTIMATED POPULATION	1844	3907	3065	981	4543	2186	1855	3192	2858	2564	2	3049
% STANDARD ERROR	14.9	10.4	11.7	18.9	9.7	13.9	13.8	11.6	12.2	12.8	*	11.3
% WITH CAPABILITY	28.8	61.1	47.9	15.3	71.0	34.2	29.0	49.8	44.7	40.1	0.0	47.7
ARKANSAS												
ESTIMATED POPULATION	1144	1221	1330	699	1658	797	1267	1290	1205	1138	27	1587
% STANDARD ERROR	19.8	18.2	17.8	23.2	16.1	21.8	17.7	17.8	18.3	18.9	*	16.2
% WITH CAPABILITY	39.1	41.7	45.5	23.9	56.7	27.2	43.3	44.1	41.2	38.9	0.9	54.3
CALIFORNIA												
ESTIMATED POPULATION	11557	20360	18439	4030	24796	13690	9845	19569	18565	17252	133	14273
% STANDARD ERROR	5.8	4.4	4.6	9.1	3.9	5.3	5.9	4.4	4.5	4.7	*	5.0
% WITH CAPABILITY	33.4	58.8	53.2	11.6	71.6	39.5	28.4	56.5	53.6	48.8	0.4	41.2
COLORADO												
ESTIMATED POPULATION	1985	2700	2860	771	3458	1854	1652	2732	2566	2144	63	2245
% STANDARD ERROR	15.2	12.7	12.4	21.9	11.3	15.4	15.8	12.7	13.0	14.2	*	13.7
% WITH CAPABILITY	38.8	52.8	56.0	15.1	67.7	36.3	32.3	53.5	50.2	42.0	1.2	43.9
CONNECTICUT												
ESTIMATED POPULATION	671	1188	1099	300	1518	672	475	1145	1077	1027	0	848
% STANDARD ERROR	25.8	18.6	19.7	32.5	16.8	24.0	26.4	19.2	19.8	20.3	0.0	21.1
% WITH CAPABILITY	33.6	59.6	55.1	15.1	76.2	33.7	23.8	57.4	54.0	51.5	0.0	42.6
DELAWARE												
ESTIMATED POPULATION	262	348	409	76	462	348	152	403	353	323	0	185
% STANDARD ERROR	40.4	32.2	30.8	*	28.7	32.7	*	30.7	32.2	33.2	0.0	44.4
% WITH CAPABILITY	42.7	56.6	66.6	12.3	75.2	56.6	24.8	65.6	57.4	52.6	0.0	30.2

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 2 OF 21

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
D.C.												
	ESTIMATED POPULATION	24	33	31	4	57	20	4	21	26	20	34
	% STANDARD ERROR	*	*	*	*	*	*	*	*	*	0.0	*
	% WITH CAPABILITY	39.0	53.9	50.9	7.1	92.9	33.2	7.1	35.1	42.4	33.2	55.7
FLORIDA												
	ESTIMATED POPULATION	4459	9311	8793	1678	11055	6665	3576	9234	8352	8379	5292
	% STANDARD ERROR	9.4	6.5	6.6	14.9	5.9	7.5	10.3	6.5	6.8	6.8	8.6
	% WITH CAPABILITY	30.5	63.6	60.1	11.5	75.6	45.6	24.4	63.1	57.1	57.3	36.2
GEORGIA												
	ESTIMATED POPULATION	1539	2878	2768	974	3533	1737	1733	3091	2952	2696	2141
	% STANDARD ERROR	17.0	12.0	12.3	19.4	11.0	15.2	14.9	11.7	11.9	12.5	13.8
	% WITH CAPABILITY	29.2	54.7	52.6	18.5	67.1	33.0	32.9	58.7	56.1	51.2	40.7
HAWAII												
	ESTIMATED POPULATION	247	214	215	45	414	90	92	271	269	261	230
	% STANDARD ERROR	39.0	44.5	43.5	*	30.8	*	*	38.3	38.6	39.3	40.8
	% WITH CAPABILITY	48.8	42.2	42.4	9.0	81.7	17.7	18.3	53.4	53.1	51.5	45.4
IDAHO												
	ESTIMATED POPULATION	897	1103	1055	389	1441	622	877	920	801	732	1338
	% STANDARD ERROR	22.1	19.9	20.3	31.3	17.4	25.5	21.5	21.6	23.1	24.0	17.7
	% WITH CAPABILITY	38.7	47.6	45.5	16.8	62.2	26.9	37.8	39.7	34.6	31.6	57.7
ILLINOIS												
	ESTIMATED POPULATION	2509	4969	4543	1102	5492	2591	2670	5013	4713	4143	2962
	% STANDARD ERROR	12.7	9.3	9.7	17.6	8.8	12.6	11.8	9.3	9.5	10.1	11.1
	% WITH CAPABILITY	30.7	60.9	55.7	13.5	67.3	31.7	32.7	61.4	57.7	50.8	36.3
INDIANA												
	ESTIMATED POPULATION	1933	2346	2688	855	3084	1689	1829	2603	2474	2230	2146
	% STANDARD ERROR	15.2	13.2	12.5	21.2	11.7	15.4	15.0	12.7	12.9	13.6	13.9
	% WITH CAPABILITY	39.3	47.7	54.7	17.4	62.8	34.4	37.2	53.0	50.4	45.4	43.7
IOWA												
	ESTIMATED POPULATION	1310	1473	1286	666	1997	906	1289	1635	1401	1246	1591
	% STANDARD ERROR	18.4	16.8	18.3	22.6	14.7	21.1	16.9	16.4	17.5	18.3	15.4
	% WITH CAPABILITY	39.9	44.8	39.1	20.3	60.8	27.6	39.2	49.7	42.6	37.9	48.4

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 3 OF 21

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
KANSAS												
ESTIMATED POPULATION	1019	2640	2308	723	2933	1494	1395	2378	2291	2168	85	1879
% STANDARD ERROR	20.3	12.7	13.5	22.5	12.1	16.4	16.4	13.5	13.7	14.1	*	14.5
% WITH CAPABILITY	23.5	61.0	53.3	16.7	67.8	34.5	32.2	55.0	52.9	50.1	2.0	43.4
KENTUCKY												
ESTIMATED POPULATION	829	1073	1055	250	1303	778	718	1099	943	937	19	872
% STANDARD ERROR	23.6	20.1	20.4	39.9	18.5	23.8	24.6	20.1	21.4	21.5	*	22.3
% WITH CAPABILITY	41.0	53.1	52.2	12.4	64.5	38.5	35.5	54.4	46.6	46.4	1.0	43.1
LOUISIANA												
ESTIMATED POPULATION	1136	2374	2043	688	3006	1328	1155	2148	1785	1761	80	1967
% STANDARD ERROR	20.8	13.0	14.2	21.8	11.8	17.2	18.5	14.0	15.3	15.4	*	14.4
% WITH CAPABILITY	27.3	57.0	49.1	16.5	72.3	31.9	27.7	51.6	42.9	42.3	1.9	47.3
MAINE												
ESTIMATED POPULATION	528	438	452	321	648	307	630	512	406	447	29	745
% STANDARD ERROR	30.0	30.6	31.5	35.3	25.8	38.3	26.3	29.4	32.6	31.5	*	24.0
% WITH CAPABILITY	41.4	34.3	35.4	25.2	50.7	24.1	49.3	40.1	31.8	35.1	2.3	58.4
MARYLAND												
ESTIMATED POPULATION	1258	1519	1649	461	2204	1010	920	1584	1450	1337	38	1535
% STANDARD ERROR	18.0	17.0	16.1	27.1	14.1	20.5	19.1	16.4	17.2	17.9	*	15.9
% WITH CAPABILITY	40.3	48.6	52.8	14.8	70.5	32.3	29.5	50.7	46.4	42.8	1.2	49.1
MASSACHUSETTS												
ESTIMATED POPULATION	1256	2087	2105	349	2505	1261	1015	2041	1949	1711	1	1446
% STANDARD ERROR	18.0	14.3	14.4	32.8	13.0	18.3	19.5	14.8	15.1	16.0	*	16.0
% WITH CAPABILITY	35.7	59.3	59.8	9.9	71.2	35.8	28.8	58.0	55.4	48.6	0.0	41.1
MICHIGAN												
ESTIMATED POPULATION	3603	4384	4511	1351	5367	2679	3514	4877	4575	4227	92	3825
% STANDARD ERROR	11.0	9.7	9.7	16.2	8.9	12.3	10.6	9.3	9.5	10.0	*	10.2
% WITH CAPABILITY	40.6	49.4	50.8	15.2	60.4	30.2	39.6	54.9	51.5	47.6	1.0	43.1
MINNESOTA												
ESTIMATED POPULATION	2561	2222	2396	1275	3171	1207	2528	2148	2044	1964	74	3480
% STANDARD ERROR	13.1	13.8	13.5	16.7	11.7	18.5	12.4	14.2	14.6	14.9	*	10.8
% WITH CAPABILITY	44.9	39.0	42.1	22.4	55.6	21.2	44.4	37.7	35.9	34.5	1.3	61.1

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 4 OF 21

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
MISSISSIPPI												
	ESTIMATED POPULATION	994	961	913	623	1436	498	1003	1096	1053	900	0
	% STANDARD ERROR	21.1	21.1	21.7	23.7	17.4	28.2	19.4	19.7	20.1	21.8	0.0
% WITH CAPABILITY	40.8	39.4	37.4	25.6	58.9	20.4	41.1	45.0	43.2	36.9	0.0	51.8
MISSOURI												
	ESTIMATED POPULATION	2196	2207	2392	608	3287	1207	1440	2009	1918	1707	36
	% STANDARD ERROR	14.3	13.9	13.5	23.9	11.6	18.2	16.2	14.7	14.8	15.7	*
% WITH CAPABILITY	46.5	46.7	50.6	12.9	69.5	25.5	30.5	42.5	40.6	36.1	0.8	52.4
MONTANA												
	ESTIMATED POPULATION	1117	927	998	343	1220	408	961	952	852	783	0
	% STANDARD ERROR	20.9	21.8	21.5	32.7	19.3	32.5	21.4	21.7	22.8	23.7	0.0
% WITH CAPABILITY	51.2	42.5	45.8	15.7	55.9	18.7	44.1	43.7	39.1	35.9	0.0	54.5
NEBRASKA												
	ESTIMATED POPULATION	913	835	724	652	1140	437	1214	725	714	652	2
	% STANDARD ERROR	22.2	22.5	24.4	24.8	19.3	29.7	18.6	24.0	24.1	25.3	*
% WITH CAPABILITY	38.8	35.5	30.8	27.7	48.4	18.6	51.6	30.8	30.3	27.7	0.1	68.2
NEVADA												
	ESTIMATED POPULATION	874	1347	1368	237	1788	968	594	1332	1148	1080	3
	% STANDARD ERROR	21.4	17.6	17.1	36.3	15.2	19.9	24.8	17.2	18.3	18.8	*
% WITH CAPABILITY	36.7	56.5	57.5	9.9	75.1	40.6	24.9	55.9	48.2	45.4	0.1	43.8
NEW HAMPSHIRE												
	ESTIMATED POPULATION	736	748	844	256	1136	589	504	928	896	726	1
	% STANDARD ERROR	24.0	23.4	22.4	36.2	19.1	26.0	27.0	21.4	21.9	24.2	*
% WITH CAPABILITY	44.9	45.6	51.5	15.6	69.3	35.9	30.7	56.6	54.6	44.3	0.1	40.0
NEW JERSEY												
	ESTIMATED POPULATION	1584	2397	2628	707	3129	1957	1397	2706	2614	2423	6
	% STANDARD ERROR	16.1	12.7	12.1	23.2	11.2	13.7	16.6	11.9	12.1	12.5	*
% WITH CAPABILITY	35.0	53.0	58.1	15.6	69.1	43.2	30.9	59.8	57.8	53.5	0.1	38.3
NEW MEXICO												
	ESTIMATED POPULATION	1084	948	1277	284	1537	888	693	1379	1307	1310	2
	% STANDARD ERROR	20.5	20.6	18.5	34.7	16.8	22.0	23.4	17.8	18.3	18.3	*
% WITH CAPABILITY	48.6	42.5	57.3	12.7	68.9	39.8	31.1	61.8	58.6	58.8	0.1	36.8

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 5 OF 21

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
NEW YORK												
	ESTIMATED POPULATION	2763	3834	3796	1433	4654	2588	2732	4262	3659	3608	1
	% STANDARD ERROR	12.5	10.2	10.4	16.3	9.4	12.2	11.8	9.8	10.5	10.6	*
% WITH CAPABILITY	37.4	51.9	51.4	19.4	63.0	35.0	37.0	57.7	49.5	48.9	0.0	41.2
NORTH CAROLINA												
	ESTIMATED POPULATION	1662	3096	3186	709	4124	2331	1092	3413	3175	3087	51
	% STANDARD ERROR	16.2	11.7	11.6	22.2	10.2	13.2	18.2	11.2	11.5	11.7	*
% WITH CAPABILITY	31.9	59.3	61.1	13.6	79.1	44.7	20.9	65.4	60.9	59.2	1.0	32.3
NORTH DAKOTA												
	ESTIMATED POPULATION	604	727	562	711	954	254	1045	592	506	423	0
	% STANDARD ERROR	29.1	25.1	27.9	21.9	21.9	43.8	19.9	28.5	30.3	31.3	0.0
% WITH CAPABILITY	30.2	36.4	28.1	35.5	47.7	12.7	52.3	29.6	25.3	24.2	0.0	69.3
OHIO												
	ESTIMATED POPULATION	4101	4446	5056	1232	6300	2830	2754	5280	4844	4541	16
	% STANDARD ERROR	10.2	9.6	9.0	16.4	8.1	11.7	11.7	8.8	9.1	9.4	*
% WITH CAPABILITY	45.3	49.1	55.8	13.6	69.6	31.3	30.4	58.3	53.5	50.2	0.2	39.2
OKLAHOMA												
	ESTIMATED POPULATION	1586	2634	2125	824	3337	1947	1660	2451	2189	2059	61
	% STANDARD ERROR	16.8	12.8	14.3	20.9	11.5	14.8	15.2	13.3	13.9	14.4	*
% WITH CAPABILITY	31.7	52.7	42.5	16.5	66.8	39.0	33.2	49.1	43.8	41.2	1.2	46.9
OREGON												
	ESTIMATED POPULATION	2199	3098	2729	736	3664	1778	2048	3110	2771	2506	131
	% STANDARD ERROR	14.3	11.8	12.6	22.3	10.9	15.6	14.1	11.8	12.6	13.2	*
% WITH CAPABILITY	38.5	54.2	47.8	12.9	64.1	31.1	35.9	54.4	48.5	43.9	2.3	44.1
PENNSYLVANIA												
	ESTIMATED POPULATION	2934	3529	3608	1152	4751	2488	2411	3861	3532	3130	2
	% STANDARD ERROR	12.0	10.7	10.7	17.4	9.3	12.7	12.2	10.4	10.8	11.5	*
% WITH CAPABILITY	41.0	49.3	50.4	16.1	66.3	34.7	33.7	53.9	49.3	43.7	0.0	44.2
RHODE ISLAND												
	ESTIMATED POPULATION	104	164	130	24	154	71	114	133	123	123	0
	% STANDARD ERROR	*	49.6	*	*	*	*	*	*	*	*	0.0
% WITH CAPABILITY	38.7	61.4	48.4	9.0	57.6	26.6	42.4	49.6	45.7	45.7	0.0	50.4

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 6 OF 21

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				PRECISION APPROACH EQUIPMENT					
	360 CH	720 CH	2+ SYS	NO VHF	4086 CODE	ALIT ENCODE	NO TRANS		LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS	
SOUTH CAROLINA	813	926	1117	252	1355	718	556		1089	1000	888	0	815	
	ESTIMATED POPULATION													
	% STANDARD ERROR													
SOUTH DAKOTA	22.6	21.1	19.7	38.3	17.6	23.6	25.9		19.4	20.5	21.6	0.0	22.2	
	% WITH CAPABILITY													
	42.6	48.5	58.5	13.2	70.9	37.6	29.1		57.0	52.3	46.4	0.0	42.7	
TENNESSEE	532	412	536	464	596	177	793		522	487	459	5	868	
	ESTIMATED POPULATION													
	% STANDARD ERROR													
TEXAS	29.2	32.2	29.2	31.0	26.8	48.5	23.9		28.6	29.8	30.5	*	22.8	
	% WITH CAPABILITY													
	38.3	29.7	38.6	33.4	42.9	12.8	57.1		37.6	35.0	33.0	0.4	62.4	
UTAH	1229	1649	1690	296	2362	1204	707		2077	1829	1609	0	908	
	ESTIMATED POPULATION													
	% STANDARD ERROR													
VERMONT	18.6	15.8	15.6	35.2	13.3	18.0	23.7		14.2	14.8	15.9	0.0	21.3	
	% WITH CAPABILITY													
	40.0	53.7	55.1	9.6	77.0	39.2	23.0		67.7	59.6	52.4	0.0	29.6	
VIRGINIA	8229	12914	13212	3492	17565	9665	6054		13526	13003	12079	286	9489	
	ESTIMATED POPULATION													
	% STANDARD ERROR													
WASHINGTON	7.0	5.4	5.4	10.4	4.7	6.1	7.7		5.3	5.4	5.5	40.1	6.3	
	% WITH CAPABILITY													
	34.8	54.7	55.9	14.8	74.4	40.9	25.6		57.3	55.1	51.1	1.2	40.2	
WASHINGTON	457	897	807	235	1001	503	444		666	607	585	0	740	
	ESTIMATED POPULATION													
	% STANDARD ERROR													
WASHINGTON	32.5	22.1	23.6	43.0	21.4	30.1	31.2		25.7	27.0	27.4	0.0	25.0	
	% WITH CAPABILITY													
	31.6	62.1	55.9	16.2	69.3	34.8	30.7		46.1	42.0	40.5	0.0	51.2	
WASHINGTON	195	501	341	97	552	255	223		403	320	300	0	372	
	ESTIMATED POPULATION													
	% STANDARD ERROR													
WASHINGTON	41.0	30.4	36.6	*	29.0	42.3	37.7		34.4	37.7	39.3	0.0	31.2	
	% WITH CAPABILITY													
	25.1	64.6	44.1	12.5	71.2	32.9	28.8		52.0	41.3	38.7	0.0	48.0	
WASHINGTON	1266	1680	1591	532	2399	1225	947		1951	1767	1593	49	1382	
	ESTIMATED POPULATION													
	% STANDARD ERROR													
WASHINGTON	18.8	15.0	15.5	28.9	13.1	17.2	19.9		14.3	14.9	15.7	*	17.2	
	% WITH CAPABILITY													
	37.8	50.2	47.5	15.9	71.7	36.6	28.3		58.3	52.8	47.6	1.5	41.3	
WASHINGTON	2779	3542	3086	1187	4437	1499	2646		3230	2939	2850	30	3633	
	ESTIMATED POPULATION													
	% STANDARD ERROR													
WASHINGTON	12.3	11.0	11.9	18.0	9.9	16.6	12.1		11.5	12.1	12.3	*	10.6	
	% WITH CAPABILITY													
	39.2	50.0	43.7	16.8	62.6	21.2	37.4		45.6	41.5	40.2	0.4	51.3	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 7 OF 21

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
WEST VIRGINIA	556	587	593	140	878	378	302	633	618	563	0	541
	28.6	27.0	27.3	*	22.6	32.7	36.2	26.1	26.3	27.6	0.0	28.5
	47.1	49.8	50.2	11.8	74.4	32.0	25.6	53.7	52.4	47.7	0.0	45.8
WISCONSIN	1834	1990	1978	919	2368	1038	2185	1882	1787	1807	0	2539
	15.7	14.5	14.7	20.4	13.4	19.2	13.8	14.5	15.2	15.1	0.0	12.9
	40.3	43.7	43.4	20.2	52.0	22.8	48.0	43.5	39.3	39.7	0.0	55.8
WYOMING	513	584	574	285	863	470	419	553	550	498	65	645
	29.7	27.9	27.9	40.3	23.1	31.0	32.4	28.4	28.6	29.8	*	26.4
	40.0	45.5	44.7	22.2	67.3	36.6	32.7	43.1	42.9	38.9	5.1	50.3
PUERTO RICO	127	219	158	19	255	134	91	257	205	190	0	86
	*	40.9	44.5	*	38.2	*	*	37.8	40.9	40.8	0.0	*
	36.6	63.4	45.6	5.5	73.8	38.9	26.2	74.3	59.3	55.0	0.0	24.8
OTHER U.S. TERRITORIES	36	174	100	10	178	60	36	91	88	82	0	121
	*	45.9	*	*	46.7	*	*	*	*	*	0.0	*
	16.7	81.1	46.5	4.5	83.2	27.9	16.8	42.6	41.0	38.4	0.0	56.4
FOREIGN	233	1335	978	173	1372	813	344	1245	*003	970	10	461
	37.0	17.6	19.7	47.2	17.3	21.4	31.4	18.1	19.2	19.6	*	28.7
	13.6	77.8	57.0	10.1	80.0	47.4	20.0	72.6	58.4	56.5	0.6	26.9
TOTAL	97629	140057	134543	45217	177667	90323	92549	141261	130766	121849	1779	123662
ESTIMATED POPULATION	1.6	1.0	0.9	2.0	0.6	1.3	1.1	0.8	0.9	1.0	15.7	0.9
% STANDARD ERROR	36.1	51.8	49.8	16.7	65.7	33.4	34.3	52.3	48.4	45.1	0.7	45.8
% WITH CAPABILITY												

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT

BY
BASE STATE OF AIRCRAFT
1985

PAGE 8 OF 21

STATE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
ALABAM ¹	703	1908	1995	1866	1161	663	570	66	2	354	535	633
	25.4	15.0	14.7	15.1	18.8	24.9	27.5	*	*	31.7	27.1	23.9
	22.8	61.8	64.6	60.5	37.6	21.5	18.5	2.1	0.0	11.5	17.3	20.5
ALASKA	4287	3165	2653	3864	1173	165	921	29	5	396	90	1550
	9.8	11.8	12.6	9.9	18.0	47.0	20.2	*	*	30.1	41.0	16.4
	52.3	38.6	32.3	47.1	14.3	2.0	11.2	0.4	0.1	4.8	1.1	18.9
ARIZONA	1848	3356	3244	2850	2147	731	283	66	33	463	340	1431
	15.1	11.4	11.4	12.1	13.8	23.9	33.0	50.0	*	27.4	31.3	15.3
	28.9	52.5	50.7	44.5	33.6	11.4	4.4	1.0	0.5	7.2	5.3	22.4
ARKANSAS	1070	1212	1372	1355	813	357	339	23	3	188	228	795
	20.6	18.4	17.5	17.6	21.7	31.7	33.3	*	*	38.3	35.1	21.6
	36.6	41.4	46.9	46.3	27.8	12.2	11.6	0.8	0.1	6.4	7.8	27.2
CALIFORNIA	11221	20111	21219	17408	12089	3730	3412	389	228	2586	2008	5741
	6.1	4.4	4.2	4.7	5.6	10.2	10.9	26.5	37.8	12.0	12.3	7.3
	32.4	58.1	61.3	50.3	34.9	10.8	9.8	1.1	0.7	7.5	5.8	16.6
COLORADO	1601	2653	2961	2880	1688	679	426	19	24	293	253	1199
	17.0	13.0	12.2	12.5	16.0	23.9	32.7	*	*	31.1	35.2	17.6
	31.3	51.9	57.9	56.4	33.0	13.3	8.3	0.4	0.5	5.7	4.9	23.5
CONNECTICUT	604	1040	1277	1160	584	198	247	82	5	240	201	380
	27.3	20.2	18.4	18.9	25.7	38.6	43.9	*	*	36.3	37.8	27.9
	30.3	52.1	64.1	58.2	29.3	10.0	12.4	4.1	0.2	12.0	10.1	19.1
DELAWARE	219	373	456	428	281	124	40	16	4	66	81	80
	44.0	31.1	29.2	30.1	34.4	47.5	*	*	*	*	*	*
	35.7	60.8	74.2	69.6	45.7	20.2	6.5	2.6	0.7	10.7	13.3	13.0

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 9 OF 21

STATE	BASIC NAVIGATION EQUIPMENT						LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP		
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
D. C.												
ESTIMATED POPULATION	24	27	20	27	27	17	28	17	9	24	18	10
% STANDARD ERROR	*	*	*	*	*	*	*	*	*	*	*	*
% WITH CAPABILITY	39.0	44.3	32.2	44.3	44.3	27.2	45.6	27.7	14.1	38.8	29.5	16.6
FLORIDA												
ESTIMATED POPULATION	4249	8622	9470	9021	6422	1793	2688	202	101	1468	1966	2527
% STANDARD ERROR	9.8	6.8	6.4	6.6	7.6	13.7	11.8	38.6	48.9	14.5	12.1	12.0
% WITH CAPABILITY	29.0	58.9	64.7	61.7	43.9	12.3	18.4	1.4	0.7	10.0	13.4	17.3
GEORGIA												
ESTIMATED POPULATION	1752	2619	3089	3060	1972	601	1109	65	34	486	682	1028
% STANDARD ERROR	16.0	12.6	11.8	11.8	14.4	23.9	19.7	43.7	*	24.8	21.6	18.4
% WITH CAPABILITY	33.3	49.7	58.7	58.1	37.5	11.4	21.1	1.2	0.7	9.2	13.0	19.5
HAWAII												
ESTIMATED POPULATION	257	251	269	206	178	20	44	4	0	6	10	71
% STANDARD ERROR	39.0	41.7	38.0	46.8	44.7	*	*	*	0.0	*	*	*
% WITH CAPABILITY	50.7	49.5	53.1	40.8	35.1	4.0	8.6	0.8	0.0	1.2	1.9	14.0
IDAHO												
ESTIMATED POPULATION	891	954	1067	853	442	161	368	10	2	176	132	499
% STANDARD ERROR	22.6	21.4	20.3	22.2	30.8	47.7	34.8	*	*	44.4	49.1	26.6
% WITH CAPABILITY	38.5	41.2	46.0	36.8	19.1	7.0	15.9	0.4	0.1	7.6	5.7	21.5
ILLINOIS												
ESTIMATED POPULATION	2572	4935	4952	4613	2810	1245	913	101	74	622	795	1522
% STANDARD ERROR	13.0	9.2	9.3	9.6	12.2	18.2	21.5	31.2	*	22.9	21.3	15.0
% WITH CAPABILITY	31.5	60.5	60.7	56.5	34.4	15.3	11.2	1.2	0.9	7.6	9.7	18.6
INDIANA												
ESTIMATED POPULATION	1621	2506	2864	2852	1755	704	537	104	34	384	761	947
% STANDARD ERROR	16.8	12.8	12.1	12.2	15.0	22.7	28.0	37.1	*	26.5	21.0	19.9
% WITH CAPABILITY	33.0	51.0	58.3	58.0	35.7	14.3	10.9	2.1	0.7	7.8	15.5	19.3
IOWA												
ESTIMATED POPULATION	1035	1608	1441	1429	830	466	264	31	25	283	251	744
% STANDARD ERROR	20.6	16.3	17.2	17.2	21.7	29.0	38.9	*	*	33.3	35.0	21.3
% WITH CAPABILITY	31.5	48.9	43.8	43.5	25.2	14.2	8.0	0.9	0.8	8.6	7.6	22.7

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 10 OF 21

STATE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP				OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ	
KANSAS	917	2546	2540	2317	1814	765	334	44	4	312	496	968	
	22.2	13.0	13.0	13.6	15.1	22.5	36.1	*	*	32.7	26.8	19.0	
	21.2	58.8	58.7	53.5	41.9	17.7	7.7	1.0	0.1	7.2	11.5	22.4	
KENTUCKY	692	1088	1183	1023	765	438	268	29	54	143	293	299	
	26.1	19.9	19.2	20.7	23.8	31.8	42.1	*	*	*	36.9	35.6	
	34.3	53.8	58.5	50.6	37.9	21.7	13.3	1.4	2.7	7.1	14.5	14.8	
LOUISIANA	1324	2107	1904	2407	1242	560	852	81	10	429	562	769	
	19.2	14.2	14.9	13.0	17.4	26.4	21.1	*	*	26.3	23.8	20.6	
	31.8	50.6	45.8	57.9	29.8	13.5	20.5	2.0	0.2	10.3	13.5	18.5	
MAINE	461	508	505	563	256	86	225	3	1	120	70	353	
	32.9	28.4	29.7	28.0	40.7	*	43.7	*	*	*	*	33.7	
	36.1	39.8	39.6	44.1	20.1	6.7	17.6	0.2	0.1	9.4	5.5	27.7	
MARYLAND	1035	1789	1683	1556	927	423	332	58	4	177	164	526	
	20.1	15.4	15.9	16.6	21.2	32.1	35.5	*	*	40.2	40.6	25.2	
	33.1	57.3	53.9	49.8	29.7	13.5	10.6	1.9	0.1	5.7	5.2	16.8	
MASSACHUSETTS	890	2270	2044	2012	1166	360	429	51	5	164	171	491	
	21.7	13.8	14.5	14.7	19.1	33.6	32.5	*	*	41.4	43.6	25.9	
	25.3	64.5	58.1	57.1	33.1	10.2	12.2	1.5	0.1	4.6	4.9	13.9	
MICHIGAN	3087	4505	5165	4531	3148	1336	935	115	30	720	732	1730	
	11.8	9.7	9.0	9.6	11.4	17.2	21.0	34.2	*	21.6	21.9	14.7	
	34.8	50.7	58.2	51.0	35.4	15.0	10.5	1.3	0.3	8.1	8.2	19.5	
MINNESOTA	2388	2145	2511	2550	1336	493	550	61	16	331	355	1524	
	13.7	14.0	13.0	13.0	17.7	27.6	27.7	*	*	31.7	30.6	15.3	
	41.9	37.6	44.1	44.7	23.5	8.6	9.7	1.1	0.3	5.8	6.2	26.7	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 11 OF 21

STATE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
MISSISSIPPI												
	725	1119	1107	944	501	220	268	10	0	190	237	766
	24.7	19.9	19.8	21.3	27.8	42.6	41.4	*	0.0	43.1	38.8	21.6
MISSOURI												
	29.7	45.9	45.4	38.7	20.5	9.0	11.0	0.4	0.0	7.8	9.7	31.4
MONTANA												
	1916	2420	2447	2049	1163	387	479	98	76	329	367	803
	15.2	13.4	13.4	14.3	18.5	31.2	29.5	49.8	48.3	29.3	29.2	21.0
NEBRASKA												
	838	966	1013	1164	615	193	216	18	17	184	153	522
	23.3	21.2	21.3	19.6	26.8	46.3	44.3	*	*	47.2	48.4	29.8
NEVADA												
	38.4	44.3	46.5	53.4	28.2	8.8	9.9	0.8	0.8	8.4	7.0	23.9
NEW HAMPSHIRE												
	765	870	888	843	425	194	78	10	1	142	150	816
	24.3	22.5	22.1	22.6	30.2	44.7	*	*	*	*	44.9	21.8
NEW JERSEY												
	32.5	37.0	37.7	35.8	18.1	8.3	3.3	0.4	0.1	6.1	6.4	34.7
NEW MEXICO												
	888	1272	1408	1042	821	197	427	54	19	223	206	402
	22.1	17.7	16.8	19.0	21.4	41.2	30.3	*	*	32.7	33.9	29.5
NEW YORK												
	37.3	53.4	59.1	43.7	34.5	8.3	17.9	2.3	0.8	9.4	8.6	16.9
NEW ZEALAND												
	736	794	923	785	549	270	430	23	7	117	162	288
	24.5	22.5	21.6	22.8	27.1	35.4	31.6	*	*	*	46.3	34.0
NEW YORK												
	44.9	48.4	56.3	47.9	33.5	16.5	26.2	1.4	0.4	7.1	9.9	17.6
NEW YORK												
	1363	2604	2865	2627	1830	499	434	110	165	607	481	876
	17.2	12.3	11.6	12.2	14.4	26.1	29.1	32.2	28.2	20.3	21.4	20.7
NEW YORK												
	30.1	57.5	63.3	58.0	40.4	11.0	9.6	2.4	3.6	13.4	10.6	19.4
NEW YORK												
	813	1152	1378	1208	949	284	46	10	2	163	217	395
	23.6	19.3	17.7	19.1	21.2	39.5	*	*	*	46.3	40.7	28.4
NEW YORK												
	36.4	51.7	61.8	54.2	42.6	12.7	2.1	0.5	0.1	7.3	9.7	17.7

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT

BY
BASE STATE OF AIRCRAFT
1985

PAGE 12 OF 21

STATE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
NEW YORK												
	2432	3870	4081	3303	2469	860	623	224	42	566	561	1756
	13.6	10.3	10.0	10.9	12.5	19.8	24.8	31.6	45.2	21.8	20.5	14.0
% WITH CAPABILITY	32.9	52.4	55.4	44.7	33.4	11.6	8.4	3.0	0.6	7.7	7.6	23.8
NORTH CAROLINA												
	1785	2877	3391	3287	2146	1169	814	94	115	491	978	866
	15.7	12.1	11.2	11.4	13.8	18.2	23.7	*	*	25.5	19.2	20.4
% WITH CAPABILITY	34.2	55.1	65.0	63.0	41.1	22.4	15.6	1.8	2.2	9.4	18.7	16.6
NORTH DAKOTA												
	635	588	587	710	300	89	20	3	1	18	39	768
	28.1	27.9	28.3	25.3	39.0	*	*	*	*	*	*	22.0
% WITH CAPABILITY	31.8	29.4	28.4	35.5	15.0	4.5	1.0	0.2	0.1	0.9	1.9	38.4
OHIO												
	3271	5033	5182	4840	2840	1071	814	201	35	782	973	1556
	11.4	9.1	8.8	9.1	11.4	18.1	21.8	31.2	*	18.1	17.1	14.9
% WITH CAPABILITY	36.1	55.6	57.0	53.5	31.4	11.8	9.0	2.2	0.4	8.6	10.8	17.2
OKLAHOMA												
	1591	2459	2869	2474	1751	688	417	42	51	502	554	1038
	16.9	13.3	12.8	13.2	15.4	24.3	32.0	*	*	27.8	25.0	18.6
% WITH CAPABILITY	31.8	49.2	53.4	49.5	35.0	13.8	8.4	0.8	1.0	10.1	11.1	20.8
OREGON												
	1898	3011	2860	2810	1709	552	1212	28	61	346	325	1171
	15.5	12.0	12.3	12.5	15.5	27.3	18.1	*	*	32.7	30.1	18.2
% WITH CAPABILITY	33.2	52.7	50.1	49.2	28.9	8.7	21.2	0.5	1.1	6.1	5.7	20.5
PENNSYLVANIA												
	2296	3779	3911	3429	2475	855	836	142	66	555	590	1399
	13.6	10.4	10.2	10.8	12.7	20.8	23.2	38.1	*	22.5	22.0	15.3
% WITH CAPABILITY	32.1	52.8	54.6	47.9	34.6	11.9	11.7	2.0	0.9	7.7	8.2	19.5
RHODE ISLAND												
	97	134	155	135	82	30	41	0	0	14	22	36
	*	*	*	*	*	*	*	0.0	0.0	*	*	*
% WITH CAPABILITY	36.3	49.8	57.9	50.2	30.7	11.3	15.3	0.0	0.0	5.3	8.2	13.5

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 13 OF 21

STATE	BASIC NAVIGATION EQUIPMENT						LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP		
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
SOUTH CAROLINA	ESTIMATED POPULATION	608	997	1142	920	667	338	350	33	177	334	359
	% STANDARD ERROR	26.4	20.4	19.1	21.0	24.2	33.4	33.8	.	40.4	34.1	31.6
	% WITH CAPABILITY	31.8	52.2	59.8	48.1	34.9	17.7	18.3	1.7	9.3	17.5	18.8
SOUTH DAKOTA	ESTIMATED POPULATION	487	425	583	520	312	102	49	5	37	96	522
	% STANDARD ERROR	30.1	31.4	27.2	28.9	37.4	29.6
	% WITH CAPABILITY	35.1	30.5	41.9	37.4	22.5	7.3	3.5	0.4	2.7	6.9	37.6
TENNESSEE	ESTIMATED POPULATION	830	1878	1939	1964	1272	549	409	61	358	658	457
	% STANDARD ERROR	22.5	15.0	14.6	14.6	17.6	25.4	30.5	46.7	27.5	23.1	29.0
	% WITH CAPABILITY	27.0	61.2	63.2	64.0	41.4	17.9	13.3	2.0	11.7	21.4	14.9
TEXAS	ESTIMATED POPULATION	6763	14275	14522	14419	10517	4800	2608	585	3366	3152	4080
	% STANDARD ERROR	7.9	5.2	5.1	5.1	5.9	8.5	12.6	19.3	9.2	9.5	9.1
	% WITH CAPABILITY	28.6	60.4	61.5	61.1	44.5	20.3	11.0	2.5	14.3	13.3	17.2
UTAH	ESTIMATED POPULATION	505	742	790	658	487	108	100	12	127	102	432
	% STANDARD ERROR	30.0	24.3	23.9	26.2	30.1	33.0
	% WITH CAPABILITY	34.9	51.3	54.7	45.6	33.7	7.5	6.9	0.8	8.8	7.1	29.9
VERMONT	ESTIMATED POPULATION	108	499	365	332	169	64	157	0	33	38	180
	% STANDARD ERROR	.	30.7	35.5	36.3	48.9	.	.	0.0	.	.	42.0
	% WITH CAPABILITY	14.0	64.4	47.2	42.9	21.8	8.2	20.2	0.0	4.2	4.9	23.2
VIRGINIA	ESTIMATED POPULATION	1208	1568	1848	1742	1059	359	161	135	258	363	623
	% STANDARD ERROR	19.2	15.4	14.6	15.2	18.5	33.8	46.2	37.5	28.1	24.3	24.0
	% WITH CAPABILITY	36.1	46.8	55.2	52.1	31.7	10.7	4.8	4.0	7.7	10.9	18.6
WASHINGTON	ESTIMATED POPULATION	2714	3152	3259	3288	1565	423	1011	67	377	125	1636
	% STANDARD ERROR	12.6	11.7	11.5	11.5	16.6	30.4	20.5	43.5	29.8	42.5	14.9
	% WITH CAPABILITY	38.3	44.5	46.0	46.1	22.1	6.0	14.3	0.9	5.3	1.8	23.1

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 14 OF 21

STATE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTH R NAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
WEST VIRGINIA	416	676	645	664	474	276	251	3	0	104	147	175
	33.8	25.2	25.8	25.3	29.8	39.7	42.9	*	0.0	*	47.2	47.2
	35.3	57.3	54.7	56.3	40.2	23.4	21.2	0.3	0.0	8.8	12.4	14.8
WISCONSIN	1642	2132	2301	2072	1328	403	362	100	4	308	253	1023
	16.4	14.1	13.5	14.2	17.2	29.1	34.1	*	*	29.3	33.1	19.3
	36.1	46.8	50.5	45.5	29.2	8.9	8.0	2.2	0.1	6.8	5.6	22.5
WYOMING	497	527	581	606	393	118	55	5	3	47	121	325
	30.5	28.9	27.6	27.2	33.4	*	*	*	*	*	*	37.6
	38.7	41.1	45.3	47.3	30.7	9.2	4.3	0.4	0.2	3.6	9.5	25.3
PUERTO RICO	124	215	254	275	100	53	1	0	0	24	23	22
	*	41.3	38.1	37.2	*	*	*	0.0	0.0	*	*	*
	35.7	62.2	73.4	79.6	28.8	15.4	0.4	0.0	0.0	7.0	6.8	6.2
OTHER U.S. TERRITORIES	34	100	90	191	42	22	28	0	0	8	20	13
	*	*	*	44.4	*	*	*	0.0	0.0	*	*	*
	16.1	46.7	41.9	89.1	19.4	10.1	12.9	0.0	0.0	3.9	9.5	8.0
FOREIGN	282	1299	1125	1073	881	282	100	222	69	199	291	202
	39.7	17.6	18.5	18.8	20.5	37.4	*	43.4	48.9	36.3	33.0	41.1
	16.4	75.7	85.5	62.5	51.4	16.4	5.8	12.9	4.0	11.6	17.0	11.8
TOTAL	87598	140965	147671	137997	89718	33311	30821	4150	1811	22286	24479	57380
	1.7	1.0	0.7	0.8	1.2	2.6	3.3	6.2	11.4	2.8	2.3	1.4
	32.4	52.2	54.6	51.1	33.2	12.3	11.4	1.5	0.7	8.2	9.1	21.2

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 16
GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

STATE	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
ALABAMA										
ESTIMATED POPULATION	556	848	3	118	117	430	678	133	1659	
% STANDARD ERROR	26.3	21.9	*	*	*	32.8	23.6	*	15.6	
% WITH CAPABILITY	18.0	27.5	0.1	3.8	3.8	12.9	22.0	4.3	53.8	
ALASKA										
ESTIMATED POPULATION	93	606	3	39	187	179	277	3	7204	
% STANDARD ERROR	42.6	24.2	*	*	49.7	47.9	36.5	*	7.3	
% WITH CAPABILITY	1.1	7.4	0.0	0.5	2.3	2.2	3.4	0.0	87.8	
ARIZONA										
ESTIMATED POPULATION	544	1003	43	131	208	949	959	20	3998	
% STANDARD ERROR	26.3	20.2	*	*	45.9	21.2	20.9	48.8	10.0	
% WITH CAPABILITY	8.5	15.7	0.7	2.0	3.3	14.8	15.0	0.3	62.5	
ARKANSAS										
ESTIMATED POPULATION	271	485	18	57	251	241	449	33	1906	
% STANDARD ERROR	34.2	26.9	*	*	42.3	43.7	27.3	*	14.9	
% WITH CAPABILITY	9.3	16.6	0.6	1.9	8.6	8.2	15.4	1.1	65.2	
CALIFORNIA										
ESTIMATED POPULATION	3316	6462	380	792	2357	3959	5143	285	21511	
% STANDARD ERROR	10.4	7.7	31.2	20.3	13.4	10.4	8.4	40.7	4.1	
% WITH CAPABILITY	9.6	18.7	1.1	2.3	6.8	11.4	14.8	0.8	62.1	
COLORADO										
ESTIMATED POPULATION	632	1104	75	168	235	388	1037	92	2968	
% STANDARD ERROR	25.3	19.6	*	40.8	41.5	33.9	20.2	*	12.0	
% WITH CAPABILITY	12.4	21.6	1.5	3.3	4.6	7.6	20.3	1.8	58.1	
CONNECTICUT										
ESTIMATED POPULATION	273	442	4	37	146	278	402	2	1121	
% STANDARD ERROR	35.1	28.5	*	*	*	40.9	30.5	*	19.0	
% WITH CAPABILITY	13.7	22.2	0.2	1.9	7.3	14.0	20.2	0.1	56.2	
DELAWARE										
ESTIMATED POPULATION	90	140	8	79	6	180	125	10	287	
% STANDARD ERROR	45.3	40.2	*	*	*	*	43.6	*	37.9	
% WITH CAPABILITY	14.6	22.8	1.3	12.9	1.0	29.2	20.3	1.6	46.7	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16
GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

STATE		GUIDANCE AND CONTROL EQUIPMENT									
		FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPTR	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
D.C.	ESTIMATED POPULATION	20	24	3	6	0	1	18	0	34	
	% STANDARD ERROR	*	*	*	*	0.0	*	*	0.0	*	
	% WITH CAPABILITY	33.2	38.8	4.7	9.9	0.0	2.0	29.5	0.0	55.7	
FLORIDA	ESTIMATED POPULATION	1557	3443	127	436	1030	2129	3016	88	7359	
	% STANDARD ERROR	14.5	10.2	50.0	26.8	20.8	14.2	10.5	*	7.4	
	% WITH CAPABILITY	10.6	23.5	0.9	3.0	7.0	14.5	20.6	0.6	50.3	
GEORGIA	ESTIMATED POPULATION	572	847	10	125	436	425	976	58	3265	
	% STANDARD ERROR	23.8	19.9	*	*	31.7	33.2	19.2	*	11.4	
	% WITH CAPABILITY	10.9	16.1	0.2	2.4	8.3	8.1	18.5	1.1	62.0	
HAWAII	ESTIMATED POPULATION	8	54	0	3	12	9	52	0	431	
	% STANDARD ERROR	*	*	0.0	*	*	*	*	0.0	29.7	
	% WITH CAPABILITY	1.5	10.8	0.0	0.5	2.3	1.7	10.2	0.0	85.2	
IDAHO	ESTIMATED POPULATION	111	311	18	35	106	120	255	13	1678	
	% STANDARD ERROR	*	34.5	*	*	*	*	39.7	*	16.0	
	% WITH CAPABILITY	4.8	13.4	0.8	1.5	4.6	5.2	11.0	0.5	72.3	
ILLINOIS	ESTIMATED POPULATION	777	1518	134	280	474	935	1272	72	5096	
	% STANDARD ERROR	21.5	16.0	42.7	37.4	31.3	22.3	17.5	*	8.9	
	% WITH CAPABILITY	9.5	18.6	1.6	3.4	5.8	11.5	15.6	0.9	62.4	
INDIANA	ESTIMATED POPULATION	474	1176	36	143	247	643	1049	76	2629	
	% STANDARD ERROR	25.2	17.6	*	*	43.5	27.1	18.4	*	12.7	
	% WITH CAPABILITY	9.7	23.9	0.7	2.9	5.0	13.1	21.3	1.5	53.5	
IOWA	ESTIMATED POPULATION	289	678	39	109	50	328	578	10	2115	
	% STANDARD ERROR	34.7	24.2	*	*	*	36.1	25.8	*	13.9	
	% WITH CAPABILITY	8.8	20.6	1.2	3.3	1.5	10.0	17.6	0.3	64.4	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 17 OF 21

STATE	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	HSI	EFIS	FLYING COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
KANSAS										
ESTIMATED POPULATION	507	937	93	68	248	495	1166	15	2244	
% STANDARD ERROR	27.0	20.1	*	*	42.9	30.5	18.4	*	13.6	
% WITH CAPABILITY	11.7	21.7	2.2	1.6	5.7	11.4	26.9	0.3	51.9	
KENTUCKY										
ESTIMATED POPULATION	227	440	18	71	153	183	478	21	1063	
% STANDARD ERROR	40.8	31.1	*	*	*	*	30.1	*	20.3	
% WITH CAPABILITY	11.2	21.8	0.9	3.5	7.6	9.1	23.7	1.0	52.6	
LOUISIANA										
ESTIMATED POPULATION	484	949	45	99	111	231	687	41	2746	
% STANDARD ERROR	26.3	19.9	*	47.1	*	43.6	22.6	*	12.5	
% WITH CAPABILITY	11.2	22.8	1.1	2.4	2.7	5.6	16.5	1.0	66.0	
MAINE										
ESTIMATED POPULATION	68	128	1	19	29	145	82	1	1000	
% STANDARD ERROR	*	*	*	*	*	*	*	*	20.8	
% WITH CAPABILITY	5.3	10.1	0.1	1.5	2.3	11.4	6.5	0.1	78.4	
MARYLAND										
ESTIMATED POPULATION	356	458	18	75	209	440	481	42	1772	
% STANDARD ERROR	33.5	28.8	*	*	45.7	31.8	28.6	*	15.0	
% WITH CAPABILITY	11.4	14.6	0.6	2.4	6.7	14.1	15.4	1.3	56.7	
MASSACHUSETTS										
ESTIMATED POPULATION	278	547	26	65	112	508	432	0	2299	
% STANDARD ERROR	37.7	27.3	*	*	*	29.8	30.6	0.0	13.3	
% WITH CAPABILITY	7.9	15.5	0.7	1.8	3.2	14.4	12.3	0.0	65.3	
MICHIGAN										
ESTIMATED POPULATION	769	1703	125	230	473	1098	1461	255	5359	
% STANDARD ERROR	22.1	15.1	*	41.5	30.3	19.6	16.4	42.9	8.8	
% WITH CAPABILITY	6.7	19.2	1.4	2.6	5.3	12.4	16.5	2.9	60.3	
MINNESOTA										
ESTIMATED POPULATION	498	642	1	80	256	648	833	0	3839	
% STANDARD ERROR	27.4	24.1	*	*	42.0	26.8	21.9	0.0	10.3	
% WITH CAPABILITY	8.7	11.3	0.0	1.4	4.5	11.4	14.6	0.0	67.4	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18
GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

STATE	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	MSI	EFIS	FLYNGT COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
MISSISSIPPI										
ESTIMATED POPULATION	228	414	0	43	116	140	348	25	1728	
% STANDARD ERROR	40.4	30.5	0.0	*	*	*	33.1	*	15.4	
% WITH CAPABILITY	9.3	17.0	0.0	1.8	4.8	5.7	14.3	1.0	70.9	
MISSOURI										
ESTIMATED POPULATION	320	633	37	133	205	394	647	81	3246	
% STANDARD ERROR	30.5	24.1	*	45.6	47.7	34.9	22.9	*	11.4	
% WITH CAPABILITY	6.8	13.4	0.8	2.8	4.3	8.3	13.7	1.7	68.7	
MONTANA										
ESTIMATED POPULATION	120	413	18	23	86	177	216	43	1516	
% STANDARD ERROR	*	32.7	*	*	*	50.0	43.1	*	17.3	
% WITH CAPABILITY	5.5	18.9	0.8	1.1	3.0	8.1	9.9	2.0	69.5	
NEBRASKA										
ESTIMATED POPULATION	224	448	21	31	32	124	286	10	1722	
% STANDARD ERROR	39.4	30.2	*	*	*	*	35.3	*	15.9	
% WITH CAPABILITY	9.5	19.0	0.9	1.3	1.4	5.3	12.1	0.4	73.1	
NEVADA										
ESTIMATED POPULATION	302	477	11	32	220	327	324	6	1361	
% STANDARD ERROR	29.9	26.8	*	*	45.2	37.6	32.6	*	17.3	
% WITH CAPABILITY	12.7	20.0	0.4	1.4	9.2	13.7	13.6	0.2	57.2	
NEW HAMPSHIRE										
ESTIMATED POPULATION	136	387	2	28	20	264	245	4	991	
% STANDARD ERROR	48.8	32.0	*	*	*	40.7	39.6	*	19.9	
% WITH CAPABILITY	8.3	23.6	0.1	1.7	1.2	16.1	14.9	0.2	60.4	
NEW JERSEY										
ESTIMATED POPULATION	488	858	54	184	424	607	934	20	2399	
% STANDARD ERROR	20.6	18.2	*	37.0	31.7	26.8	18.8	*	13.1	
% WITH CAPABILITY	10.8	19.0	1.2	4.1	9.4	13.4	20.6	0.4	53.0	
NEW MEXICO										
ESTIMATED POPULATION	232	326	5	37	77	265	560	11	1308	
% STANDARD ERROR	39.8	34.4	*	*	*	41.6	27.6	*	17.6	
% WITH CAPABILITY	10.4	14.6	0.2	1.6	3.5	11.9	25.1	0.5	58.7	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 19 OF 21

STATE	GUIDANCE AND CONTROL EQUIPMENT										NO EQUIP
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND			
NEW YORK	720	1163	33	152	418	1052	1086	51		4610	
	19.6	17.0	43.4	26.9	31.1	20.9	18.1	*		9.4	
	9.7	15.8	0.4	2.1	5.7	14.2	14.7	0.7		62.4	
NORTH CAROLINA	763	1392	5	169	275	839	1092	68		2663	
	21.2	16.2	37.6	47.7	40.4	22.9	18.8	*		12.6	
	14.6	26.7	0.1	3.2	5.3	16.1	20.9	1.3		51.0	
NORTH DAKOTA	46	149	0	3	33	50	153	5		1654	
	*	*	0.0	*	*	*	*	*		16.1	
	2.3	7.5	0.0	0.2	1.7	2.5	7.7	0.2		82.8	
OHIO	1153	1750	23	349	479	1174	1530	0		5403	
	16.5	14.3	*	32.4	28.1	19.3	14.9	0.0		8.7	
	12.7	19.3	0.3	3.9	5.3	13.0	16.9	0.0		59.7	
OKLAHOMA	670	1135	38	188	233	544	960	180		2768	
	24.1	18.9	*	*	44.5	28.9	20.5	*		12.3	
	13.4	22.7	0.8	3.8	4.7	10.9	19.2	3.6		55.3	
OREGON	334	1175	1	111	168	862	668	109		3496	
	33.5	18.6	*	*	49.7	22.5	24.2	*		11.1	
	5.9	20.8	0.0	1.9	2.9	15.1	11.7	1.9		61.2	
PENNSYLVANIA	782	1204	58	138	349	842	1262	31		4249	
	20.0	16.4	*	46.1	33.7	23.1	17.1	*		9.7	
	10.9	16.8	0.8	1.9	4.9	11.8	17.6	0.4		59.3	
RHODE ISLAND	26	31	0	6	9	52	33	0		167	
	*	*	0.0	*	*	*	*	0.0		48.3	
	9.5	11.7	0.0	2.4	3.5	19.5	12.4	0.0		62.3	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 20 OF 21

STATE	GUIDANCE AND CONTROL EQUIPMENT								
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPTR	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP
SOUTH CAROLINA	298	373	9	44	110	234	507	0	1009
	34.3	31.7	*	*	*	44.2	27.5	0.0	20.0
	15.6	19.5	0.5	2.3	5.7	12.2	26.5	0.0	52.8
SOUTH DAKOTA	108	204	5	9	120	45	209	5	962
	*	45.3	*	*	*	*	45.1	*	21.7
	7.8	14.7	0.4	0.7	8.7	3.2	15.0	0.4	69.2
TENNESSEE	418	984	41	110	139	277	874	37	1601
	28.3	19.4	*	49.3	*	38.9	20.3	*	16.5
	13.6	32.0	1.3	3.6	4.5	9.0	28.5	1.2	52.1
TEXAS	3871	6323	357	1023	1054	3038	5900	305	11785
	8.9	7.4	34.8	18.1	20.6	11.9	7.5	37.8	5.7
	16.4	26.8	1.5	4.3	4.5	12.9	25.0	1.3	49.9
UTAH	98	121	20	41	101	114	262	0	956
	*	*	*	*	*	*	41.1	0.0	21.9
	6.8	8.4	1.4	2.8	7.0	7.9	18.1	0.0	66.2
VERMONT	46	126	0	8	48	33	81	1	558
	*	*	0.0	*	*	*	*	*	27.3
	5.9	16.3	0.0	1.1	8.2	4.3	10.4	0.2	72.0
VIRGINIA	323	472	85	90	145	438	390	135	2155
	26.8	23.4	*	*	*	31.5	27.3	*	13.9
	9.6	14.1	2.6	2.7	4.3	13.1	11.6	4.0	64.4
WASHINGTON	393	1081	73	73	587	330	686	58	5078
	27.9	19.4	*	47.2	27.1	38.3	25.0	*	9.0
	5.6	15.3	1.0	1.0	8.3	4.7	9.4	0.8	71.7

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE STATE OF AIRCRAFT
1985

PAGE 21 OF 21

STATE	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPTR	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
WEST VIRGINIA	122	224	13	18	22	252	189	15	844	
	*	41.8	*	*	*	43.3	43.2	*	26.3	
	10.3	19.0	1.1	1.5	1.9	21.4	16.0	1.3	54.6	
WISCONSIN	328	675	5	120	145	506	668	9	3072	
	27.9	22.9	*	40.7	*	29.8	23.3	*	11.8	
	7.2	14.8	0.1	2.6	3.2	11.1	14.7	0.2	67.5	
WYOMING	86	176	0	9	16	250	225	4	779	
	*	45.4	0.0	*	*	43.4	42.4	*	24.5	
	6.7	13.7	0.0	0.7	1.3	19.5	17.6	0.3	60.7	
PUERTO RICO	46	84	0	29	13	13	115	0	200	
	*	*	0.0	*	*	*	*	0.0	42.7	
	13.3	24.2	0.0	8.5	3.7	3.8	33.3	0.0	57.9	
OTHER U.S. TERRITORIES	20	31	0	11	14	0	28	0	169	
	*	*	0.0	*	*	0.0	*	0.0	48.6	
	9.5	14.6	0.0	5.3	6.4	0.0	12.4	0.0	79.0	
FOREIGN	325	509	2	85	69	131	538	14	902	
	33.6	26.0	*	*	*	*	25.1	34.4	21.9	
	18.9	29.7	0.1	4.9	4.0	7.6	31.3	0.8	52.6	
TOTAL	27315	51183	2265	7102	13947	29717	45389	2690	166039	
	2.4	2.0	12.3	6.4	5.2	3.3	1.8	12.5	0.7	
	10.1	18.9	0.8	2.6	5.2	11.0	16.8	1.0	61.4	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 17

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE REGION OF AIRCRAFT
1985

PAGE 1 OF 6

REGION	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
ALASKAN	4283	3374	2379	890	2970	837	5234	2170	2015	1873	6	5767
	9.8	10.9	12.6	22.3	11.3	22.4	8.6	13.4	13.8	14.5	*	8.3
	52.2	41.1	29.0	10.8	36.2	10.2	63.8	26.4	24.6	22.8	0.1	70.3
CENTRAL	5438	7154	6710	2648	9356	4045	5338	6747	6324	5772	165	7553
	8.9	7.6	7.9	11.5	6.7	9.8	8.3	7.9	8.1	8.4	*	7.2
	37.0	48.7	45.7	18.0	63.7	27.5	36.3	45.9	43.0	39.3	1.1	51.4
EASTERN	10647	13927	14305	4505	18534	10014	8866	15421	14019	12997	96	11622
	6.2	5.2	5.1	8.8	4.5	6.1	6.3	4.9	5.2	5.4	*	5.6
	38.9	50.8	52.2	16.4	67.6	36.5	32.4	56.3	51.2	47.4	0.3	42.4
EUROPEAN OFFICE	90	533	434	21	486	414	154	454	451	428	10	186
	*	25.8	28.5	*	26.4	28.1	*	27.9	27.9	28.8	*	45.6
	14.1	83.2	67.7	3.3	75.9	64.7	24.1	70.9	70.4	66.8	1.6	29.1
GREAT LAKES	17676	21496	22269	7908	27332	12467	17319	23018	21431	19853	339	20758
	4.8	4.2	4.1	6.4	3.7	5.5	4.5	4.0	4.2	4.3	32.6	4.1
	39.6	48.1	49.9	17.7	61.2	27.9	38.8	51.6	48.0	44.5	0.8	46.5
NEW ENGLAND	3489	5127	4971	1348	6512	3155	2961	5162	4769	4334	31	4202
	11.0	9.0	9.2	16.3	8.0	11.4	11.2	9.1	9.4	9.9	*	9.4
	36.8	54.1	52.5	14.2	68.7	33.3	31.3	54.5	50.3	45.7	0.3	44.4
NORTHWEST MOUNTAIN	9965	13092	12165	3944	16325	7145	9060	12411	11128	10138	290	12313
	6.6	5.6	5.8	9.7	5.0	7.6	6.5	5.7	6.0	6.3	40.1	5.7
	39.3	51.6	47.9	15.5	64.3	28.1	35.7	48.9	43.8	39.9	1.1	48.5
SOUTHERN	12817	22092	21810	5346	27980	15483	10397	23514	21701	20671	237	14309
	5.6	4.1	4.1	8.0	3.6	4.8	5.8	3.9	4.1	4.2	44.6	5.1
	33.4	57.6	56.8	13.9	72.9	40.3	27.1	61.3	56.5	53.9	0.6	37.3

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 17

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE REGION OF AIRCRAFT
1985

PAGE 2 OF 8

REGION	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
SOUTHWESTERN	13181	20270	20185	6031	27282	14805	10873	20973	19668	18528	456	18250
	5.6	4.2	4.3	7.5	3.7	4.9	5.6	4.2	4.3	4.4	32.4	4.7
	34.5	53.1	52.9	15.8	71.5	38.8	28.5	55.0	51.5	48.6	1.2	42.6
WESTERN-PACIFIC	14571	26114	23259	5380	31873	17027	12473	24540	22975	21289	137	18837
	5.1	3.8	4.0	7.8	3.4	4.7	5.1	3.9	4.0	4.2	*	4.3
	32.9	58.9	52.4	12.1	71.9	38.4	28.1	55.3	51.8	48.0	0.3	42.5
TOTAL	97629	140057	134543	45217	177667	90323	92549	141261	130766	121849	1779	123662
	1.6	1.0	0.9	2.0	0.6	1.3	1.1	0.8	0.9	1.0	15.7	0.9
	36.1	51.8	49.8	16.7	65.7	33.4	34.3	52.3	48.4	45.1	0.7	45.8

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 17

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE REGION OF AIRCRAFT
1985

PAGE 3 OF 6

REGION	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
ALASKAN												
ESTIMATED POPULATION	4287	3185	2653	3864	1173	165	921	29	5	386	90	1550
% STANDARD ERROR	9.8	11.8	12.6	9.9	18.0	47.0	20.2	*	*	30.1	41.0	16.4
% WITH CAPABILITY	52.3	38.6	32.3	47.1	14.3	2.0	11.2	0.4	0.1	4.8	1.1	18.9
CENTRAL												
ESTIMATED POPULATION	4633	7444	7317	6638	4232	1812	1156	193	106	1067	1263	3332
% STANDARD ERROR	9.7	7.5	7.5	7.9	9.6	14.5	19.0	34.6	45.7	17.1	15.9	10.2
% WITH CAPABILITY	31.5	50.7	49.8	45.2	28.8	12.3	7.9	1.2	0.7	7.3	8.6	22.7
EASTERN												
ESTIMATED POPULATION	8993	14686	15519	13775	9541	3414	2704	704	329	2357	2406	5445
% STANDARD ERROR	6.8	5.1	4.9	5.2	6.2	10.3	12.3	16.1	21.3	10.3	9.9	7.7
% WITH CAPABILITY	32.8	53.6	56.6	50.3	34.8	12.5	9.9	2.6	1.2	8.6	8.8	19.9
EUROPEAN OFFICE												
ESTIMATED POPULATION	84	418	435	523	454	145	25	44	39	112	124	65
% STANDARD ERROR	*	28.0	28.7	26.5	27.5	47.6	*	*	*	43.0	40.8	*
% WITH CAPABILITY	13.1	85.2	67.9	81.6	70.9	22.6	3.8	6.8	6.0	17.5	19.4	10.2
GREAT LAKES												
ESTIMATED POPULATION	15703	22268	24105	22888	13830	5442	4181	691	199	3202	4006	9591
% STANDARD ERROR	5.1	4.1	3.9	4.1	5.2	8.2	9.8	15.1	32.7	9.4	8.7	5.8
% WITH CAPABILITY	35.2	49.9	54.0	50.8	31.0	12.2	9.4	1.5	0.4	7.2	9.0	21.5
NEW ENGLAND												
ESTIMATED POPULATION	2897	5245	5270	4987	2807	1008	1528	159	21	687	664	1728
% STANDARD ERROR	12.3	8.9	9.0	9.1	12.0	18.8	17.1	35.4	*	21.7	21.9	13.8
% WITH CAPABILITY	30.6	55.4	55.6	52.6	29.6	10.6	16.1	1.7	0.2	7.3	7.0	18.2
NORTHWEST MOUNTAIN												
ESTIMATED POPULATION	9081	12251	12686	12276	6923	2238	3415	158	180	1550	1212	5785
% STANDARD ERROR	6.9	5.8	5.7	5.8	7.6	13.2	11.0	34.1	37.3	14.8	15.9	8.0
% WITH CAPABILITY	35.8	48.3	50.0	48.4	27.3	8.8	13.5	0.6	0.7	6.1	4.8	22.8
SOUTHERN												
ESTIMATED POPULATION	11552	21613	23893	22664	15214	5888	6535	564	317	3780	5785	6985
% STANDARD ERROR	6.0	4.2	3.9	4.0	4.8	7.6	7.8	21.1	31.2	8.8	7.2	6.9
% WITH CAPABILITY	30.1	56.3	62.3	59.1	39.6	15.3	17.0	1.5	0.8	9.8	15.1	18.2

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 17

GENERAL AVIATION AVIONICS EQUIPMENT

BY

BASE REGION OF AIRCRAFT

1985

PAGE 4 OF 6

REGION	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 1000M	VOR 2000M	2° VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
SOUTHWESTERN	11564	21385	22023	22044	15451	8781	4263	914	230	4853	4790	7101
	6 0	4 2	4 1	4 0	4 8	7 1	9 6	17 5	38 2	7 8	7 6	6 6
	30 3	58 0	57 1	57 8	40 5	17 7	11 2	2 4	0 6	12 2	12 6	18 6
WESTERN PACIFIC	14222	25256	26261	21725	15291	4896	4182	514	309	3282	2596	7718
	5 7	3 9	3 7	4 1	4 9	9 0	9 7	22 1	31 3	10 4	10 5	6 2
	32 1	57 0	59 2	49 0	34 5	10 6	9 4	1 2	0 7	7 4	5 9	17 4
TOTAL	87598	140985	147871	137997	89718	33311	30821	4150	1811	22286	24479	57380
ESTIMATED POPULATION	1 7	1 0	0 7	0 8	1 2	2 6	3 3	6 2	11 4	2 8	2 3	1 4
STANDARD ERROR	32 4	52 2	54 6	51 1	33 2	12 3	11 4	1 5	0 7	8 2	9 1	21 2

* INDICATES A STANDARD ERROR GREATER THAN 50 0%

NOTE COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES

TABLE 2 - 17
GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE REGION OF AIRCRAFT
1985

REGION	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
ALASKAN										
ESTIMATED POPULATION	93	606	3	39	187	179	277	3	7204	
% STANDARD ERROR	42.6	24.2	*	*	49.7	47.9	36.5	*	7.3	
% WITH CAPABILITY	1.1	7.4	0.0	0.5	2.3	2.2	3.4	0.0	87.8	
CENTRAL										
ESTIMATED POPULATION	1340	2695	190	341	536	1341	2677	116	9327	
% STANDARD ERROR	15.9	11.9	45.6	29.9	29.1	18.4	11.7	*	6.6	
% WITH CAPABILITY	9.1	18.3	1.3	2.3	3.6	9.1	18.2	0.8	63.5	
EASTERN										
ESTIMATED POPULATION	2900	4542	272	742	1572	3811	4484	305	16150	
% STANDARD ERROR	9.7	8.2	31.8	18.0	16.0	10.7	8.6	35.0	4.8	
% WITH CAPABILITY	10.6	16.6	1.0	2.7	5.7	13.9	16.4	1.1	58.9	
EUROPEAN OFFICE										
ESTIMATED POPULATION	154	241	2	72	2	72	280	11	256	
% STANDARD ERROR	44.3	33.4	*	*	*	*	33.3	0.0	40.7	
% WITH CAPABILITY	24.1	37.5	0.4	11.2	0.2	11.3	43.7	1.7	40.0	
GREAT LAKES										
ESTIMATED POPULATION	4153	7816	330	1215	2228	5099	7175	423	28013	
% STANDARD ERROR	8.7	6.7	31.0	17.0	13.9	9.2	6.9	33.1	3.6	
% WITH CAPABILITY	9.3	17.5	0.7	2.7	5.0	11.4	16.1	0.9	62.7	
NEW ENGLAND										
ESTIMATED POPULATION	827	1663	33	164	364	1281	1275	8	6136	
% STANDARD ERROR	20.7	15.3	*	48.7	33.1	18.7	17.3	*	8.1	
% WITH CAPABILITY	8.7	17.6	0.3	1.7	3.8	13.5	13.5	0.1	64.8	
NORTHWEST MOUNTAIN										
ESTIMATED POPULATION	1776	4403	205	460	1281	2248	3350	322	16694	
% STANDARD ERROR	14.1	9.5	42.7	25.9	18.3	14.0	10.8	36.0	4.9	
% WITH CAPABILITY	7.0	17.3	0.8	1.8	5.0	8.9	13.2	1.3	65.8	
SOUTHERN										
ESTIMATED POPULATION	4749	8937	214	1170	2425	4719	8222	431	20711	
% STANDARD ERROR	8.1	6.1	36.8	16.9	13.4	9.5	6.3	32.4	4.3	
% WITH CAPABILITY	12.4	23.3	0.6	3.0	6.3	12.3	21.4	1.1	54.0	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 17

GENERAL AVIATION AVIONICS EQUIPMENT
BY
BASE REGION OF AIRCRAFT
1985

PAGE 6 OF 6

REGION	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
SOUTHWESTERN	ESTIMATED POPULATION	5580	9292	461	1404	1729	4321	8631	570	20656
	% STANDARD ERROR	7.4	6.0	30.2	15.5	16.0	9.9	6.1	27.9	4.2
	% WITH CAPABILITY	14.6	24.4	1.2	3.7	4.5	11.3	22.6	1.5	54.1
WESTERN-PACIFIC	ESTIMATED POPULATION	4202	8087	434	958	2839	5248	6528	311	27582
	% STANDARD ERROR	9.1	6.8	28.8	18.5	12.2	8.9	7.4	37.6	3.6
	% WITH CAPABILITY	9.5	18.2	1.0	2.2	6.4	11.8	14.7	0.7	62.2
TOTAL	ESTIMATED POPULATION	27315	51183	2265	7102	13947	29717	45389	2690	166039
	% STANDARD ERROR	2.4	2.0	12.3	6.4	5.2	3.3	1.8	12.5	0.7
	% WITH CAPABILITY	10.1	18.9	0.8	2.6	5.2	11.0	16.8	1.0	61.4

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT

BY
PRIMARY USE
1981

PAGE 1 OF 6

PRIMARY USE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4095 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	HLS	NO ILS
EXECUTIVE												
ESTIMATED POPULATION	1810	12243	11168	136	13359	12044	375	12938	12600	12331	174	778
% STANDARD ERROR	13.7	3.9	4.2	*	3.8	3.9	30.4	3.8	3.8	3.9	39.5	21.6
% WITH CAPABILITY	13.2	89.2	81.3	1.0	97.3	87.7	2.7	94.2	91.7	89.8	1.3	5.7
BUSINESS												
ESTIMATED POPULATION	14159	33415	35942	750	42572	29464	3001	38102	37702	35756	601	6399
% STANDARD ERROR	5.2	3.0	2.8	24.1	2.5	3.1	11.7	2.6	2.7	2.8	27.4	7.9
% WITH CAPABILITY	31.1	73.3	78.9	1.6	93.4	64.7	6.6	83.6	82.7	78.5	1.3	14.0
PERSONAL												
ESTIMATED POPULATION	47693	49708	50789	12038	67711	24005	35601	49404	45073	40629	460	51265
% STANDARD ERROR	2.4	2.4	2.3	4.4	1.9	3.8	2.2	2.4	2.5	2.7	28.9	1.9
% WITH CAPABILITY	46.2	48.1	49.2	11.7	65.5	23.2	34.5	47.8	43.6	39.3	0.4	49.6
INSTRUCTIONAL												
ESTIMATED POPULATION	5540	8553	5217	708	11100	3480	3284	7929	5471	5249	190	6247
% STANDARD ERROR	8.6	6.9	9.1	21.4	5.9	11.2	10.7	7.3	8.8	9.1	*	7.7
% WITH CAPABILITY	38.5	59.5	36.3	4.9	77.2	24.2	22.8	55.1	38.0	36.5	1.3	43.4
AERIAL APPLICATION												
ESTIMATED POPULATION	842	979	681	5463	724	371	6500	608	544	530	0	6674
% STANDARD ERROR	19.6	17.1	21.9	4.2	20.0	30.1	3.3	22.4	25.0	25.0	0.0	3.3
% WITH CAPABILITY	11.6	13.4	9.3	75.0	10.8	5.1	89.2	8.3	7.5	7.3	0.0	91.6
AERIAL OBSERVATION												
ESTIMATED POPULATION	2183	2338	2057	209	3090	1349	1483	2030	1539	1652	6	2471
% STANDARD ERROR	13.6	12.4	13.3	38.6	11.1	16.3	15.4	13.8	15.9	15.3	*	12.1
% WITH CAPABILITY	47.7	51.1	45.0	4.6	67.6	29.5	32.4	44.4	33.6	36.1	0.1	54.0
OTHER WORK USE												
ESTIMATED POPULATION	668	677	439	351	759	231	882	356	291	322	15	1270
% STANDARD ERROR	23.1	22.4	29.2	32.1	21.5	42.0	19.6	34.5	38.2	36.9	*	15.8
% WITH CAPABILITY	40.7	41.2	26.8	21.4	46.3	14.1	53.7	21.7	17.7	19.6	0.9	77.4
COMPUTER AIR CARRIER												
ESTIMATED POPULATION	215	551	608	0	694	564	5	545	545	519	3	154
% STANDARD ERROR	41.7	17.0	18.8	0.0	17.2	20.2	*	16.4	16.4	16.9	*	*
% WITH CAPABILITY	30.8	78.8	87.0	0.0	99.3	80.7	0.7	78.0	78.0	74.3	0.4	22.0

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT
BY
PRIMARY USE
1985

PAGE 2 OF 6

PRIMARY USE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT			PRECISION APPROACH EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIT ENCODE	NO TRANS	LOCAL	MRKR BECH	GLIDE SLOPE	MLS	NO ILS
AIR TAXI												
ESTIMATED POPULATION	980	5808	5037	6	5797	4478	653	5315	5174	4969	26	1049
% STANDARD ERROR	18.9	7.2	7.8	*	7.3	8.3	23.1	7.6	7.7	7.9	*	18.4
% WITH CAPABILITY	15.2	90.0	78.1	0.1	89.9	69.4	10.1	82.4	80.2	77.0	0.4	16.3
OTHER												
ESTIMATED POPULATION	1261	3067	2333	983	3181	1857	2065	2595	2449	2408	40	2608
% STANDARD ERROR	15.5	10.2	11.8	19.4	9.9	12.2	12.7	10.9	11.2	11.3	*	11.2
% WITH CAPABILITY	24.0	58.5	44.5	18.7	60.6	35.4	39.4	49.5	46.7	45.9	0.8	49.7
RENTAL												
ESTIMATED POPULATION	2234	5514	4683	414	6724	3240	1053	5354	4948	4746	0	2278
% STANDARD ERROR	13.8	8.8	9.6	27.6	8.0	11.5	17.3	9.0	9.3	9.5	0.0	13.0
% WITH CAPABILITY	28.7	70.9	60.2	5.3	86.5	41.7	13.5	68.8	63.6	61.0	0.0	29.3
INACTIVE												
ESTIMATED POPULATION	19934	13887	12473	26920	18376	6607	40357	13118	11744	10144	329	44615
% STANDARD ERROR	3.6	4.5	4.5	2.5	3.4	6.7	1.5	4.4	4.6	5.0	36.7	1.3
% WITH CAPABILITY	33.9	23.6	21.2	45.8	31.3	11.2	68.7	22.3	20.0	17.3	0.6	76.0
TOTAL												
ESTIMATED POPULATION	97629	140057	134543	45217	177867	90323	92549	141261	130766	121849	1779	123662
% STANDARD ERROR	1.6	1.0	0.9	2.0	0.6	1.3	1.1	0.8	0.9	1.0	15.7	0.9
% WITH CAPABILITY	36.1	51.8	49.8	16.7	65.7	33.4	34.3	52.3	48.4	45.1	0.7	45.8

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT

BY
PRIMARY USE
1985

PAGE 3 OF 8

PRIMARY USE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHR LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
EXECUTIVE												
ESTIMATED POPULATION	2615	11412	12646	12959	11958	7664	3287	2601	742	8208	9287	192
% STANDARD ERROR	11.1	4.1	3.8	3.8	3.8	5.1	9.5	6.6	13.4	3.8	3.8	41.6
% WITH CAPABILITY	19.0	83.1	92.1	94.4	87.1	55.8	23.8	18.9	5.4	59.8	67.6	1.4
BUSINESS												
ESTIMATED POPULATION	14162	34334	39908	37930	29957	11748	9082	431	294	6095	6527	1042
% STANDARD ERROR	5.2	2.9	2.6	2.7	3.0	5.2	6.5	26.0	34.3	7.3	6.8	19.1
% WITH CAPABILITY	31.1	75.3	87.6	83.2	65.7	25.8	19.9	0.9	0.6	13.4	14.3	2.3
PERSONAL												
ESTIMATED POPULATION	40746	52493	55014	48212	25642	5595	10844	278	302	2294	2089	17407
% STANDARD ERROR	2.7	2.3	2.2	2.4	3.6	8.3	6.0	36.3	35.2	12.8	13.1	3.1
% WITH CAPABILITY	39.4	50.8	53.3	46.7	24.8	5.4	10.5	0.3	0.3	2.2	2.0	16.8
INSTRUCTIONAL												
ESTIMATED POPULATION	6032	8159	6278	5875	2284	674	542	7	19	263	290	1028
% STANDARD ERROR	8.3	7.1	8.2	8.5	13.5	24.6	26.8	*	*	40.0	35.0	16.5
% WITH CAPABILITY	41.9	56.7	43.6	40.8	15.7	4.7	3.8	0.0	0.1	1.8	2.0	7.1
AERIAL APPLICATION												
ESTIMATED POPULATION	292	682	463	562	275	96	335	161	15	31	72	6295
% STANDARD ERROR	33.4	20.7	25.9	23.1	38.1	*	23.4	*	*	*	*	3.4
% WITH CAPABILITY	4.0	9.4	6.4	7.7	3.8	1.3	4.6	2.2	0.2	0.4	1.0	86.4
AERIAL OBSERVATION												
ESTIMATED POPULATION	1354	2226	1658	2001	909	329	533	45	58	222	62	988
% STANDARD ERROR	17.9	13.2	15.2	13.8	18.5	27.1	24.9	*	47.2	27.8	47.1	17.0
% WITH CAPABILITY	29.6	48.7	36.3	43.8	19.9	7.2	11.7	1.0	1.3	4.8	1.3	21.6
OTHER WORK USE												
ESTIMATED POPULATION	546	533	375	448	110	53	102	5	0	54	35	602
% STANDARD ERROR	26.5	27.8	34.0	28.5	*	*	*	*	0.0	*	*	22.8
% WITH CAPABILITY	33.3	32.5	22.9	27.3	6.7	3.3	6.2	0.3	0.0	3.3	2.1	36.7
COMMUTER AIR CARRIER												
ESTIMATED POPULATION	207	559	683	636	648	225	63	13	0	244	361	2
% STANDARD ERROR	43.0	16.8	17.4	17.9	18.3	36.2	*	*	0.0	31.4	22.6	*
% WITH CAPABILITY	29.6	80.0	97.7	91.0	92.7	32.2	9.1	1.8	0.0	34.9	51.6	0.3

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT
BY
PRIMARY USE

PAGE 4 OF 6

PRIMARY USE	BASIC NAVIGATION EQUIPMENT					LONG RANGE NAV EQUIP			OTHER NAVIGATION EQUIP			
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	WEATHER RADAR	NO NAV EQ
AIR TAXI	1602	4917	5234	6011	4213	1783	1352	197	28	1297	2081	85
	14.7	8.0	7.5	7.1	8.4	13.6	15.4	33.6	*	14.1	11.5	*
	24.8	76.2	81.1	93.2	65.3	27.3	21.0	3.1	0.4	20.1	32.4	1.3
OTHER	1035	2538	2384	2493	1793	738	598	91	111	784	784	1738
	18.3	11.0	11.4	11.4	12.2	18.8	22.1	47.1	33.7	17.4	16.3	13.9
	19.7	48.4	45.4	47.5	34.2	14.0	11.4	1.7	2.1	14.9	15.1	33.1
RENTAL	2341	5439	5115	5303	3009	816	360	21	21	228	164	550
	13.6	8.9	9.1	8.9	12.0	22.7	34.0	*	*	36.4	37.2	21.9
	30.1	69.9	65.8	68.2	38.7	10.5	4.6	0.3	0.3	2.9	2.1	7.1
INACTIVE	16766	14722	15372	12593	6350	3001	2289	189	246	1877	1672	29918
	4.2	4.5	3.8	4.3	5.6	9.2	12.7	17.8	45.9	7.3	6.7	2.2
	28.5	25.1	26.2	21.4	10.8	5.1	3.9	0.3	0.4	3.2	2.8	50.9
TOTAL	87598	140995	147671	137997	89718	33311	30821	4150	1811	22286	24479	57380
	1.7	1.0	0.7	0.8	1.2	2.6	3.3	6.2	11.4	2.8	2.3	1.4
	32.4	52.2	54.6	51.1	33.2	12.3	11.4	1.5	0.7	8.2	9.1	21.2

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT

BY

PRIMARY USE

1985

PAGE 5 OF 6

PRIMARY USE	GUIDANCE AND CONTROL EQUIPMENT								
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP
EXECUTIVE									
ESTIMATED POPULATION	8890	10275	845	2462	142	861	10379	360	1479
% STANDARD ERROR	3.8	3.9	17.0	9.4	*	21.1	3.9	28.0	16.2
% WITH CAPABILITY	64.7	74.8	6.1	17.9	1.0	6.3	75.6	2.6	10.8
BUSINESS									
ESTIMATED POPULATION	8025	15736	486	2262	3868	9985	16943	1072	11736
% STANDARD ERROR	6.2	4.4	28.6	12.4	10.2	6.2	4.0	19.5	5.8
% WITH CAPABILITY	17.6	34.5	1.1	5.0	8.5	21.9	37.2	2.4	25.8
PERSONAL									
ESTIMATED POPULATION	3703	11709	350	884	6862	12140	7158	607	71206
% STANDARD ERROR	10.1	5.6	32.4	21.0	7.5	5.5	7.1	25.9	1.6
% WITH CAPABILITY	3.6	11.3	0.3	0.9	6.6	11.8	7.0	0.6	68.9
INSTRUCTIONAL									
ESTIMATED POPULATION	175	1571	61	64	378	847	579	124	11470
% STANDARD ERROR	*	16.7	*	*	32.6	22.8	25.5	*	5.6
% WITH CAPABILITY	1.2	10.9	0.4	0.4	2.6	5.9	4.0	0.9	79.7
AERIAL APPLICATION									
ESTIMATED POPULATION	99	241	0	1	0	53	104	0	6986
% STANDARD ERROR	*	37.3	0.0	*	0.0	*	*	0.0	3.4
% WITH CAPABILITY	1.4	3.3	0.0	0.0	0.0	0.7	1.4	0.0	95.9
AERIAL OBSERVATION									
ESTIMATED POPULATION	133	439	7	34	286	219	433	5	3413
% STANDARD ERROR	48.1	27.4	*	*	37.3	44.3	27.2	*	10.4
% WITH CAPABILITY	2.9	9.6	0.2	0.7	6.2	4.8	9.5	0.1	74.6
OTHER WORK USE									
ESTIMATED POPULATION	29	99	0	2	0	108	24	15	1446
% STANDARD ERROR	*	*	0.0	*	0.0	*	*	*	15.1
% WITH CAPABILITY	1.8	6.0	0.0	0.1	0.0	6.5	1.4	0.9	88.1
COMMUTER AIR CARRIER									
ESTIMATED POPULATION	236	348	9	57	0	7	231	1	244
% STANDARD ERROR	31.8	22.7	*	38.2	0.0	45.2	36.9	*	33.0
% WITH CAPABILITY	33.8	49.3	1.3	8.2	0.0	0.9	33.0	0.2	34.9

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT
BY
PRIMARY USE
1985

PAGE 6 OF 6

PRIMARY USE	GUIDANCE AND CONTROL EQUIPMENT									
	FLIGHT DIRECT	HSI	EFIS	FLTMGT COMPT	1 AXIS AUTPLT	2 AXIS AUTPLT	3 AXIS AUTPLT	AUTO LAND	NO EQUIP	
AIR TAXI										
ESTIMATED POPULATION	1858	2929	109	405	165	1110	2725	114	1972	
% STANDARD ERROR	12.4	10.1	*	24.4	48.9	19.2	10.3	*	12.3	
% WITH CAPABILITY	28.8	45.4	1.7	6.3	2.6	17.2	42.3	1.8	30.6	
OTHER										
ESTIMATED POPULATION	871	1148	95	141	97	368	1092	8	3366	
% STANDARD ERROR	16.4	14.3	*	39.8	*	31.5	16.1	*	9.9	
% WITH CAPABILITY	16.6	21.9	1.8	2.7	1.8	7.0	20.8	0.1	64.2	
RENTAL										
ESTIMATED POPULATION	373	1186	0	85	521	1531	918	60	4426	
% STANDARD ERROR	33.4	18.7	0.0	*	28.3	16.8	20.5	*	9.7	
% WITH CAPABILITY	4.8	15.2	0.0	1.1	6.7	19.7	11.8	0.8	56.9	
INACTIVE										
ESTIMATED POPULATION	1773	3705	220	499	1728	1892	3377	193	49734	
% STANDARD ERROR	12.3	9.7	46.2	28.3	15.0	16.5	8.2	*	1.0	
% WITH CAPABILITY	3.0	6.3	0.4	0.9	2.9	3.2	5.7	0.3	84.7	
TOTAL										
ESTIMATED POPULATION	27315	51183	2265	7102	13947	29717	45389	2690	166039	
% STANDARD ERROR	2.4	2.0	12.3	6.4	5.2	3.3	1.8	12.5	0.7	
% WITH CAPABILITY	10.1	18.9	0.8	2.6	5.2	11.0	16.8	1.0	61.4	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BYAIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 1 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
* OTHER 1	7004.4	749.4	10.7
OTHER 2	2437.3	294.4	12.1
OTHER 3	845.6	170.3	20.1
OTHER 4	496.9	225.2	45.3
OTHER 5	636.7	395.8	62.2
OTHER 6	886.2	197.2	22.3
OTHER 7	1434.8	462.8	32.3
OTHER 8	873.4	163.6	18.7
OTHER 9	926.2	294.5	31.8
OTHER 10	1325.7	190.3	14.4
OTHER 11	477.2	226.0	47.3
OTHER 12	1015.0	273.8	27.0
OTHER 13	1052.3	229.1	21.8
ADAMS A50S	15.8	1.9	12.3
AERORSJ2	6.5	1.1	17.5
AEROSPAS355	29.8	86.0	288.1
AEROSPAS318	543.5	41.3	7.6
AGJSTA205	147.4	24.9	16.9
AGJSTAA109	56.3	6.5	11.5
AIRPTSA	616.5	63.1	10.2
AIRSPC18	8.0	1.7	21.6

*See Note on page 2-12

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 2 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
AIRTRCAT300	821.8	144.5	17.6
AIRTRCAT400	109.8	19.8	17.9
AMD FALC10	565.8	115.9	20.5
AMD FALC20	1423.8	204.4	14.4
AMD FALC50	203.7	36.8	18.1
AMTR TMK	85.4	24.8	29.1
ARCTICS1A	269.2	26.5	9.8
ARCTICS1B1	15.3	2.9	19.1
ARONCA15	247.8	91.8	37.0
ARONCA58	382.8	113.3	29.6
ARONCA65	487.7	241.4	49.5
ARONCAC3	73.9	10.3	14.0
AVIANWFALCON	3.0	0.5	18.3
AVIANWSKYHMK	9.0	1.4	15.5
AYRES S2	3039.8	355.6	11.7
BAC 111	355.8	28.1	7.9
BAG B206	58.3	11.2	19.3
BAG DH125	197.0	19.4	9.8
BALWKSFIREFY	273.5	57.8	21.1
BBAVIA11	1479.0	117.1	7.9
BBAVIA7	9470.1	633.5	6.7

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 3 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
BBAVIA8	280.5	52.1	18.6
BEECH 100	1180.7	164.4	13.9
BEECH 17	499.0	128.2	25.7
BEECH 18	7913.2	519.6	6.6
BEECH 1900	78.7	22.8	28.7
BEECH 200	1939.9	239.4	12.3
BEECH 23	5389.5	380.2	7.1
BEECH 300	18.0	1.8	10.2
BEECH 33	4035.5	319.3	7.9
BEECH 35	24171.0	820.7	3.4
BEECH 36	2051.2	265.6	12.9
BEECH 45	1527.5	246.7	16.2
BEECH 50	1901.3	291.1	15.3
BEECH 55	4848.9	405.5	8.4
BEECH 56	137.1	15.0	11.0
BEECH 58	2622.9	286.9	10.9
BEECH 60	851.1	104.7	12.3
BEECH 65	657.8	46.3	7.0
BEECH 76	317.2	33.6	10.6
BEECH 77	239.7	46.6	19.4
BEECH 80	890.2	59.4	6.7

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BYAIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 4 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
BEECH 90	4228.7	543.1	12.8
BEECH 95	1657.8	115.6	7.0
BEECH 99	1740.3	415.5	23.9
BELL 204	887.8	155.5	17.5
BELL 206	8128.0	1444.6	17.8
BELL 212	749.3	226.8	30.3
BELL 222	106.7	15.7	14.7
BELL 412	69.5	8.4	12.0
BELL 47	8633.9	1073.4	12.4
BLANCA11	104.5	7.3	7.0
BLANCA1413	414.4	35.3	8.5
BLANCA1419	520.9	23.4	4.5
BLANCA17	1469.1	79.7	5.4
BLANCA7	4147.6	380.6	9.2
BLANCA8	369.5	40.6	11.0
BNORM BN2	1043.5	182.9	17.5
BOEING707	1449.2	0.0	0.0
BOEING727	2030.4	135.5	6.7
BOEING75	8087.8	1311.0	16.2
BOLKMS105	252.1	78.8	31.3
BOLKMS117	6.2	4.3	68.8

TABLE 2 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BYAIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 5 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR %
BRASOVIS28	19 7	3 5	17 8
BRWSTRFLEET2	89 1	9 6	10 8
BRWSTRFLEET7	69 3	7 9	11 4
BUKER 131	29 3	3 3	11 3
CARRONMODELO	42 3	7 3	17 3
CASA C212	37 7	32 9	87 3
CESSNA120	3001 8	795 9	26 5
CESSNA140	6471 1	439 1	6 8
CESSNA150	57799 8	2106 4	3 6
CESSNA170	8691 6	1464 5	16 8
CESSNA172	55385 9	1663 0	3 0
CESSNA175	3185 2	285 2	8 3
CESSNA177	5510 2	347 4	6 3
CESSNA180	8330 5	573 2	6 9
CESSNA182	32516 1	2244 3	6 9
CESSNA185	4116 4	544 3	13 2
CESSNA188	3745 6	230 5	6 2
CESSNA190	209 0	12 7	6 1
CESSNA195	1469 0	121 4	8 3
CESSNA205	760 7	90 4	11 9
CESSNA206	6487 7	728 6	11 2

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS

BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 6 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
CESSNA207	1197.0	112.5	9.4
CESSNA210	11102.7	1062.1	9.6
CESSNA303	152.9	25.5	16.7
CESSNA305	1568.4	64.4	4.1
CESSNA310	10398.7	602.4	5.8
CESSNA320	902.8	116.2	12.9
CESSNA335	59.9	6.8	11.4
CESSNA336	183.7	9.2	5.0
CESSNA337	1999.7	206.6	10.3
CESSNA340	1896.7	204.4	10.8
CESSNA401	985.4	53.2	5.4
CESSNA402	3941.4	989.8	25.1
CESSNA404	661.2	121.7	18.4
CESSNA411	587.9	38.7	6.6
CESSNA414	1884.3	305.6	16.2
CESSNA421	3556.1	635.0	17.9
CESSNA425	156.9	26.0	16.6
CESSNA441	368.3	46.7	12.7
NAE	1477.3	231.8	15.7
NAE	93.5	23.3	24.9
NAE	54.5	8.5	15.5

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS

BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 7 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
CESSNAT50	235.0	33.6	14.3
CESSNAUC94	105.2	13.5	12.8
CHILD S1	24.7	4.1	16.5
CHILD S2	122.3	66.7	54.5
CNDATRCL600	84.1	9.7	11.5
COMWTH185	144.1	16.9	11.7
CONAERLA4	344.9	69.3	20.1
CURTISC46	996.8	174.4	17.5
CURTISJR	14.5	2.2	15.2
CURTISR08IN	34.5	8.7	25.3
CURTISTRVAIR	684.4	106.9	15.6
CVAC 240	495.0	275.0	55.6
CVAC 340	298.9	0.0	0.0
CVAC BT13	288.7	68.1	23.6
CVAC L13	18.9	7.5	39.8
CVAC STC580	705.5	118.9	16.8
DART G	27.3	3.0	11.1
DHAV DHC1	408.3	66.0	16.2
DHAV DHC2	1830.4	788.6	42.0
DHAV DHC3	189.6	28.9	15.2
DHAV DHC8	1397.7	196.4	14.1

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 8 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
DHAVXXDH82	253.5	30.5	12.0
DOUG A26	144.9	25.6	17.6
DOUG DC3	8179.0	2586.3	31.6
DOUG DC4	1857.9	248.3	15.0
DOUG DC6	1954.5	142.0	7.3
DOUG DC7	247.1	0.0	0.0
DOUG DC8	3639.4	0.0	0.0
DOUG DC9	578.7	156.1	27.1
EAGLE DW	41.7	5.4	13.0
EAGLEBAX7	0.9	0.1	9.1
EAGLEBC7	7.3	1.4	19.7
EIRVON20	61.3	6.7	10.9
EMAIR MA1	30.5	4.0	13.0
EMB 110	353.4	23.8	6.7
ENSTRMF28	628.4	81.2	13.0
FLEET 16B	34.7	5.1	14.8
FOKKERF27	194.4	0.0	0.0
FOKKERF28	36.2	0.0	0.0
FRCHLD24	599.0	46.9	7.8
FRCHLDC119	125.4	0.0	0.0
FRCHLDF27	498.6	105.7	21.2

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 9 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
FRCHLDN82	388.1	54.8	15.0
GENBALX6	4.7	1.9	40.4
GLASFL201	20.9	1.2	5.9
GLASFLH301	113.1	4.2	3.8
GROB 103CAT	30.8	8.3	20.4
GROB 109	14.5	2.8	19.5
GROB ASTIR	22.7	2.5	11.0
GRTLKS2T1	142.9	26.0	18.2
GRUMAVAA1	1007.5	73.4	7.3
GRUMAVAA5	1503.1	121.3	8.1
GRUMAVG1159	141.2	14.3	10.1
GRUMAVG164	4386.6	350.5	8.0
GRUMAVG21	458.5	56.8	12.4
GRUMAVTBM	114.2	15.1	13.2
GULSTM112	668.2	97.7	14.6
GULSTM500	1917.3	174.7	9.1
GULSTM520	223.8	16.3	7.3
GULSTM560	750.3	78.1	10.4
GULSTM680	1289.0	107.4	8.3
GULSTM680TP	413.4	60.9	14.7
GULSTM690TC	24.7	3.2	13.0

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 10 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
GULSTM690TP	1495.3	165.5	11.1
GULSTMAA1	926.7	51.3	5.5
GULSTMAA5	1131.5	94.2	8.3
GULSTMG1159	761.0	156.7	20.6
GULSTMG159	1383.7	156.9	11.3
GULSTMG44	553.1	120.1	21.7
GULSTMG73	251.8	20.4	8.1
GULSTMGA7	79.4	13.7	17.3
H23/HTE	249.4	37.7	15.1
H34/55	99.1	8.6	8.7
HELIO H295	237.0	47.4	20.0
HELIO H391	58.9	11.9	20.2
HILLERFH1100	135.2	50.0	37.0
HILLERUH12	3062.2	239.6	7.8
HUGHES269	2880.2	850.2	29.5
HUGHES369	1366.6	318.7	23.3
HWKSLYDH104	123.8	22.6	18.3
HWKSLYDH125	918.4	180.6	19.7
HYNES B2	137.1	15.4	11.2
INTRCP200	58.8	2.2	3.8
ISRAEL 1121	630.5	51.1	8.1

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 11 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
ISRAEL 1123	74.2	6.7	9.0
ISRAEL 1124	398.6	40.0	10.0
JBMSTRDGA15	166.2	12.6	7.6
LAIKFN10	16.3	2.4	14.7
LEAR 23	388.8	37.2	9.6
LEAR 24	916.7	90.3	9.9
LEAR 25	1472.9	211.8	14.4
LEAR 35	1090.7	201.9	18.5
LEAR 55	103.7	12.5	12.0
LET L13	187.6	59.7	31.8
LKHEED12A	140.4	26.0	18.5
LKHEED1329	456.6	48.0	10.5
LKHEED18	680.5	27.2	4.0
LKHEED188	167.6	0.0	0.0
LKHEEDPV1	85.5	19.9	23.3
LKHEEDT33	138.2	32.3	23.3
LUSCOM8	5440.9	446.3	8.2
MARTIN404	1470.5	39.9	2.7
MAULE M4	393.7	74.8	19.0
MAULE M5	558.4	143.9	25.8
MAULE M6	31.7	11.1	35.0

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 12 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
MCLISHFUNK8	603.9	249.7	41.3
MEYERSOTW	105.3	12.8	12.1
MNCOU90	100.5	15.3	15.2
MMITEM18	159.0	17.7	11.1
MOONEYM20	11200.4	670.5	3.0
MRCHTIS205	41.4	7.0	16.8
MTSBSIMU2	1178.2	181.7	15.4
MTSBSIMU300	53.8	11.7	21.8
MULTECD16	83.4	14.3	17.2
NAMER B25	204.7	18.2	8.9
NAMER F51	231.6	38.4	16.6
NAMER NA260	135.2	27.9	20.6
NAMER T6	3487.9	671.3	19.2
NATBAL752	2.7	0.4	14.5
NAVAL N3N	598.4	158.3	26.5
NAVIONNAVION	1540.2	119.9	7.8
NORD SV4	73.9	6.2	8.3
NORWST65	151.1	10.5	7.0
ORLHELH19	386.8	54.1	14.0
ORLHEL58	496.4	0.0	0.0
PARTENP88	23.0	2.9	12.8

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BYAIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 13 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
PICARDX8	34.4	7.6	22.2
PILATSB4	10.1	1.6	16.2
PIPER 600	386.5	85.0	21.4
PIPER E2	19.8	1.1	5.5
PIPER J2	97.9	10.9	11.1
PIPER J3	12839.9	1145.8	8.9
PIPER J4	402.8	46.3	11.5
PIPER J5	978.3	55.9	5.7
PIPER PA12	2872.8	206.8	7.2
PIPER PA14	276.6	37.6	13.6
PIPER PA15	321.8	23.5	7.3
PIPER PA16	713.9	58.7	8.2
PIPER PA17	207.0	23.7	11.5
PIPER PA18	9112.9	994.7	10.9
PIPER PA20	1063.7	96.2	9.0
PIPER PA22	12822.8	983.3	7.6
PIPER PA23	13180.4	843.3	6.4
PIPER PA24	9573.0	481.3	5.0
PIPER PA25	3557.3	300.8	8.5
PIPER PA28	54886.0	2282.2	4.2
PIPER PA30	3749.0	257.6	6.9

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS

BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 14 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
PIPER PA31	5024.3	596.8	11.9
PIPER PA31T	1290.6	141.7	11.0
PIPER PA32	8257.8	650.1	7.9
PIPER PA34	3836.8	336.9	8.8
PIPER PA36	773.3	110.2	14.3
PIPER PA38	2630.2	280.6	10.7
PIPER PA42	96.7	11.7	12.1
PIPER PA44	675.4	159.0	23.5
PIPER PA46	45.3	6.7	14.9
PRATT PRG1	8.1	2.1	26.5
PROPTJ200	119.9	5.3	4.5
RAVEN RX6	34.7	6.0	17.4
RAVEN S50	183.6	80.8	44.0
RAVEN S55	115.8	14.3	12.3
RAVEN S60	32.8	4.1	12.5
RAVEN S66	9.2	1.8	19.5
RKWELL500	103.9	10.1	9.7
RKWELL700	29.0	3.1	10.6
RKWELLNA265	1739.9	205.9	11.8
ROBSINR22	222.2	46.7	21.0
ROLSCHLS	38.8	9.5	24.5

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 15 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
RYAN ST3	486.6	59.7	12.3
RYAN STA	68.4	7.0	10.3
SCHLERASK21	10.6	1.5	14.4
SCHLERASW15	32.3	3.8	11.8
SCHLERASW19	30.4	3.7	12.2
SCHLERASW20	44.1	6.3	14.2
SCHLERK8	23.5	2.1	9.0
SCHLERKA6	67.7	9.5	14.0
SCWZERG184	1351.5	169.4	12.5
SCWZERSG1	747.7	131.9	17.6
SCWZERSG2	1127.0	157.4	14.0
SEMO CLINGER	5.8	1.0	17.3
SEMO MODEL T	8.9	1.6	18.1
SKRSKYS55	182.5	32.1	17.6
SKRSKYS58	346.5	36.8	10.6
SKRSKYS58T	174.2	4.7	2.7
SKRSKYS76	245.1	25.5	10.4
SLINDS100	478.9	40.0	8.4
SMITH 600	692.0	85.0	12.3
SNIAS 350	415.3	67.2	16.2
SNIAS SA341	125.0	9.9	7.9

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 16 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR ERROR (%)
SOCATAMS894	31.5	5.1	16.2
SOCATARALLYE	10.6	1.3	12.5
SPHRTHCIRRU	108.1	19.6	18.5
SPHRTNIMBUS	27.4	5.7	20.8
SPHRTHVENTUS	19.4	3.0	15.6
STBROSSD3	417.2	0.0	0.0
STNSON10	288.3	35.3	12.2
STNSONL5	259.5	34.2	13.2
STNSONSR9	88.4	4.4	5.0
STNSONV77	173.8	11.7	6.7
STOLAMRC3	244.0	27.3	11.2
SUPAC LA	127.2	17.7	13.9
SUPAC V	22.8	1.9	8.4
SWRNGNSA226	1037.5	120.5	11.6
SWRNGNSA227	181.9	35.6	19.6
SWRNGNSA26	602.9	83.8	13.9
TCRAFK21	6.3	0.8	13.3
TCRAFKD	484.8	90.5	18.7
TCRAFTA	36.9	4.3	11.5
TCRAFTBC	5863.7	1652.3	28.2
TCRAFTBF	80.5	5.8	7.1

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS
BY
AIRCRAFT MANUFACTURER/MODEL GROUP
1985

PAGE 17 OF 17

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE [IN THOUSANDS]	STANDARD ERROR [IN THOUSANDS]	STANDARD ERROR (%)
TCRAFTBL	648.6	76.0	11.7
TEMCO 11A	42.4	6.2	14.7
TH55	143.3	2.4	1.7
THUNDRAX7	12.4	2.6	20.6
TMPSONNAVION	1761.6	119.9	6.8
TRYTEK65	604.0	73.1	12.1
TRYTEKK	35.9	3.7	10.3
UNIVACGC1	1645.7	603.9	36.7
UNIVAR108	4314.8	290.3	6.7
UNIVAR415	4102.5	229.3	5.6
VARGA 2150	137.9	39.2	28.4
WACO ASO	96.9	11.5	11.9
WACO GXE	58.5	8.8	15.1
WACO R	48.4	6.0	12.5
WACO UPF7	559.7	38.4	6.9
WACO YK	149.2	11.6	7.8
WSK M18	20.5	7.8	38.2
WTHRLY201	111.9	13.2	11.8
TOTAL AIRCRAFT	666188.9	7335.7	1.1

TABLE 2 - 20

GENERAL AVIATION MEAN HOURS AND ACTIVE ENGINES
BY ENGINE MANUFACTURER/MODEL GROUP
1985

PAGE 1 OF 2

ENGINE MANUFACTURER/ MODEL GROUP	ESTIMATE OF ACTIVE POPULATION	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	ESTIMATE OF MEAN HOURS	PERCENT STANDARD ERROR
ALLSN 250C	1762	7.48	81.42	469	12.70
ALLSN 501D	75	17.70	39.85	584	20.45
AMTRMCCJLH	163	36.41	35.99	44	30.14
ARSROHTE731	466	1.71	99.17	364	10.80
ARSROHTE331	579	4.78	93.31	342	11.06
CONT 6285	100	25.49	67.33	59	62.31
CONT A40	19	111.53	13.82	13	9.68
CONT A65	5418	5.00	55.12	47	6.94
CONT A75	1216	10.76	57.49	42	12.17
CONT A80	16	74.69	20.02	40	14.59
CONT C125	219	21.04	56.23	52	23.83
CONT C145	1898	6.00	83.84	78	22.57
CONT C85	3592	6.30	57.94	47	7.72
CONT C90	1621	9.43	62.63	62	21.45
CONT E185	1462	8.13	70.68	66	12.30
CONT E225	1219	8.95	81.47	78	13.50
CONT 0200	11962	2.96	79.17	113	7.31
CONT 0300	8426	3.11	83.38	95	9.99
CONT 0346	811	6.16	98.29	70	28.82
CONT 0360	3143	4.14	85.99	115	9.11
CONT 0470	24226	1.42	88.90	126	4.75
CONT 0520	26816	1.34	88.01	208	3.73
CONT R670	603	11.92	56.18	68	15.18
DHAVXXGIPSY	52	23.21	51.00	35	21.48
FCD 6440	173	15.88	49.71	36	21.28
FRNKLN4AC150	22	10.56	97.33	12	45.83
FRNKLN4AC176	62	44.32	33.72	57	14.49
FRNKLN4AC199	59	38.43	37.00	39	9.54
FRNKLNSA4150	376	27.41	36.78	63	20.21
FRNKLNSA4165	518	22.51	45.50	39	25.15
FRNKLNSA8215	66	37.70	32.11	59	21.18
FRNKLNSAV335	101	13.45	88.26	51	22.06
FRNKLNSAV350	214	7.11	93.91	74	22.38
FRNKLNSV4	138	27.77	71.33	315	50.14
FRNKLNSV6245	6	70.75	32.04	33	17.04
FRNKLNSV5335	51	23.53	82.21	142	56.50
GE CF700	434	4.18	95.19	420	6.99
GE CJ610	746	5.71	84.43	336	11.91
GE CT58	19	25.78	83.01	75	0.00
GLADENK5	1	431.93	2.31	15	0.00
GLADENR5	99	22.49	53.36	43	32.08
JACOBPR755	141	56.65	32.74	88	29.35

TABLE 2 - 20

GENERAL AVIATION MEAN HOURS AND ACTIVE ENGINES
BY ENGINE MANUFACTURER/MODEL GROUP
1985

PAGE 2 OF 2

ENGINE MANUFACTURER/ MODEL GROUP	ESTIMATE OF ACTIVE POPULATION	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	ESTIMATE OF MEAN HOURS	PERCENT STANDARD ERROR
JAC08SR755	125	22.97	33.38	48	23.68
JAC08SR915	54	29.85	69.93	44	9.76
LYC 0540	6952	3.32	82.82	148	7.23
LYC LTS101	141	8.72	89.48	413	11.51
LYC 0145	366	14.37	44.26	36	17.41
LYC 0235	10273	2.59	82.97	261	7.48
LYC 0290	1887	8.05	57.04	58	10.29
LYC 0320	33767	1.52	82.91	151	4.56
LYC 0340	32	98.37	23.18	33	24.94
LYC 0360	25203	1.22	90.19	135	4.39
LYC 0435	976	8.87	63.85	277	30.36
LYC 0480	884	6.24	62.64	142	6.29
LYC 0540	12628	2.39	83.93	205	6.02
LYC 0541	1036	5.00	88.91	127	11.83
LYC 0720	265	5.34	97.22	173	26.96
LYC R680	359	14.54	55.08	109	37.89
LYC T53	22	27.81	46.36	252	9.26
MAAS00C4	7	34.86	31.62	32	17.81
ONAN B48	24668	2.14	66.03	261	3.23
POKARDV1850	75	17.69	78.61	39	29.41
PWA JT12	393	4.23	88.01	317	6.74
PWA JT15	1122	1.47	99.03	304	6.10
PWA JT30	23	81.40	9.23	154	0.00
PWA JT8	192	5.78	92.59	282	16.71
PWA PT6	2838	3.07	87.01	396	5.05
PWA PT6T	21	23.32	76.04	172	4.55
PWA R1340	1965	5.21	82.12	287	6.82
PWA R1830	355	21.63	63.34	174	49.53
PWA R2000	111	13.43	64.01	200	9.99
PWA R2800	230	25.32	32.15	112	7.65
PWA R985	1902	6.59	51.38	340	8.29
RROYCEDART	261	8.60	71.70	432	13.38
RROYCEGIPSY	6	61.03	8.70	100	0.00
RROYCEVIPER	87	10.81	92.31	347	22.65
ALL ENGINES	239661	0.52	78.69	173	1.38

NOTE: ENGINE MANUFACTURER/MODEL GROUPS FOR WHICH SEPARATE ESTIMATES ARE NOT AVAILABLE ARE NOT LISTED IN THE TABLE, BUT ARE INCLUDED IN THE "ALL ENGINES" ESTIMATES.

TABLE 2 - 21

GENERAL AVIATION FUEL CONSUMPTION
BY AIRCRAFT TYPE
1985

AIRCRAFT TYPE	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
FIXED WING			
PISTON			
1 ENG 1-3 SEATS	10.16	82.47	3.0
1 ENG 4+ SEATS	11.23	168.91	4.3
TOTAL 1 ENG	10.87	251.38	5.3
2 ENG 1-6 SEATS	27.53	75.39	4.0
2 ENG 7+ SEATS	36.64	82.27	6.9
TOTAL 2 ENG	31.54	157.67	8.0
OTHER PISTON	148.50	4.37	1.5
TOTAL PISTON	14.26	413.42	9.6
TURBOPROP			
2 ENG 1-12 SEATS	79.73	117.77	6.1
2 ENG 13+ SEATS	117.85	68.99	8.6
TOTAL 2 ENG	86.76	186.76	10.5
OTHER TURBOPROP	46.88	3.77	0.3
TOTAL TURBOPROP	85.18	190.53	10.5
TURBOJET			
2 ENG	238.96	376.26	17.4
OTHER	527.26	67.11	8.2
TOTAL TURBOJET	265.52	443.37	19.2
TOTAL FIXED WING	26.70	1047.32	23.9
ROTORCRAFT			
PISTON	13.84	7.65	1.1
TURBINE	31.53	57.13	4.8
TOTAL ROTORCRAFT	26.52	64.77	4.9
OTHER	3.65	0.39	0.2
TOTAL AIRCRAFT	26.69	1112.48	24.4
TOTAL JET FUEL	117.00	691.02	22.4
TOTAL AVIATION GASOLINE	14.25	421.46	9.7

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 1 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
*			
OTHER 1	8.175	3.593	0.523
OTHER 2	9.665	1.568	0.366
OTHER 3	25.673	0.476	0.128
OTHER 4	54.737	1.610	0.717
OTHER 5	51.800	0.673	0.489
OTHER 6	82.301	4.651	1.517
OTHER 7	191.065	11.509	5.719
OTHER 8	46.757	1.252	0.163
OTHER 9	193.222	29.348	7.902
OTHER 10	556.613	13.894	2.100
OTHER 11	6.597	0.315	0.130
OTHER 12	45.086	3.571	1.484
OTHER 13	2.783	0.350	0.151
ADAMS A50S	0.000	0.000	0.000
AERORSJ2	9.021	0.002	0.001
AEROSPAS355	52.237	0.464	0.739
AEROSPSA316	55.000	2.016	1.372
AGUSTA205	84.161	0.242	0.138
AGUSTAA109	56.386	0.590	0.142
AIRPTSA	16.181	0.165	0.038
AIRSPC18	10.027	0.001	0.001

*See Note on page 2-12

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 2 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
AIRTRCAT300	32.946	4.427	0.635
AIRTRCAT400	0.000	0.000	0.000
AMD FALC10	227.928	12.810	1.309
AMD FALC20	370.928	32.424	3.902
AMD FALC50	318.721	18.864	2.641
AMTR TMK	0.000	0.000	0.000
ARCRNEH37	0.000	0.000	0.000
ARCTICS1A	4.487	0.010	0.004
ARCTICS1B1	6.874	0.002	0.001
ARONCA15	8.327	0.048	0.020
ARONCA58	4.218	0.027	0.010
ARONCA65	5.477	0.016	0.011
ARONCAC3	4.196	0.001	0.001
AVIANWFALCON	0.000	0.000	0.000
AVIANWSKYHMK	0.000	0.000	0.000
AYRES S2	35.732	8.234	1.462
BAC 111	603.125	6.079	1.584
BAG B206	38.952	0.065	0.015
BAG DH125	226.502	6.873	0.742
BALWKSFIREFY	0.000	0.000	0.000
BBAVIA11	4.557	0.128	0.028

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 3 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
BBAVIA7	6.125	0.847	0.115
BBAVIA8	8.330	0.257	0.047
BEECH 100	81.416	6.213	1.223
BEECH 17	22.441	0.107	0.017
BEECH 18	50.575	11.970	2.114
BEECH 1900	104.207	1.203	0.499
BEECH 200	94.983	31.867	2.642
BEECH 23	10.397	3.060	0.485
BEECH 300	104.360	1.578	0.131
BEECH 33	13.219	3.299	0.515
BEECH 35	13.094	8.505	0.692
BEECH 36	15.278	5.204	0.466
BEECH 45	12.536	0.386	0.076
BEECH 50	31.672	0.733	0.185
BEECH 55	26.786	6.715	0.855
BEECH 56	36.289	0.088	0.032
BEECH 58	31.937	11.943	1.625
BEECH 60	41.470	2.484	0.488
BEECH 65	39.392	0.824	0.134
BEECH 76	18.995	1.296	0.160
BEECH 77	6.158	0.368	0.122

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 4 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
BEECH 80	42.730	0.996	0.128
BEECH 90	72.666	24.258	3.588
BEECH 95	19.342	0.931	0.152
BEECH 99	83.556	10.804	2.538
BELL 204	65.820	1.315	0.219
BELL 206	26.164	25.080	3.209
BELL 212	100.000	3.505	1.748
BELL 222	78.278	2.370	0.407
BELL 412	111.408	1.948	0.283
BELL 47	16.624	2.765	0.750
BLANCA11	4.870	0.010	0.003
BLANCA1413	8.204	0.042	0.012
BLANCA1419	12.026	0.151	0.022
BLANCA17	14.382	1.040	0.132
BLANCA7	7.132	1.395	0.295
BLANCA8	9.717	0.430	0.082
BNORM BN2	24.896	1.108	0.375
BOEING707	1985.000	2.038	3.775
BOEING727	1244.340	21.844	6.262
BOEING75	17.475	1.280	0.392
BOLKMS105	60.146	2.820	1.086

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 5 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
BOLKMS117	70.099	0.123	0.119
BRASOVIS28	0.000	0.000	0.000
BRWSTFLEET2	8.147	0.002	0.001
BRWSTFLEET7	8.826	0.003	0.001
BUKER 131	9.383	0.006	0.002
CAMRONMODELO	0.000	0.000	0.000
CASA C212	114.736	2.195	1.515
CESSNA120	5.304	0.164	0.028
CESSNA140	5.401	0.375	0.061
CESSNA150	6.078	20.062	1.456
CESSNA170	8.216	1.385	0.280
CESSNA172	8.352	31.895	1.924
CESSNA175	9.831	0.458	0.091
CESSNA177	9.703	3.220	0.450
CESSNA180	12.380	4.705	0.846
CESSNA182	12.555	19.432	1.292
CESSNA185	15.377	4.680	1.292
CESSNA188	18.281	7.813	0.949
CESSNA190	14.101	0.051	0.010
CESSNA195	14.873	0.233	0.096
CESSNA205	12.341	0.275	0.085

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 6 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
CESSNA206	15.515	8.088	1.175
CESSNA207	15.136	2.117	0.615
CESSNA210	15.894	14.892	1.553
CESSNA303	28.374	1.276	0.212
CESSNA305	11.382	0.370	0.031
CESSNA310	26.788	13.100	1.873
CESSNA320	27.999	1.049	0.247
CESSNA335	33.130	0.501	0.097
CESSNA336	18.039	0.082	0.015
CESSNA337	22.038	2.544	0.440
CESSNA340	34.247	6.657	1.157
CESSNA401	34.030	1.225	0.310
CESSNA402	32.067	7.252	1.941
CESSNA404	43.403	2.190	0.640
CESSNA411	36.393	0.280	0.067
CESSNA414	35.994	7.727	2.247
CESSNA421	42.033	10.464	1.345
CESSNA425	63.810	2.473	0.893
CESSNA441	71.413	6.663	1.885
CESSNA500	166.270	26.327	3.272
CESSNA501	160.407	2.509	0.745

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 7 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
CESSNA650	221.963	7.494	1.017
CESSNA750	31.456	0.025	0.006
CESSNAUC94	9.100	0.006	0.002
CHILD S1	11.001	0.041	0.011
CHILD S2	13.664	0.216	0.046
CHDAIRCL600	360.961	9.620	1.303
COMWTH185	4.963	0.005	0.002
CONAERLA4	10.796	0.328	0.087
CURTISC46	229.638	0.309	0.207
CURTISJR	4.714	0.000	0.000
CURTISR0BIN	11.600	0.001	0.001
CURTISTRVAIR	14.005	0.019	0.005
CVAC 240	0.000	0.000	0.000
CVAC 340	350.000	0.546	0.345
CVAC 440	0.000	0.000	0.000
CVAC BT13	28.058	0.067	0.026
CVAC L13	4.000	0.000	0.000
CVAC STC580	330.000	9.265	3.054
DART G	8.519	0.002	0.001
DHAV DHC1	10.209	0.025	0.008
DHAV DHC2	21.624	0.479	0.352

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 8 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
DHAV DHC3	35.272	0.362	0.101
DHAV DHC8	87.501	7.370	1.878
DHAVXXDH82	7.313	0.011	0.003
DOUG A26	161.944	0.060	0.041
DOUG DC3	97.150	6.579	4.804
DOUG DC4	223.394	1.754	0.612
DOUG DC6	429.772	1.948	1.217
DOUG DC7	0.000	0.000	0.000
DOUG DC8	0.000	0.000	0.000
DOUG DC9	1086.235	6.159	1.928
EAGLE DW	17.945	0.340	0.110
EAGLEBAX7	0.000	0.000	0.000
EAGLEBC7	0.000	0.000	0.000
EIRVON20	3.000	0.015	0.002
ENAIR MA1	52.000	0.068	0.057
EMB 110	49.745	2.045	0.938
ENSTRMF28	14.511	0.946	0.153
FLEET 18B	7.857	0.003	0.001
FOKKERF27	225.000	1.426	0.000
FOKKERF28	0.000	0.000	0.000
FRCHLD24	10.736	0.054	0.010

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 9 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
FRCHLDC119	0.000	0.000	0.000
FRCHLDF27	225.971	2.100	0.579
FRCHLDM62	11.521	0.076	0.025
GENBALAX6	0.000	0.000	0.000
GLASFL201	0.000	0.000	0.000
GLASFLH301	0.000	0.000	0.000
GR0B 103CAT	0.000	0.000	0.000
GR0B 109	3.710	0.025	0.005
GR0B ASTIR	0.000	0.000	0.000
GRTLKS2T1	10.625	0.110	0.019
GRUMAVAA1	6.572	0.307	0.059
GRUMAVAA5	9.666	1.269	0.190
GRUMAVG1159	422.677	7.571	0.813
GRUMAVG164	29.564	11.995	1.164
GRUMAVG21	39.759	0.180	0.049
GRUMAVTBM	0.000	0.000	0.000
GULSTM112	12.345	0.871	0.140
GULSTM500	29.711	1.906	0.357
GULSTM520	25.933	0.048	0.012
GULSTM560	32.142	0.329	0.126
GULSTM880	43.457	0.943	0.191

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 10 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
GULSTM680TP	65.313	0.982	0.308
GULSTM690TC	79.956	0.483	0.080
GULSTM690TP	77.396	9.631	1.430
GULSTMAA1	6.377	0.253	0.027
GULSTMAA5	8.588	0.609	0.120
GULSTMG1159	447.276	37.849	5.736
GULSTMG159	256.177	7.708	2.423
GULSTMG44	25.236	0.371	0.199
GULSTMG73	95.343	0.172	0.062
GULSTMGA7	17.141	0.114	0.035
H23/HTE	20.672	0.063	0.019
H34/55	0.000	0.000	0.000
HELIO H295	14.369	0.170	0.039
HELIO H391	12.960	0.010	0.007
HILLERFH1100	21.770	0.154	0.047
HILLERUH12	22.306	1.491	0.258
HUGHES269	11.077	1.851	0.746
HUGHES369	24.803	4.127	1.451
HMKSLYDH104	44.177	0.061	0.046
HMKSLYDH125	287.933	12.925	2.378
HYNES B2	9.720	0.011	0.008

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 11 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
INTRCP200	13.773	0.019	0.004
ISRAEL1121	307.454	5.183	2.840
ISRAEL1123	326.071	0.848	0.385
ISRAEL1124	232.946	23.023	4.263
JBWSTRDGA15	24.529	0.026	0.007
LAIFN10	0.000	0.000	0.000
LEAR 23	268.422	3.043	1.247
LEAR 24	245.819	18.979	5.631
LEAR 25	278.689	26.850	5.613
LEAR 35	201.191	40.253	6.622
LEAR 55	201.510	9.175	1.136
LET L13	0.000	0.000	0.000
LKHEED12A	43.783	0.007	0.002
LKHEED1329	452.397	10.474	1.273
LKHEED18	0.000	0.000	0.000
LKHEED188	700.000	0.946	0.051
LKHEED382	0.000	0.000	0.000
LKHEEDPV1	147.595	0.099	0.052
LKHEEDT33	5.000	0.001	0.001
LUSCOM8	5.191	0.251	0.051
MARTIN404	200.000	0.040	0.041

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 12 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
MAULE M4	10.531	0.127	0.027
MAULE M5	13.236	0.514	0.119
MAULE M6	10.988	0.082	0.017
MCLISHFUNKB	5.032	0.011	0.005
MEYERSOTW	10.344	0.003	0.002
MNCOUP90	7.504	0.006	0.003
MNMITM18	4.207	0.007	0.002
MOONEYM20	10.430	7.522	0.707
MRCHTIS205	12.593	0.017	0.004
MTSBSIMU2	77.596	5.735	1.230
MTSBSIMU300	168.238	4.400	0.961
MULTECD16	18.869	0.018	0.006
NAMER B25	0.000	0.000	0.000
NAMER F51	60.603	0.283	0.074
NAMER NA260	30.000	0.047	0.022
NAMER T6	29.387	0.833	0.140
NATBAL752	0.000	0.000	0.000
NAVAL N3N	14.157	0.051	0.033
NAVIONNAVION	11.953	0.371	0.084
NORD SV4	7.388	0.015	0.003
NORWST65	4.336	0.004	0.001

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 14 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
PIPER PA25	15.233	3.131	0.520
PIPER PA28	9.567	28.358	1.570
PIPER PA30	17.064	2.148	0.263
PIPER PA31	36.982	18.984	2.650
PIPER PA31T	75.605	11.835	1.524
PIPER PA32	15.723	10.537	1.006
PIPER PA34	23.471	10.867	1.285
PIPER PA36	22.145	1.733	0.372
PIPER PA38	5.619	2.124	0.419
PIPER PA42	88.925	2.320	0.319
PIPER PA44	18.574	2.138	0.707
PIPER PA46	17.906	0.498	0.090
PRATT PRG1	0.000	0.000	0.000
PROPT200	14.484	0.100	0.020
RAVEN RX6	0.000	0.000	0.000
RAVEN S50	0.000	0.000	0.000
RAVEN S55	0.000	0.000	0.000
RAVEN S60	0.000	0.000	0.000
RAVEN S66	0.000	0.000	0.000
RKWE1500	31.468	0.381	0.044
RKWE1700	39.474	0.126	0.029

**GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985**

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
RKWNLLNA285	287.513	48.718	4.827
ROBSINR22	7.917	0.450	0.122
ROLSCHLS	0.000	0.000	0.000
RYAN ST3	10.471	0.039	0.016
RYAN STA	8.884	0.002	0.001
SCHLERASK21	0.000	0.000	0.000
SCHLERASW15	0.000	0.000	0.000
	0.000	0.000	0.000
		0.000	0.000

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 18 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
SMITH 600	33.687	1.217	0.265
SNIAS 350	35.659	3.122	0.531
SNIAS SA318	0.000	0.000	0.000
SNIAS SA341	43.408	0.057	0.016
SOCATAMS894	10.030	0.022	0.006
SOCATARALLYE	9.471	0.017	0.005
SPHRTHCIRRUS	0.000	0.000	0.000
SPHRTINIMBUS	0.000	0.000	0.000
SPHRTVENTUS	0.000	0.000	0.000
STBROSSD3	142.000	5.205	2.628
STNSON10	6.463	0.005	0.003
STNSONL5	12.050	0.028	0.010
STNSONSR8	15.218	0.003	0.001
STNSONV77	16.345	0.023	0.004
STOLAMRC3	14.137	0.061	0.026
SUPAC LA	5.588	0.008	0.005
SUPAC V	5.228	0.002	0.001
SWRNGNSA226	86.043	9.880	1.930
SWRNGNSA227	96.948	4.911	1.609
SWRNGNSA26	72.052	1.662	0.321
TCRAFK21	6.017	0.013	0.002

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 17 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
TCRAFKD	4.312	0.018	0.007
TCRAFTA	5.000	0.001	0.001
TCRAFTBC	4.188	0.203	0.047
TCRAFTBF	4.242	0.004	0.001
TCRAFTBL	3.784	0.016	0.002
TEMCO 11A	10.368	0.003	0.001
TH55	11.595	0.048	0.019
THUNDRAX7	0.000	0.000	0.000
TMPSONNAVION	12.842	0.382	0.035
TRYTEK65	4.656	0.034	0.013
TRYTEKK	4.000	0.000	0.000
UNIVACGC1	8.720	0.175	0.042
UNIVAR108	10.717	1.786	0.931
UNIVAR415	5.014	0.257	0.042
VARGA 2150	8.741	0.063	0.018
WACO ASO	11.948	0.003	0.001
WACO GXE	7.400	0.002	0.001
WACO R	7.882	0.001	0.000
WACO UPF7	13.623	0.060	0.012
WACO YK	14.026	0.005	0.001
WSK M18	0.000	0.000	0.000

TABLE 2 - 22

GENERAL AVIATION FUEL CONSUMPTION
BY MANUFACTURER/MODEL GROUP
1985

PAGE 18 OF 18

MANUFACTURER/MODEL GROUP	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
WTHRLY201	22.549	0.306	0.124
TOTALS	26.690	1112.480	24.40

TABLE 2 - 23

GENERAL AVIATION FUEL CONSUMPTION
BY AIRCRAFT TYPE AND FUEL GRADE
1985

PAGE 1 OF 3

AIRCRAFT TYPE	FUEL GRADE					TOTAL
	80 OCTANE	100 OCTANE	100 LOWLEAD	AUTO GAS	JET FUEL	
FIXED WING						
PISTON						
1 ENG 1-3 SEATS						
MEAN GPH	8.85	12.50	8.58	12.36	0.00	10.16
FUEL USE (mil gal)	15.69	19.35	29.16	18.38	0.00	82.47
STD ERROR (mil gal)	1.32	1.71	2.54	1.93	0.00	3.00
1 ENG 4+ SEATS						
MEAN GPH	10.18	11.77	11.21	9.54	0.00	11.23
FUEL USE (mil gal)	18.47	53.47	90.17	7.08	0.00	168.91
STD ERROR (mil gal)	1.03	1.99	2.80	0.32	0.00	4.32
TOTAL 1 ENG						
MEAN GPH	9.45	11.95	10.45	11.21	0.00	10.87
FUEL USE (mil gal)	34.15	72.82	119.33	25.46	0.00	251.38
STD ERROR (mil gal)	1.67	2.62	3.78	1.96	0.00	5.25
2 ENG 1-6 SEATS						
MEAN GPH	21.77	27.09	27.83	15.93	0.00	27.53
FUEL USE (mil gal)	0.63	28.69	45.08	0.04	0.00	75.39
STD ERROR (mil gal)	0.28	2.08	3.27	0.01	0.00	3.99
2 ENG 7+ SEATS						
MEAN GPH	42.14	35.84	35.65	42.99	0.00	36.64
FUEL USE (mil gal)	0.23	33.88	46.79	0.22	0.00	82.27
STD ERROR (mil gal)	0.05	3.81	5.06	0.08	0.00	6.88
TOTAL 2 ENG						
MEAN GPH	25.36	30.94	31.19	29.88	0.00	31.54
FUEL USE (mil gal)	0.86	63.57	91.87	0.26	0.00	157.67
STD ERROR (mil gal)	0.29	4.34	6.02	0.08	0.00	7.96
OTHER PISTON						
MEAN GPH	72.51	275.46	103.18	0.00	0.00	148.50
FUEL USE (mil gal)	0.02	3.06	1.38	0.00	0.00	4.37
STD ERROR (mil gal)	0.02	1.70	0.98	0.00	0.00	1.45
TOTAL PISTON						
MEAN GPH	9.57	18.57	14.32	11.27	0.00	14.26
FUEL USE (mil gal)	35.03	139.45	212.59	25.72	0.00	413.42
STD ERROR (mil gal)	1.70	5.35	7.18	1.96	0.00	9.65

TABLE 2 - 23

GENERAL AVIATION FUEL CONSUMPTION
BY AIRCRAFT TYPE AND FUEL GRADE
1985

PAGE 2 OF 3

AIRCRAFT TYPE		FUEL GRADE					TOTAL
		80 OCTANE	100 OCTANE	100 LOWLEAD	AUTO GAS	JET FUEL	
TURBOPROP							
2 ENG 1-12 SEATS	MEAN GPH						
	FUEL USE (mil gal)						
	STD ERROR (mil gal)						
2 ENG 13+ SEATS	MEAN GPH						
	FUEL USE (mil gal)						
	STD ERROR (mil gal)						
TOTAL 2 ENG	MEAN GPH						
	FUEL USE (mil gal)						
	STD ERROR (mil gal)						
OTHER TURBOPROP	MEAN GPH						
	FUEL USE (mil gal)						
	STD ERROR (mil gal)						
TOTAL TURBOPROP	MEAN GPH						
	FUEL USE (mil gal)						
	STD ERROR (mil gal)						
TURBOJET							
2 ENG	MEAN GPH						
	FUEL USE (mil gal)						
	STD ERROR (mil gal)						
OTHER	MEAN GPH						
	FUEL USE (mil gal)						
	STD ERROR (mil gal)						
TOTAL TURBOJET	MEAN GPH						
	FUEL USE (mil gal)						
	STD ERROR (mil gal)						

TABLE 2 - 23

GENERAL AVIATION FUEL CONSUMPTION
BY AIRCRAFT TYPE AND FUEL GRADE
1985

PAGE 3 OF 3

AIRCRAFT TYPE	FUEL GRADE						TOTAL
	80 OCTANE	100 OCTANE	100 LOWLEAD	AUTO GAS	JET FUEL		
TOTAL FIXED WING							
MEAN GPH	9.57	16.57	14.32	11.27	161.75		26.70
FUEL USE (mil gal)	35.03	139.45	212.59	25.72	633.90		1047.32
STD ERROR (mil gal)	1.70	5.35	7.18	1.96	21.89		23.92
ROTORCRAFT							
PISTON							
MEAN GPH	12.08	13.64	13.68	5.94	0.00		13.84
FUEL USE (mil gal)	0.48	2.71	4.03	0.17	0.00		7.65
STD ERROR (mil gal)	0.16	0.45	0.66	0.12	0.00		1.11
TURBINE							
MEAN GPH	0.00	0.00	0.00	0.00	31.53		31.53
FUEL USE (mil gal)	0.00	0.00	0.00	0.00	57.13		57.13
STD ERROR (mil gal)	0.00	0.00	0.00	0.00	4.77		4.77
TOTAL ROTORCRAFT							
MEAN GPH	12.08	13.64	13.68	5.94	31.53		26.52
FUEL USE (mil gal)	0.48	2.71	4.03	0.17	57.13		64.77
STD ERROR (mil gal)	0.16	0.45	0.66	0.12	4.77		4.90
OTHER							
MEAN GPH	4.62	3.85	3.67	3.45	0.00		3.65
FUEL USE (mil gal)	0.10	0.15	0.02	0.11	0.00		0.39
STD ERROR (mil gal)	0.09	1.04	0.02	0.18	0.00		0.16
TOTAL AIRCRAFT							
MEAN GPH	9.59	16.51	14.31	11.21	117.00		26.69
FUEL USE (mil gal)	35.61	142.31	216.64	26.00	691.02		1112.48
STD ERROR (mil gal)	1.71	5.47	7.21	1.97	22.40		24.42

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS
DUE TO ESTIMATION PROCEDURES.

TABLE 2-24
GENERAL AVIATION MILES FLOWN
BY AIRCRAFT TYPE
NAUTICAL MILES (IN THOUSANDS)
1986

PAGE 1 OF 2

AIRCRAFT TYPE	EXEC	BUS	PERS	INSTR	APPL	OBSER	WORK	COMM	TAXI	OTHER	RENTAL	TOTAL
FIXED WING												
FIXED WING - PISTON												
1 ENG: 1-3 SEATS	2123	19443	219076	193446	151533	13253	12611	79	1471	8992	45730	667757
1 ENG: 4+ SEATS	38305	491361	551570	123339	9443	57294	6964	0	83188	23685	171869	1556798
1 ENGINE: TOTAL	40428	510804	770646	316785	160976	70547	19574	79	84659	32856	217399	2224555
2 ENG: 1-6 SEATS	70112	159217	50620	16858	3936	3385	454	5052	68897	4757	5708	388995
2 ENG: 7+ SEATS	87192	71080	17775	865	11988	5435	501	27719	92592	3771	1139	320075
2 ENG: TOTAL	157303	230307	68395	17723	15934	8820	955	32771	161489	8528	6846	709070
PISTON OTHER	57	29	323	0	2144	0	37	2251	240	268	77	5426
PISTON TOTAL	197788	741140	839364	334508	179054	79367	20567	35101	246388	41451	224321	2939051
FIXED WING - TURBOPROP												
2 ENG: 1-12 SEATS	173502	65963	3167	1614	0	94	15	14262	26753	5740	3001	294111
2 ENG: 13+ SEATS	18158	1920	0	618	0	119	0	69279	10154	2634	0	102883
2 ENGINE: TOTAL	191660	67883	3167	2232	0	213	15	83542	36907	8374	3001	396994
TURBOPROP OTHER	397	424	126	335	4165	0	0	1607	1482	718	0	9253
TURBOPROP TOTAL	192057	68307	3293	2567	4165	213	15	85148	38389	9092	3001	406247

TABLE 2-24

GENERAL AVIATION MILES FLOWN
BY AIRCRAFT TYPE
NAUTICAL MILES (IN THOUSANDS)
1986

PAGE 2 OF 2

AIRCRAFT TYPE	EXEC	BUS	PERS	INSTR	APPL	OBSR	WORK	COMM	TAXI	OTHER	RENTAL	TOTAL
FIXED WING - TURBOJET												
2 ENGINE TURBOJET	440614	49930	4549	2	0	0	0	2151	52637	34596	0	584479
TURBOJET: OTHER	48446	5011	779	0	0	0	0	0	597	3758	17745	76337
TURBOJET: TOTAL	489060	54941	5328	2	0	0	0	2151	53234	38354	17745	660816
FIXED WING: TOTAL	878906	864388	847985	337077	183219	79581	20582	122400	338012	88897	245067	4006113
ROTORCRAFT:												
PISTON	68	2544	2840	5146	9290	8346	427	128	444	2966	43	32241
TURBINE	33051	15848	345	1053	6292	32444	10706	454	19160	13651	1710	134715
ROTORCRAFT: TOTAL	33119	18392	3185	6199	15582	40789	11133	581	19604	16617	1753	166955
OTHER	20	272	5889	1693	0	0	0	0	0	458	1439	9772
TOTAL	912045	883052	857059	344970	198801	120370	31715	122981	357616	105973	248259	4182837

TABLE 2-25
NON-HIERARCHICAL VS. HIERARCHICAL CAPABILITY GROUPS

1985

PAGE 1 OF 2

	1	2	3	4	5	6	7	8	TOTALS
LOCALIZER	198	87	2343	10016	0	80	1153	1305	15182
ESTIMATE	*	*	13.4	6.5	0.0	*	19.3	17.0	5.2
% STD ERR	1.3	0.6	15.4	66.0	0.0	0.5	7.6	8.6	
ROW %	0.4	0.6	6.6	11.9	0.0	5.5	6.8	1.8	5.6
COLUMN %									
LOCALIZER, MARKER	70	3	306	6067	8	50	926	1830	9260
BEACON	*	*	37.5	8.4	*	*	22.3	14.6	6.7
ESTIMATE	0.8	0.0	3.3	65.5	0.1	0.5	10.0	19.8	
% STD ERR	0.2	0.0	0.9	7.2	2.3	3.4	5.4	2.6	3.4
ROW %									
COLUMN %									
LOCALIZER, MARKER	288	23	1637	34334	192	502	11354	47693	96022
BEACON, GLIDE SLOPE	41.4	*	16.1	3.2	49.3	26.7	6.0	2.3	1.3
ESTIMATE	0.3	0.0	1.7	35.8	0.2	0.5	11.8	49.7	
% STD ERR	0.6	0.1	4.6	40.9	55.8	34.4	66.8	66.7	35.5
ROW %									
COLUMN %									
LOCALIZER, MARKER	8	8	161	697	68	118	432	19305	20797
BEACON, GLIDE SLOPE,	*	*	*	20.2	*	*	28.3	3.0	2.9
RADAR ALTIMETER	0.0	0.0	0.8	3.4	0.3	0.6	2.1	92.8	
ESTIMATE	0.0	0.1	0.5	0.8	19.8	8.1	2.5	27.0	7.7
% STD ERR									
ROW %									
COLUMN %									
LONG RANGE NAV	330	1046	1413	9849	15	320	3588	18582	35143
(INCLUDES OMEGA,	36.8	19.1	16.8	6.4	*	35.4	10.8	3.9	3.0
LORAN-C)	0.9	3.0	4.0	28.0	0.0	0.9	10.2	52.9	
ESTIMATE	0.7	6.7	4.0	11.7	4.4	21.9	21.1	26.0	13.0
% STD ERR									
ROW %									
COLUMN %									
RADAR ALTIMETER	31	38	233	1024	103	143	539	20174	22286
ESTIMATE	*	*	39.8	16.9	*	47.1	26.6	2.9	2.8
% STD ERR	0.1	0.2	1.0	4.6	0.5	0.6	2.4	90.5	
ROW %	0.1	0.2	0.7	1.2	29.9	9.8	3.2	28.2	8.2
COLUMN %									
MICROWAVE LANDING	6	2	134	482	0	130	172	854	1779
SYSTEM	*	*	*	31.4	0.0	*	*	21.9	15.7
ESTIMATE	0.3	0.1	7.5	27.1	0.0	7.3	9.7	46.0	
% STD ERR	0.0	0.0	0.4	0.6	0.0	8.9	1.0	1.2	0.7
ROW %									
COLUMN %									
LOCALIZER, MARKER	0	0	92	223	0	3	47	699	1065
BEACON, GLIDE SLOPE,	0.0	0.0	*	43.9	0.0	*	*	24.0	19.8
MICROWAVE LANDING	0.0	0.0	8.6	20.9	0.0	0.3	4.4	65.6	
SYSTEM	0.0	0.0	0.3	0.3	0.0	0.2	0.3	1.0	0.4
ESTIMATE									
% STD ERR									
ROW %									
COLUMN %									

TABLE 2-25
NON-HIERARCHICAL VS. HIERARCHICAL CAPABILITY GROUPS

		1985								PAGE 2 OF 2
		1	2	3	4	5	6	7	8	TOTALS
LONG RANGE NAV. MICROWAVE LANDING SYSTEM	ESTIMATE	0	0	2	99	0	4	45	493	643
	% STD ERR	0.0	0.0	*	*	0.0	*	*	29.0	25.6
	ROW %	0.0	0.0	0.3	15.4	0.0	0.6	7.0	76.7	
	COLUMN %	0.0	0.0	0.0	0.1	0.0	0.3	0.3	0.7	0.2
NO REGULATORY AVIONICS	ESTIMATE	44072	14487	29827	30111	41	438	2488	1059	122523
	% STD ERR	2.0	4.4	3.2	3.4	*	29.8	12.9	19.9	1.0
	ROW %	36.0	11.8	24.3	24.6	0.0	0.4	2.0	0.9	
	COLUMN %	98.2	93.1	84.2	35.8	11.9	30.0	14.6	1.5	45.3
ALL AIRCRAFT	ESTIMATE	44873	15566	35427	84027	344	1461	17006	71512	270284
	% STD ERR	2.0	4.3	2.9	1.7	35.4	16.2	4.8	1.5	
	ROW %	16.6	5.8	13.1	31.1	0.1	0.5	6.3	26.5	

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS, VOR OR ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS, 4096 CODE TRANSPONDER; VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS, 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS, 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT; VOR AND DME OR RNAV

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-26
PRIMARY USE VS. HIERARCHICAL CAPABILITY GROUPS

1985

PAGE 1 OF 2

	1	2	3	4	5	6	7	8	TOTALS
EXECUTIVE	ESTIMATE	143	67	216	1445	0	80	617	12396
	% STD ERR	*	*	42.1	16.9	0.0	*	26.0	3.9
	ROW %	1.0	0.4	1.4	9.7	0.0	0.5	4.1	82.8
	COLUMN %	0.3	0.4	0.6	1.7	0.0	5.5	3.6	17.3
BUSINESS	ESTIMATE	690	751	2276	13400	124	7	3893	27348
	% STD ERR	26.3	22.9	14.1	5.5	*	*	10.7	3.3
	ROW %	1.4	1.5	4.7	27.6	0.3	0.0	8.0	56.4
	COLUMN %	1.5	4.8	6.4	15.9	36.0	0.5	22.9	38.2
PERSONAL	ESTIMATE	13134	7055	19440	45261	106	305	6726	18347
	% STD ERR	4.3	6.3	4.1	2.6	*	34.6	7.9	4.5
	ROW %	11.9	6.4	17.6	41.0	0.1	0.3	6.1	16.6
	COLUMN %	29.3	45.3	54.5	53.9	30.8	20.9	39.6	25.7
INSTRUCTIONAL	ESTIMATE	675	650	2517	7855	81	4	1821	1779
	% STD ERR	22.3	22.6	13.4	7.4	*	*	16.4	15.6
	ROW %	4.4	4.2	16.4	51.1	0.5	0.0	11.8	11.6
	COLUMN %	1.5	4.2	7.1	9.3	23.5	0.3	10.7	2.5
AERIAL APPLICATIONS	ESTIMATE	5741	987	222	427	0	4	183	233
	% STD ERR	4.3	18.1	32.7	28.4	0.0	*	37.2	43.4
	ROW %	73.6	12.7	2.8	5.5	0.0	0.1	2.3	3.0
	COLUMN %	12.8	6.3	0.6	0.5	0.0	0.3	1.1	0.3
AERIAL OBSERVATION	ESTIMATE	226	896	791	1639	2	38	608	832
	% STD ERR	38.6	18.3	24.1	16.8	*	*	27.7	19.4
	ROW %	4.5	17.8	15.7	32.6	0.0	0.8	12.1	16.5
	COLUMN %	0.5	5.8	2.2	2.0	0.6	2.6	3.6	1.2
OTHER WORK USE	ESTIMATE	386	290	415	467	0	10	131	114
	% STD ERR	32.2	30.9	27.5	30.4	0.0	*	*	*
	ROW %	21.3	16.0	22.9	25.8	0.0	0.6	7.2	6.3
	COLUMN %	0.9	1.9	1.2	0.6	0.0	0.7	0.8	0.2
COMPUTER AIR CARRIER	ESTIMATE	0	3	5	174	0	0	14	687
	% STD ERR	0.0	*	*	31.2	0.0	0.0	*	18.6
	ROW %	0.0	0.3	0.6	19.7	0.0	0.0	1.6	77.9
	COLUMN %	0.0	0.0	0.0	0.2	0.0	0.0	0.1	1.0
									0.3

TABLE 2-26
PRIMARY USE VS. HIERARCHICAL CAPABILITY GROUPS

1985

PAGE 2 OF 2

	1	2	3	4	5	6	7	8	TOTALS
AIR TAXI									
ESTIMATE	8	834	383	1097	0	788	684	3461	7255
% STD ERR	*	22.2	31.7	19.2	0.0	21.9	24.1	9.7	6.6
ROW %	0.1	11.5	5.3	15.1	0.0	10.9	9.4	47.7	
COLUMN %	0.0	5.4	1.1	1.3	0.0	53.9	4.0	4.8	2.7
OTHER USES									
ESTIMATE	1063	933	441	1264	3	19	351	1722	5796
% STD ERR	19.4	19.5	27.9	17.8	*	*	32.8	12.9	7.6
ROW %	18.3	16.1	7.6	21.8	0.1	0.3	6.1	29.7	
COLUMN %	2.4	6.0	1.2	1.5	0.9	1.3	2.1	2.4	2.1
RENTAL									
ESTIMATE	429	245	594	3531	0	0	823	2580	8202
% STD ERR	27.9	34.7	26.3	11.6	0.0	0.0	23.4	13.2	7.2
ROW %	5.2	3.0	7.2	43.1	0.0	0.0	10.0	31.5	
COLUMN %	1.0	1.6	1.7	4.2	0.0	0.0	4.8	3.6	3.0
INACTIVE									
ESTIMATE	22591	2963	8078	7293	31	218	1243	2209	44627
% STD ERR	3.5	10.6	6.8	7.5	*	46.0	17.4	12.4	2.5
ROW %	50.6	6.6	18.1	16.3	0.1	0.5	2.8	4.9	
COLUMN %	50.3	19.0	22.8	8.7	9.0	14.9	7.3	3.1	16.5
TOTALS									
ESTIMATE	44873	15566	35427	84027	344	1461	17006	71512	270284
% STD ERR	2.0	4.3	2.9	1.7	35.4	16.2	4.8	1.5	
ROW %	16.6	5.8	13.1	31.1	0.1	0.5	6.3	26.5	

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; VOR OR ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER; VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT; VOR AND DME OR RNAV

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-27
HOURS FLOWN VS. HIERARCHICAL CAPABILITY GROUPS

1985

PAGE 1 OF 2

	1	2	3	4	5	6	7	8	TOTALS
1 - 49 HOURS	10947 ESTIMATE % STD ERR ROW % COLUMN % 5.3 18.7 24.4	4984 8.1 8.5 32.0	12000 5.7 20.5 33.9	19947 4.5 34.1 23.7	116 * 0.2 33.7	272 38.4 0.5 18.6	2942 12.1 5.0 17.3	7213 7.3 12.3 10.1	58420 2.3 21.6
50 - 99 HOURS	4075 ESTIMATE % STD ERR ROW % COLUMN % 9.6 7.6 9.1	2964 10.9 5.5 19.0	6974 7.7 12.9 19.7	21666 4.2 40.2 25.8	106 * 0.2 30.8	125 * 0.2 8.6	3900 10.6 7.2 22.9	14119 5.2 26.2 19.7	53928 2.5 20.0
100 - 149 HOURS	2024 ESTIMATE % STD ERR ROW % COLUMN % 13.9 5.5 4.5	1601 14.7 4.4 10.3	3876 10.6 10.6 10.9	13024 5.7 35.5 15.5	5 * 0.0 1.5	123 * 0.3 8.4	3137 11.7 8.5 18.4	12921 5.3 35.2 18.1	36709 3.1 13.6
150 - 199 HOURS	751 ESTIMATE % STD ERR ROW % COLUMN % 21.9 4.6 1.7	439 26.6 2.7 2.8	1073 19.9 6.6 3.0	4867 9.7 29.8 5.8	65 * 0.4 18.9	93 * 0.6 6.4	704 25.7 4.3 4.1	8332 6.8 51.0 11.7	16324 4.9 6.0
200 - 249 HOURS	917 ESTIMATE % STD ERR ROW % COLUMN % 19.7 5.8 2.0	648 23.8 4.1 4.2	1059 22.4 6.7 3.0	4337 10.3 27.5 5.2	3 * 0.0 0.9	61 * 0.4 4.2	1472 17.5 9.3 8.7	7258 7.2 46.1 10.1	15756 5.0 5.8
250 - 299 HOURS	571 ESTIMATE % STD ERR ROW % COLUMN % 23.1 7.7 1.3	305 33.5 4.1 2.0	218 43.4 2.9 0.6	1968 15.6 26.5 2.3	0 0.0 0.0 0.0	25 * 0.3 1.7	424 31.5 5.7 2.5	3916 9.8 52.7 5.5	7428 7.3 2.7
300 - 349 HOURS	792 ESTIMATE % STD ERR ROW % COLUMN % 22.4 9.1 1.8	199 38.4 2.3 1.3	530 30.0 6.1 1.5	2079 15.5 23.9 2.5	0 0.0 0.0 0.0	199 45.1 2.3 13.6	667 26.8 7.7 3.9	4246 9.2 48.7 5.9	8710 6.8 3.2
350 - 399 HOURS	365 ESTIMATE % STD ERR ROW % COLUMN % 28.0 8.4 0.8	255 37.6 5.9 1.6	166 * 3.8 0.5	1168 20.3 26.8 1.4	0 0.0 0.0 0.0	77 * 1.8 5.3	234 43.9 5.4 1.4	2089 12.0 48.0 2.9	4354 9.1 1.6

TABLE 2-27
HOURS FLOWN VS. HIERARCHICAL CAPABILITY GROUPS

PAGE 2 OF 2

		1985							
		1	2	3	4	5	6	7	8
		TOTALS							
400 - 449 HOURS	ESTIMATE	746	246	219	1731	0	60	384	2555
	% STD ERR	21.5	43.5	48.1	17.0	0.0	*	32.5	11.7
	ROW %	12.6	4.1	3.7	29.1	0.0	1.0	6.5	43.0
	COLUMN %	1.7	1.6	0.6	2.1	0.0	4.1	2.3	3.6
		2.2							
450+ HOURS	ESTIMATE	1241	1019	1098	5691	24	221	1973	6752
	% STD ERR	15.9	18.7	20.4	8.8	*	38.2	15.5	6.7
	ROW %	6.9	5.7	6.1	31.6	0.1	1.2	11.0	37.5
	COLUMN %	2.8	6.5	3.1	6.8	7.0	15.1	11.6	9.4
		18018							
INACTIVE	ESTIMATE	22591	2963	8078	7293	31	218	1243	2209
	% STD ERR	3.5	10.6	6.8	7.5	*	46.0	17.4	12.4
	ROW %	50.6	6.6	18.1	16.3	0.1	0.5	2.8	4.9
	COLUMN %	50.3	19.0	22.8	8.7	9.0	14.9	7.3	3.1
		44827							
TOTALS	ESTIMATE	44873	15566	35427	84027	344	1461	17006	71512
	% STD ERR	2.0	4.3	2.9	1.7	35.4	16.2	4.8	1.5
	ROW %	16.6	5.8	13.1	31.1	0.1	0.5	6.3	26.5
	COLUMN %								

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; VOR OR ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER; VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT; VOR AND DME OR RNAV

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-28
AGE OF AIRCRAFT VS. HIERARCHICAL CAPABILITY GROUPS

		1985								PAGE 1 OF 2	
		1	2	3	4	5	6	7	8	TOTALS	
0 - 4 YEARS	ESTIMATE	6259	3187	2635	5458	18	319	2828	15863	38667	
	% STD ERR	7.5	10.7	13.2	8.8	*	38.0	12.7	4.2	2.8	
	ROW %	17.1	8.7	7.2	14.9	0.0	0.9	7.7	43.5		
	COLUMN %	13.9	20.5	7.4	6.5	5.2	21.8	16.6	22.3	13.6	
5 - 9 YEARS	ESTIMATE	5511	2917	3732	17188	201	302	5456	24373	59680	
	% STD ERR	7.9	11.1	11.3	4.8	47.8	39.1	8.9	3.6	2.3	
	ROW %	9.2	4.9	6.3	28.8	0.3	0.5	9.1	40.8		
	COLUMN %	12.3	18.7	10.5	20.5	58.4	20.7	32.1	34.1	22.1	
10 - 14 YEARS	ESTIMATE	5561	1539	4311	15923	17	186	2179	11813	41529	
	% STD ERR	7.9	13.5	9.8	5.0	*	43.5	14.5	5.4	2.8	
	ROW %	13.4	3.7	10.4	38.3	0.0	0.4	5.2	28.4		
	COLUMN %	12.4	9.9	12.2	18.9	4.9	12.7	12.8	16.5	15.4	
15 - 19 YEARS	ESTIMATE	3316	1991	5958	17828	62	199	1993	9250	40598	
	% STD ERR	11.3	14.0	8.5	4.7	*	46.2	14.8	6.0	2.9	
	ROW %	8.2	4.9	14.7	43.9	0.2	0.5	4.9	22.8		
	COLUMN %	7.4	12.8	16.8	21.2	18.0	13.6	11.7	12.9	15.0	
20 - 24 YEARS	ESTIMATE	3128	1347	3565	11250	7	135	1844	5740	26817	
	% STD ERR	11.9	17.2	10.8	6.1	*	*	16.7	7.7	3.7	
	ROW %	11.7	5.0	13.3	42.0	0.0	0.5	6.1	21.4		
	COLUMN %	7.0	8.7	10.1	13.4	2.0	9.2	9.7	8.0	9.9	
25 - 29 YEARS	ESTIMATE	1939	536	4523	8317	5	8	1423	3052	19803	
	% STD ERR	15.1	22.7	9.7	6.8	*	*	16.7	10.6	4.1	
	ROW %	9.8	2.7	22.8	42.0	0.0	0.0	7.2	15.4		
	COLUMN %	4.3	3.4	12.8	9.9	1.5	0.5	8.4	4.3	7.3	
30 - 34 YEARS	ESTIMATE	1323	450	2487	3413	0	91	898	558	9220	
	% STD ERR	17.9	29.6	12.3	10.1	0.0	48.5	19.4	22.7	5.4	
	ROW %	14.3	4.9	27.0	37.0	0.0	1.0	9.7	6.1		
	COLUMN %	2.9	2.9	7.0	4.1	0.0	6.2	5.3	0.8	3.4	

TABLE 2-28
AGE OF AIRCRAFT VS. HIERARCHICAL CAPABILITY GROUPS

PAGE 2 OF 2

		1985							
		1	2	3	4	5	6	7	8
35+ YEARS	ESTIMATE	17217	3769	8436	4819	35	142	569	893
	% STD ERR	3.0	9.1	5.0	7.6	*	41.8	18.8	19.2
	ROW %	48.0	10.5	23.5	13.4	0.1	0.4	1.6	2.5
	COLUMN %	38.4	24.2	23.8	5.7	10.2	9.7	3.3	1.2
									TOTALS
TOTALS	ESTIMATE	44873	15566	35427	84027	344	1461	17006	71512
	% STD ERR	2.0	4.3	2.9	1.7	35.4	16.2	4.8	1.5
	ROW %	16.6	5.8	13.1	31.1	0.1	0.5	6.3	26.5

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
2 - TWO-WAY COMMUNICATIONS
3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; VOR OR ADF OR RNAV
4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER; VOR OR RNAV
5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
6 - TWO-WAY COMMUNICATIONS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR
8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT; VOR AND DME OR RNAV

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-29
COMPUTED AIRCRAFT TYPE VS. HIERARCHICAL CAPABILITY GROUPS

1985

PAGE 1 OF 2

	1	2	3	4	5	6	7	8	TOTALS
FIXED WING - PISTON: SINGLE ENGINE 1-3 SEATS	31800	7910	22010	22371	35	307	2158	923	87513
	ESTIMATE								
	% STD ERR								
	ROW %	6.9	3.7	3.2	*	39.1	13.8	20.7	0.0
SINGLE ENGINE 4+ SEATS	4012	1255	11589	55369	160	247	13019	37221	122872
	ESTIMATE								
	% STD ERR								
	ROW %	9.1	5.3	2.0	*	45.2	5.6	2.6	0.0
TWO ENGINES 1-6 SEATS	489	37	376	2869	73	251	814	14020	18929
	ESTIMATE								
	% STD ERR								
	ROW %	23.5	*	10.7	*	42.0	20.6	2.5	0.0
TWO ENGINES 7+ SEATS	393	58	169	979	65	162	412	7957	10194
	ESTIMATE								
	% STD ERR								
	ROW %	20.5	33.0	15.2	*	40.1	19.9	2.3	0.0
OTHER	131	0	13	64	0	0	31	107	347
	ESTIMATE								
	% STD ERR								
	ROW %	25.4	0.0	34.1	0.0	0.0	*	30.5	0.0
FIXED WING - TURBOPROP: 2 ENGINES 1-12 SEATS	0	8	11	153	8	129	9	4883	5201
	ESTIMATE								
	% STD ERR								
	ROW %	0.0	*	37.3	*	44.1	*	1.7	0.0
2 ENGINES 13+ SEATS	6	0	0	55	0	14	0	800	878
	ESTIMATE								
	% STD ERR								
	ROW %	0.7	0.0	47.9	0.0	*	0.0	3.6	0.0
OTHER	49	31	11	38	0	0	4	129	282
	ESTIMATE								
	% STD ERR								
	ROW %	18.7	42.7	29.9	0.0	0.0	*	6.5	0.0
	0.1	11.8	4.2	14.5	0.0	0.0	1.5	49.2	0.1
	COLUMN %								

TABLE 2-29
COMPUTED AIRCRAFT TYPE VS. HIERARCHICAL CAPABILITY GROUPS

1985

PAGE 2 OF 2

	1	2	3	4	5	6	7	8	TOTALS
FIXED WING - TURBOJET: 2 ENGINES	ESTIMATE	15	0	5	124	0	12	3	3991
	% STD ERR	*	0.0	*	43.3	0.0	*	*	1.5
	ROW %	0.4	0.0	0.1	3.0	0.0	0.3	0.1	96.1
	COLUMN %	0.0	0.0	0.0	0.1	0.0	0.8	0.0	5.6
OTHER	ESTIMATE	85	6	3	25	3	20	27	514
	% STD ERR	23.7	*	*	36.0	*	34.3	29.1	3.9
	ROW %	12.4	0.9	0.4	3.7	0.4	2.9	4.0	75.3
	COLUMN %	0.2	0.0	0.0	0.0	0.9	1.4	0.2	0.7
ROTORCRAFT: PISTON	ESTIMATE	2941	1982	254	296	0	17	32	20
	% STD ERR	6.5	9.3	30.1	31.1	0.0	*	*	0.0
	ROW %	53.1	35.8	4.6	5.3	0.0	0.3	0.6	0.4
	COLUMN %	6.6	12.7	0.7	0.4	0.0	1.2	0.2	0.0
TURBINE	ESTIMATE	175	512	842	1630	1	202	494	937
	% STD ERR	20.9	24.4	18.7	11.8	*	40.8	25.3	15.1
	ROW %	3.7	10.7	17.6	34.0	0.0	4.2	10.3	19.6
	COLUMN %	0.4	3.3	2.4	1.9	0.3	13.8	2.9	1.3
OTHER AIRCRAFT	ESTIMATE	4777	3768	143	52	0	101	3	9
	% STD ERR	4.8	5.9	42.0	18.4	0.0	*	*	0.0
	ROW %	54.0	42.6	1.6	0.6	0.0	1.1	0.0	0.1
	COLUMN %	10.6	24.2	0.4	0.1	0.0	6.9	0.0	0.0
ALL AIRCRAFT	ESTIMATE	44873	15566	35427	84027	344	1461	17006	71512
	% STD ERR	2.0	4.3	2.9	1.7	35.4	16.2	4.8	1.5
	ROW %	16.6	5.8	13.1	31.1	0.1	0.5	6.3	26.5

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; VOR OR ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER; VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT; VOR AND DME OR RNAV

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-30
BASE AIRPORT REGION VS. HIERARCHICAL CAPABILITY GROUPS

1985

PAGE 1 OF 2

ALASKAN	ESTIMATE	952	1126	3758	2101	12	0	429	453	8832
	% STD ERR	22.4	19.4	10.7	14.0	*	0.0	33.6	30.6	6.6
	ROW %	10.8	12.7	42.5	23.8	0.1	0.0	4.9	5.1	
	COLUMN %	2.1	7.2	10.6	2.5	3.5	0.0	2.5	0.6	3.3
CENTRAL	ESTIMATE	2982	832	2189	5519	0	76	736	3462	15796
	% STD ERR	11.4	20.6	14.5	9.3	0.0	*	25.3	10.7	5.2
	ROW %	18.9	5.3	13.9	34.9	0.0	0.5	4.7	21.9	
	COLUMN %	6.6	5.3	6.2	6.6	0.0	5.2	4.3	4.8	5.8
EASTERN	ESTIMATE	5012	1362	3646	8834	78	167	2081	8293	29484
	% STD ERR	8.7	15.4	10.9	7.1	*	46.8	14.5	6.7	3.6
	ROW %	17.0	4.6	12.4	30.0	0.3	0.6	7.1	28.1	
	COLUMN %	11.2	8.7	10.3	10.5	22.7	11.4	12.3	11.6	10.9
EUROPEAN OFFICE	ESTIMATE	22	53	101	74	0	11	21	415	896
	% STD ERR	*	*	*	*	0.0	49.5	*	28.9	23.6
	ROW %	3.2	7.6	14.5	10.6	0.0	1.6	3.0	59.6	
	COLUMN %	0.0	0.3	0.3	0.1	0.0	0.8	0.1	0.6	0.3
GREAT LAKES	ESTIMATE	8848	2356	8268	15362	13	125	2249	10821	48042
	% STD ERR	6.3	13.6	7.2	5.3	*	38.4	14.6	5.9	2.8
	ROW %	18.4	4.9	17.2	32.0	0.0	0.3	4.7	22.5	
	COLUMN %	19.7	15.1	23.3	18.3	3.8	8.6	13.2	15.1	17.8
NEW ENGLAND	ESTIMATE	1520	588	1324	3386	0	23	793	2538	10172
	% STD ERR	16.0	22.6	18.4	11.7	0.0	*	24.5	12.8	6.4
	ROW %	14.9	5.8	13.0	33.3	0.0	0.2	7.8	25.0	
	COLUMN %	3.4	3.8	3.7	4.0	0.0	1.6	4.7	3.5	3.8
NORTHWEST MOUNTAIN	ESTIMATE	4444	2430	3468	9385	0	200	1771	5668	27365
	% STD ERR	9.6	13.3	11.6	7.0	0.0	*	16.2	8.6	3.9
	ROW %	16.2	8.9	12.7	34.3	0.0	0.7	6.5	20.7	
	COLUMN %	9.9	15.6	9.8	11.2	0.0	13.7	10.4	7.9	10.1
SOUTHERN	ESTIMATE	5859	2475	3783	12578	118	252	2774	13354	41193
	% STD ERR	8.0	12.6	10.9	5.9	*	43.4	13.0	5.2	3.0
	ROW %	14.2	6.0	9.2	30.5	0.3	0.8	6.7	32.4	
	COLUMN %	13.1	15.9	10.7	15.0	34.3	17.2	16.3	18.7	15.2

TABLE 2-30
BASE AIRPORT REGION VS. HIERARCHICAL CAPABILITY GROUPS

		1985								PAGE 2 OF 2	
		1	2	3*	4	5	6	7	8	TOTALS	
SOUTHWESTERN	ESTIMATE	6745	1733	4231	12580	4	234	2209	13237	40974	
	% STD ERR	7.3	13.9	10.1	8.0	*	40.5	14.1	5.2	3.0	
	ROW %	18.5	4.2	10.3	30.7	0.0	0.6	5.4	32.3		
WESTERN-PACIFIC	COLUMN %	15.0	11.1	11.9	15.0	1.2	16.0	13.0	18.5	15.2	
	ESTIMATE	5900	2976	5597	15080	71	342	3760	13919	47627	
	% STD ERR	7.7	10.6	8.7	5.3	*	36.3	10.7	5.3	2.7	
TOTALS	ROW %	12.4	6.2	11.8	31.6	0.1	0.7	7.9	29.2		
	COLUMN %	13.1	19.1	15.8	17.9	20.6	23.4	22.1	19.5	17.6	
	ESTIMATE	44873	15566	35427	84027	344	1481	17006	71512	270284	
	% STD ERR	2.0	4.3	2.9	1.7	35.4	16.2	4.8	1.5		
	ROW %	16.6	5.8	13.1	31.1	0.1	0.5	6.3	26.5		

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; VOR OR ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER; VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS: AIR TAXIS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT; VOR AND DME OR RNAV

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-31
PRIMARY USE VS. NON-HIERARCHICAL CAPABILITY GROUPS

1985											PAGE 1 OF 2	
	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT	
EXECUTIVE	ESTIMATE	404	396	4740	8548	6479	8886	190	113	825	14863	
	% STD ERR	33.3	28.4	8.8	3.9	5.7	3.8	39.5	49.2	25.7	3.7	
	ROW %	2.7	2.6	31.7	57.1	43.3	59.5	1.3	0.8	4.2		
	COLUMN %	2.7	4.3	4.9	41.1	18.4	39.9	10.7	17.6	0.5	5.5	
BUSINESS	ESTIMATE	1484	1692	31037	6252	10020	6549	632	323	6953	48489	
	% STD ERR	17.1	16.0	3.2	7.5	6.3	7.3	27.4	38.5	7.8	2.4	
	ROW %	3.1	3.5	64.0	12.9	20.7	13.5	1.3	0.7	14.3		
	COLUMN %	9.8	18.3	32.3	30.1	28.5	29.4	35.5	50.2	5.7	17.9	
PERSONAL	ESTIMATE	7111	4726	38195	2238	11863	2514	486	165	54963	110373	
	% STD ERR	7.6	9.6	2.9	13.2	5.9	12.5	28.9	*	2.0	1.2	
	ROW %	6.4	4.3	34.6	2.0	10.7	2.3	0.4	0.1	49.8		
	COLUMN %	46.8	51.0	39.8	10.8	33.8	11.3	27.3	25.7	44.9	40.8	
INSTRUCTIONAL	ESTIMATE	2805	483	4904	240	608	278	203	20	6715	15383	
	% STD ERR	13.1	31.5	9.6	43.3	25.9	39.6	*	*	7.8	5.0	
	ROW %	18.2	3.1	31.9	1.6	4.0	1.8	1.3	0.1	43.7		
	COLUMN %	18.5	5.2	5.1	1.2	1.7	1.2	11.4	3.1	5.5	5.7	
AERIAL APPLICATIONS	ESTIMATE	80	15	600	10	597	34	0	0	6974	7798	
	% STD ERR	15.2	*	24.9	*	22.9	*	0.0	0.0	3.6	3.7	
	ROW %	1.0	0.2	7.7	0.1	7.7	0.4	0.0	0.0	89.4		
	COLUMN %	0.5	0.2	0.6	0.0	1.7	0.2	0.0	0.0	5.7	2.9	
AERIAL OBSERVATION	ESTIMATE	576	180	1338	126	686	261	7	7	2685	5033	
	% STD ERR	27.3	48.6	17.9	36.9	22.2	26.8	*	*	12.1	8.8	
	ROW %	11.4	3.6	26.6	2.5	13.6	5.2	0.1	0.1	53.3		
	COLUMN %	3.8	1.9	1.4	0.6	2.0	1.2	0.4	1.1	2.2	1.9	
OTHER WORK USE	ESTIMATE	73	32	267	15	122	62	17	0	1366	1813	
	% STD ERR	*	*	43.0	*	*	*	*	0.0	16.0	14.3	
	ROW %	4.0	1.8	14.7	0.8	6.7	3.4	0.9	0.0	75.3		
	COLUMN %	0.5	0.3	0.3	0.1	0.3	0.3	1.0	0.0	1.1	0.7	
COMMUTER AIR CARRIER	ESTIMATE	0	29	449	231	83	302	3	0	110	882	
	% STD ERR	0.0	*	17.5	30.5	*	28.5	*	0.0	*	15.4	
	ROW %	0.0	3.3	50.9	26.2	9.4	34.2	0.3	0.0	12.5		
	COLUMN %	0.0	0.3	0.5	1.1	0.2	1.4	0.2	0.0	0.1	0.3	

TABLE 2-31
PRIMARY USE VS. NON-HIERARCHICAL CAPABILITY GROUPS

1985										PAGE 2 OF 2	
	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
AIR TAXI	ESTIMATE	249	316	4048	1300	1795	1459	28	5	856	7255
	% STD ERR	39.5	34.2	9.5	14.6	13.9	14.1	*	*	22.1	6.6
	ROW %	3.4	4.4	55.8	17.9	24.7	20.1	0.4	0.1	11.8	
	COLUMN %	1.6	3.4	4.2	6.3	5.1	6.5	1.6	0.8	0.7	2.7
OTHER USES	ESTIMATE	206	80	1752	857	837	905	42	0	2721	5796
	% STD ERR	41.9	*	14.4	17.7	18.9	17.0	*	0.0	11.4	7.6
	ROW %	3.6	1.4	30.2	14.8	14.4	15.6	0.7	0.0	46.9	
	COLUMN %	1.4	0.9	1.8	4.1	2.4	4.1	2.4	0.0	2.2	2.1
RENTAL	ESTIMATE	587	186	4599	249	383	249	0	0	2487	8202
	% STD ERR	28.4	*	10.0	35.4	33.8	35.4	0.0	0.0	12.8	7.2
	ROW %	7.2	2.3	56.1	3.0	4.7	3.0	0.0	0.0	30.3	
	COLUMN %	3.9	2.0	4.8	1.2	1.1	1.1	0.0	0.0	2.0	3.0
INACTIVE	ESTIMATE	1603	1069	4109	898	1731	954	187	16	36284	44627
	% STD ERR	16.0	20.7	9.8	17.0	14.6	16.2	49.3	*	2.7	2.5
	ROW %	3.6	2.4	9.2	2.0	3.9	2.1	0.4	0.0	81.3	
	COLUMN %	10.6	11.5	4.3	4.3	4.9	4.3	10.5	2.5	29.6	16.5
TOTALS	ESTIMATE	15182	9260	96022	20797	35143	22286	1779	643	122523	270284
	% STD ERR	5.2	6.7	1.3	2.9	3.0	2.8	15.7	25.6	1.0	
	ROW %	5.6	3.4	35.5	7.7	13.0	8.2	0.7	0.2	45.3	

NON-HIERARCHICAL CAPABILITY GROUPS KEY

GS	-	GLIDE SLOPE
L	-	LOCALIZER
LRN	-	LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
MB	-	MARKER BEACON
ML	-	MICROWAVE LANDING SYSTEM
RA	-	RADAR ALTITUDE
NO	-	NO REGULATORY AVIONICS

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-32
HOURS FLOWN VS. NON-HIERARCHICAL CAPABILITY GROUPS

1985

PAGE 1 OF 2

	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
1 - 49 HOURS	ESTIMATE % STD ERR ROW % COLUMN %	3428 11.3 5.9 22.6	1811 15.2 3.1 19.6	15034 5.1 25.7 15.7	872 20.1 1.5 4.2	3017 11.8 5.2 8.6	969 19.1 1.7 4.3	141 47.7 0.2 7.9	71 * 0.1 6.7	38409 3.0 62.3 29.7	58420 2.3 21.6
50 - 99 HOURS	ESTIMATE % STD ERR ROW % COLUMN %	3145 11.7 5.8 20.7	2379 13.5 4.4 25.7	23399 4.0 43.4 24.4	2863 11.7 5.3 13.8	7280 7.6 13.5 20.7	2977 11.4 5.5 13.4	476 32.0 0.9 26.8	366 37.4 0.7 34.4	20369 4.3 37.8 16.6	53928 2.5 20.0
100 - 149 HOURS	ESTIMATE % STD ERR ROW % COLUMN %	1892 15.1 5.2 12.5	1559 17.1 4.2 16.8	18667 4.5 50.9 19.4	3020 10.7 8.2 14.5	6976 7.6 19.0 19.9	3104 10.5 8.5 13.9	283 40.0 0.8 15.9	130 * 0.4 12.2	10544 6.2 28.7 8.6	36709 3.1 13.6
150 - 199 HOURS	ESTIMATE % STD ERR ROW % COLUMN %	756 25.9 4.6 5.0	514 29.0 3.1 5.6	8615 7.0 52.8 9.0	2295 11.7 14.1 11.0	3070 10.9 18.8 8.7	2511 11.3 15.4 11.3	179 47.8 1.1 10.1	106 * 0.6 10.0	3530 10.9 21.8 2.9	16324 4.9 6.0
200 - 249 HOURS	ESTIMATE % STD ERR ROW % COLUMN %	812 23.4 5.2 5.3	577 28.0 3.7 6.2	8325 7.2 52.8 8.7	2258 11.5 14.3 10.9	3609 10.4 22.9 10.3	2374 11.2 15.1 10.7	133 * 0.8 7.5	72 * 0.5 6.8	3460 11.0 22.0 2.8	15756 5.0 5.8
250 - 299 HOURS	ESTIMATE % STD ERR ROW % COLUMN %	556 29.2 7.5 3.7	141 * 1.9 1.5	3907 10.6 52.6 4.1	1223 15.2 16.5 5.9	1489 15.3 20.0 4.2	1397 14.2 18.8 6.3	83 * 1.1 4.7	83 * 1.1 7.8	1505 16.0 20.3 1.2	7428 7.3 2.7
300 - 349 HOURS	ESTIMATE % STD ERR ROW % COLUMN %	295 41.2 3.4 1.9	286 40.8 3.3 3.1	3821 10.8 43.9 4.0	1788 12.3 20.5 8.6	1879 13.1 21.6 5.3	1927 12.1 22.1 8.6	101 * 1.2 5.7	38 * 0.4 3.6	2264 13.9 26.0 1.8	8710 6.8 3.2
350 - 399 HOURS	ESTIMATE % STD ERR ROW % COLUMN %	345 40.0 7.9 2.3	177 47.5 4.1 1.9	1343 17.1 30.8 1.4	1231 14.8 28.3 5.9	1100 16.9 25.3 3.1	1364 13.9 31.3 6.1	36 * 0.8 2.0	29 * 0.7 2.7	1083 18.7 24.9 0.9	4354 9.1 1.6

TABLE 2-32
HOURS FLOWN VS. NON-HIERARCHICAL CAPABILITY GROUPS

1985											PAGE 2 OF 2	
	L	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT		
400 - 449 HOURS	ESTIMATE	333	178	2109	1173	1148	1254	87	31	2119	5942	
	% STD ERR	39.4	44.7	14.5	14.7	16.7	14.0	*	*	14.5	8.2	
	ROW %	5.6	3.0	35.5	19.7	19.3	21.1	1.5	0.5	35.7		
	COLUMN %	2.2	1.9	2.2	5.6	3.3	5.6	4.9	4.8	1.7	2.2	
450+ HOURS	ESTIMATE	1992	505	6722	3313	3874	3598	88	9	4836	18018	
	% STD ERR	15.4	27.2	7.8	8.2	8.9	8.1	*	*	9.1	4.4	
	ROW %	11.1	2.8	37.3	18.4	21.5	20.0	0.5	0.0	26.8		
	COLUMN %	13.1	5.5	7.0	15.9	11.0	16.1	4.9	1.4	3.9	6.7	
INACTIVE	ESTIMATE	1603	1069	4109	898	1731	954	187	16	36284	44627	
	% STD ERR	16.0	20.7	9.8	17.0	14.6	16.2	49.3	*	2.7	2.5	
	ROW %	3.6	2.4	9.2	2.0	3.9	2.1	0.4	0.0	81.3		
	COLUMN %	10.6	11.5	4.3	4.3	4.9	4.3	10.5	2.5	29.6	16.5	
TOTALS	ESTIMATE	15182	9260	96022	20797	35143	22286	1779	643	122523	270284	
	% STD ERR	5.2	6.7	1.3	2.9	3.0	2.8	15.7	25.6	1.0		
	ROW %	5.6	3.4	35.5	7.7	13.0	8.2	0.7	0.2	45.3		
	COLUMN %											

NON-HIERARCHICAL CAPABILITY GROUPS KEY

- GS - GLIDE SLOPE
- L - LOCALIZER
- LRN - LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
- MB - MARKER BEACON
- ML - MICROWAVE LANDING SYSTEM
- RA - RADAR ALTIMETER
- NO - NO REGULATORY AVIONICS

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-33
AGE OF AIRCRAFT VS. NON-HIERARCHICAL CAPABILITY GROUPS

1985												PAGE 1 OF 2	
		L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT	
0 - 4 YEARS	ESTIMATE	2414	775	12432	6738	8257	7289	396	222	165	13077	36667	
	% STD ERR	14.0	23.9	5.5	5.2	6.0	5.1	31.1	33.9	36.3	5.1	2.8	
	ROW % COLUMN %	6.6 15.9	2.1 8.4	33.9 12.9	18.4 32.4	22.5 23.5	19.9 32.7	1.1 22.3	0.6 20.8	0.4 25.7	35.7 10.7	13.6	
5 - 9 YEARS	ESTIMATE	3039	1147	28807	6673	8208	7076	482	366	182	18530	59680	
	% STD ERR	12.3	20.0	3.5	7.0	6.9	6.8	31.5	36.5	*	4.4	2.3	
	ROW % COLUMN %	5.1 20.0	1.9 12.4	48.3 30.0	11.2 32.1	13.8 23.4	11.9 31.8	0.8 27.1	0.6 34.4	0.3 28.3	31.0 15.1	22.1	
10 - 14 YEARS	ESTIMATE	2353	1625	16486	3334	5547	3524	127	49	5	16986	41529	
	% STD ERR	14.0	16.4	4.8	9.3	8.5	9.0	*	*	*	4.6	2.8	
	ROW % COLUMN %	5.7 15.5	3.9 17.5	39.7 17.2	8.0 16.0	13.4 15.8	8.5 15.8	0.3 7.1	0.1 4.6	0.0 0.8	40.9 13.9	15.4	
15 - 19 YEARS	ESTIMATE	2208	2298	16354	2469	5156	2605	354	194	139	16238	40598	
	% STD ERR	14.4	14.0	4.8	10.4	8.9	10.0	37.6	49.0	*	4.9	2.9	
	ROW % COLUMN %	5.4 14.5	5.7 24.8	40.3 17.0	6.1 11.9	12.7 14.7	6.4 11.7	0.9 19.9	0.5 18.2	0.3 21.6	40.0 13.3	15.0	
20 - 24 YEARS	ESTIMATE	1837	1313	11011	875	3071	930	161	81	99	11199	26817	
	% STD ERR	15.8	17.8	5.8	18.3	11.2	17.8	*	*	*	6.1	3.7	
	ROW % COLUMN %	6.9 12.1	4.9 14.2	41.1 11.5	3.3 4.2	11.5 8.7	3.5 4.2	0.6 9.1	0.3 7.6	0.4 15.4	41.8 9.1	9.9	
25 - 29 YEARS	ESTIMATE	1504	1234	6328	413	2303	471	190	107	16	9747	19803	
	% STD ERR	17.0	18.8	7.5	23.7	12.6	21.4	44.2	*	*	6.3	4.1	
	ROW % COLUMN %	7.6 9.9	6.2 13.3	32.0 6.6	2.1 2.0	11.6 6.6	2.4 2.1	1.0 10.7	0.5 10.0	0.1 2.5	49.2 8.0	7.3	
30 - 34 YEARS	ESTIMATE	604	504	2279	114	976	164	0	0	0	5533	9220	
	% STD ERR	24.9	30.2	12.4	48.9	20.2	44.4	0.0	0.0	0.0	7.6	5.4	
	ROW % COLUMN %	6.6 4.0	5.5 5.4	24.7 2.4	1.2 0.5	10.6 2.8	1.8 0.7	0.0 0.0	0.0 0.0	0.0 0.0	60.0 4.5	3.4	

TABLE 2-33
AGE OF AIRCRAFT VS. NON-HIERARCHICAL CAPABILITY GROUPS

PAGE 2 OF 2

		1985											
		L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT	
35+ YEARS	ESTIMATE	1386	406	2399	183	1630	205	101	52	40	30885	35880	
	% STD ERR	15.3	24.0	10.1	46.7	13.8	44.6	*	*	*	1.7	1.5	
	ROW %	3.9	1.1	6.7	0.5	4.5	0.6	0.3	0.1	0.1	86.1		
TOTALS	COLUMN %	9.1	4.4	2.5	0.9	4.6	0.9	5.7	4.9	6.2	25.2	13.3	
	ESTIMATE	15182	9260	96022	20797	35143	22286	1779	1065	643	122523	270284	
	% STD ERR	5.2	6.7	1.3	2.9	3.0	2.8	15.7	19.8	25.6	1.0		
	ROW %	5.6	3.4	35.5	7.7	13.0	8.2	0.7	0.4	0.2	45.3		

NON-HIERARCHICAL CAPABILITY GROUPS KEY

GS - GLIDE SLOPE
L - LOCALIZER
LRN - LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
MB - MARKER BEACON
ML - MICROWAVE LANDING SYSTEM
RA - RADAR ALTIMETER
NO - NO REGULATORY AVIONICS

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-34
COMPUTED AIRCRAFT TYPE VS. NON-HIERARCHICAL CAPABILITY GROUPS

PAGE 1 OF 2

1985

	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
FIXED WING - PISTON: SINGLE ENGINE 1-3 SEATS	ESTIMATE	5768	1682	4633	222	3771	312	152	90	72815	87513
	% STD ERR	8.5	16.2	8.9	44.3	10.6	35.8	*	*	1.0	0.0
	ROW %	6.6	1.9	5.3	0.3	4.3	0.4	0.2	0.1	83.2	0.0
	COLUMN %	38.0	18.2	4.8	1.1	10.7	1.4	14.3	14.0	59.4	32.4
SINGLE ENGINE 4+ SEATS	ESTIMATE	7915	6215	70214	4203	17175	4562	567	354	31908	122872
	% STD ERR	7.3	8.3	1.5	10.2	4.7	9.8	28.9	37.6	2.9	0.0
	ROW %	6.4	5.1	57.1	3.4	14.0	3.7	0.5	0.3	26.0	0.0
	COLUMN %	52.1	67.1	73.1	20.2	48.9	20.5	53.2	55.1	26.0	45.5
TWO ENGINES 1-6 SEATS	ESTIMATE	296	657	13347	3384	4012	3480	85	77	1080	18929
	% STD ERR	35.0	24.1	2.8	8.9	8.5	8.7	*	*	15.6	0.0
	ROW %	1.6	3.5	70.5	17.9	21.2	18.4	0.4	0.4	5.7	0.0
	COLUMN %	1.9	7.1	13.9	16.3	11.4	15.6	8.0	12.0	0.9	7.0
TWO ENGINES 7+ SEATS	ESTIMATE	95	348	5978	3043	2284	3284	99	15	626	10194
	% STD ERR	*	28.8	4.5	8.1	11.0	7.6	*	*	17.6	0.0
	ROW %	0.9	3.4	58.6	29.9	22.4	32.2	1.0	0.1	6.1	0.0
	COLUMN %	0.6	3.8	6.2	14.6	6.5	14.7	9.3	2.3	0.5	3.8
OTHER	ESTIMATE	0	4	111	51	98	51	0	3	163	347
	% STD ERR	0.0	*	28.2	49.3	24.1	49.3	0.0	*	20.5	0.0
	ROW %	0.0	1.2	32.0	14.7	28.2	14.7	0.0	0.9	47.0	0.1
	COLUMN %	0.0	0.0	0.1	0.2	0.3	0.2	0.0	0.5	0.1	0.1
FIXED WING - TURBOPROP: 2 ENGINES 1-12 SEATS	ESTIMATE	66	113	466	4543	1764	4709	39	22	7	5201
	% STD ERR	*	42.7	21.0	2.5	9.3	2.1	*	*	*	0.0
	ROW %	1.3	2.2	9.0	87.3	33.9	90.5	0.7	0.4	0.1	0.0
	COLUMN %	0.4	1.2	0.5	21.8	5.0	21.1	2.2	3.4	0.0	1.9
2 ENGINES 13+ SEATS	ESTIMATE	0	38	327	502	156	523	6	0	10	876
	% STD ERR	0.0	*	12.4	8.7	18.4	8.0	*	0.0	*	0.0
	ROW %	0.0	4.3	37.3	57.3	17.8	59.7	0.7	0.0	1.1	0.0
	COLUMN %	0.0	0.4	0.3	2.4	0.4	2.3	0.6	0.0	0.0	0.3
OTHER	ESTIMATE	4	10	90	57	66	79	0	0	88	262
	% STD ERR	*	42.0	10.0	14.1	12.8	11.2	0.0	0.0	5.4	0.0
	ROW %	1.5	3.8	34.4	21.8	25.2	30.2	0.0	0.0	33.6	0.0
	COLUMN %	0.0	0.1	0.1	0.3	0.2	0.4	0.0	0.0	0.1	0.1

TABLE 2-34
COMPUTED AIRCRAFT TYPE VS. NON-HIERARCHICAL CAPABILITY GROUPS

1985											PAGE 2 OF 2	
		L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
FIXED WING - TURBOJET: 2 ENGINES	ESTIMATE	5	103	235	3773	2959	3903	94	87	59	6	4151
	% STD ERR	*	43.1	23.5	2.0	4.1	1.4	41.6	42.6	47.1	*	0.0
	ROW %	0.1	2.5	5.7	90.9	71.3	94.0	2.3	2.1	1.4	0.1	0.0
	COLUMN %	0.0	1.1	0.2	18.1	8.4	17.5	5.3	8.2	9.2	0.0	1.5
OTHER	ESTIMATE	35	9	68	459	383	462	14	14	12	106	683
	% STD ERR	25.1	*	19.5	4.3	6.1	4.3	*	*	*	19.6	0.0
	ROW %	5.1	1.3	10.0	67.2	56.1	67.6	2.0	2.0	1.8	15.5	0.0
	COLUMN %	0.2	0.1	0.1	2.2	1.1	2.1	0.8	1.3	1.9	0.1	0.3
ROTORCRAFT: PISTON	ESTIMATE	193	2	14	7	224	7	2	0	0	5111	5542
	% STD ERR	48.7	*	*	*	27.3	*	*	0.0	0.0	2.2	0.0
	ROW %	3.5	0.0	0.3	0.1	4.0	0.1	0.0	0.0	0.0	92.2	0.0
	COLUMN %	1.3	0.0	0.0	0.0	0.6	0.0	0.1	0.0	0.0	4.2	2.1
TURBINE	ESTIMATE	755	80	531	554	2229	903	18	17	11	1835	4792
	% STD ERR	20.4	*	25.7	11.9	9.0	13.0	*	*	*	10.3	0.0
	ROW %	15.8	1.7	11.1	11.6	46.5	18.8	0.4	0.4	0.2	38.3	0.0
	COLUMN %	5.0	0.9	0.6	2.7	6.3	4.1	1.0	1.6	1.7	1.5	1.8
OTHER AIRCRAFT	ESTIMATE	51	0	7	0	20	12	0	0	0	8788	8854
	% STD ERR	*	0.0	*	0.0	*	*	0.0	0.0	0.0	0.5	0.0
	ROW %	0.6	0.0	0.1	0.0	0.2	0.1	0.0	0.0	0.0	99.0	0.0
	COLUMN %	0.3	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	7.2	3.3
ALL AIRCRAFT	ESTIMATE	15182	9260	96022	20797	35143	22286	1779	1065	643	122523	270284
	% STD ERR	5.2	6.7	1.3	2.9	3.0	2.8	15.7	19.8	25.6	1.0	0.0
	ROW %	5.6	3.4	35.5	7.7	13.0	8.2	0.7	0.4	0.2	45.3	0.0
	COLUMN %											

NON-HIERARCHICAL CAPABILITY GROUPS KEY

GS - GLIDE SLOPE
L - LOCALIZER
LRN - LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
MB - MARKER BEACON
ML - MICROWAVE LANDING SYSTEM
RA - RADAR ALTIMETER
NO - NO REGULATORY AVIONICS

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-35
BASE AIRPORT REGION VS. NON-HIERARCHICAL CAPABILITY GROUPS

	1985										PAGE 1 OF 2	
	L	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT		
ALASKAN	ESTIMATE	394	200	1359	344	997	418	7	6258	8832		
	% STD ERR	32.7	44.7	17.4	33.2	19.7	29.7	*	*	8.2		
	ROW %	4.5	2.3	15.4	3.9	11.3	4.7	0.1	0.0	70.8		
	COLUMN %	2.6	2.2	1.4	1.7	2.8	1.9	0.4	0.5	5.1		3.3
CENTRAL	ESTIMATE	810	463	4816	1052	1433	1127	173	8382	15796		
	% STD ERR	25.3	32.6	9.7	17.3	16.8	16.9	*	*	7.1		5.2
	ROW %	5.1	2.9	30.5	6.7	9.1	7.1	1.1	0.5	53.1		5.8
	COLUMN %	5.3	5.0	5.0	5.1	4.1	5.1	9.7	12.4	6.8		
EASTERN	ESTIMATE	1861	1314	10804	2370	3646	2508	101	12655	29484		
	% STD ERR	15.7	18.1	6.3	10.5	10.1	10.2	*	*	5.8		3.6
	ROW %	6.3	4.5	36.6	8.0	12.4	8.5	0.3	0.2	42.9		10.9
	COLUMN %	12.3	14.2	11.3	11.4	10.4	11.3	5.7	7.3	10.3		
EUROPEAN OFFICE	ESTIMATE	3	25	347	114	102	124	10	0	191		696
	% STD ERR	*	*	34.7	46.1	43.5	44.7	*	*	48.2		23.6
	ROW %	0.4	3.6	49.9	16.4	14.7	17.8	1.4	0.0	27.4		0.3
	COLUMN %	0.0	0.3	0.4	0.5	0.3	0.6	0.6	0.0	0.2		
GREAT LAKES	ESTIMATE	2632	1593	16897	3250	5228	3399	360	22970	48042		
	% STD ERR	13.5	16.9	5.0	9.6	8.6	9.4	32.5	*	4.0		2.8
	ROW %	5.5	3.3	35.2	6.8	10.9	7.1	0.7	0.2	47.8		17.8
	COLUMN %	17.3	17.2	17.6	15.6	14.9	15.3	20.2	13.5	18.7		
NEW ENGLAND	ESTIMATE	544	449	3830	650	1783	735	33	4	4367		10172
	% STD ERR	29.9	31.9	11.0	22.7	15.7	21.3	*	*	9.6		6.4
	ROW %	5.3	4.4	37.7	6.4	17.5	7.2	0.3	0.0	42.9		3.8
	COLUMN %	3.6	4.8	4.0	3.1	5.1	3.3	1.9	0.6	3.6		
NORTHWEST MOUNTAIN	ESTIMATE	1920	1027	8721	1544	3846	1657	309	89	13518		27365
	% STD ERR	15.7	21.5	7.2	15.4	10.5	14.7	39.9	*	5.6		3.9
	ROW %	7.0	3.8	31.9	5.6	14.1	6.1	1.1	0.3	49.4		10.1
	COLUMN %	12.6	11.1	9.1	7.4	10.9	7.4	17.4	13.8	11.0		
SOUTHERN	ESTIMATE	2455	1406	17330	3747	7532	4017	251	74	14882		41193
	% STD ERR	13.9	18.0	4.8	9.0	7.3	8.7	44.4	*	5.1		3.0
	ROW %	6.0	3.4	42.1	9.1	18.3	9.8	0.6	0.2	36.4		15.2
	COLUMN %	16.2	15.2	18.0	18.0	21.4	18.0	14.1	11.5	12.2		

TABLE 2-35
BASE AIRPORT REGION VS. NON-HIERARCHICAL CAPABILITY GROUPS

PAGE 2 OF 2

1985

	L	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
SOUTHWESTERN										
ESTIMATE	2213	1095	14482	4453	4901	485	168	230	17193	40974
% STD ERR	14.6	20.3	5.4	8.0	7.7	32.1	*	47.6	4.8	3.0
ROW %	5.4	2.7	35.3	10.9	12.0	1.2	0.4	0.6	42.0	15.2
COLUMN %	14.6	11.8	15.1	21.4	22.0	27.3	15.8	35.8	14.0	
WESTERN-PACIFIC										
ESTIMATE	2607	1754	18364	3362	3492	160	58	54	20708	47627
% STD ERR	13.2	16.3	4.7	10.6	10.3	*	*	*	4.2	2.7
ROW %	5.5	3.7	38.6	7.1	7.3	0.3	0.1	0.1	43.5	17.6
COLUMN %	17.2	18.9	19.1	16.2	15.7	9.0	5.4	8.4	16.9	
TOTALS										
ESTIMATE	15182	9260	96022	20797	22286	1779	1065	643	122523	270284
% STD ERR	5.2	6.7	1.3	2.9	2.8	15.7	19.8	25.6	1.0	
ROW %	5.6	3.4	35.5	7.7	8.2	0.7	0.4	0.2	45.3	

NON-HIERARCHICAL CAPABILITY GROUPS KEY

GS	-	GLIDE SLOPE
L	-	LOCALIZER
LRN	-	LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
MB	-	MARKER BEACON
ML	-	MICROWAVE LANDING SYSTEM
RA	-	RADAR ALTIMETER
NO	-	NO REGULATORY AVIONICS

* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-38
GENERAL AVIATION
NUMBER OF LANDINGS IN LOCAL FLIGHT
BY
AIRCRAFT TYPE AND REGION
1985

PAGE 1 OF 2

AIRCRAFT TYPE	REGION										TOTAL
	ALASKAN	CENTRAL	EASTERN	EUROPEAN OFFICE	GREAT LAKES	NEW ENGLAND	NORTHWEST MOUNTAIN	SOUTHERN	SOUTH-WESTERN	WESTERN-PACIFIC	
FIXED WING											
FIXED WING- PISTON											
1 ENG: 1-3 SEATS (% STANDARD ERROR)	173614 24.7	823444 22.1	1386391 19.0	15937 *	2399479 14.5	447307 35.1	988824 19.1	2092937 16.8	2622339 15.9	1889236 16.2	12819508 6.4
1 ENG: 4+ SEATS (% STANDARD ERROR)	497512 35.5	530242 24.7	1122360 14.6	4266 *	1754600 17.0	404151 21.5	966336 12.8	1317544 11.3	1249857 14.4	1638359 12.7	9485327 5.6
1 ENGINE: TOTAL (% STANDARD ERROR)	671126 27.1	1353686 16.6	2508751 12.4	20203 *	4154079 11.0	851458 21.1	1935160 11.5	3410481 11.2	3872296 11.7	3527595 10.5	22304835 4.4
2 ENG: 1-6 SEATS (% STANDARD ERROR)	5730 *	58020 43.9	103958 *	2558 *	149069 31.8	16073 *	32425 *	317617 33.5	45958 *	108171 42.5	839579 18.1
2 ENG: 7+ SEATS (% STANDARD ERROR)	2125 *	22399 *	42809 37.8	743 *	28461 *	7086 *	19012 *	85046 35.9	124445 48.1	22629 *	354755 22.6
2 ENGINE: TOTAL (% STANDARD ERROR)	7855 *	80419 34.9	146767 48.9	3301 *	177530 28.9	23159 *	51437 41.1	402683 27.5	170403 43.0	130800 42.5	1194334 14.4
PISTON: OTHER (% STANDARD ERROR)	223 *	0 0.0	0 0.0	0 0.0	24 *	20 *	401 *	0 0.0	0 0.0	3342 *	4010 *
PISTON: TOTAL (% STANDARD ERROR)	679204 26.8	1434105 15.8	2655518 12.0	23504 *	4331633 10.7	874637 20.6	1986998 11.3	3813144 10.4	4042699 11.4	3661737 10.2	23503179 4.2
FIXED WING- TURBOPROP											
2 ENG: 1-12 SEATS (% STANDARD ERROR)	74 *	7809 *	8323 *	54 *	17186 *	2562 *	2907 *	19702 *	49783 *	30941 *	139341 34.5
2 ENG: 13+ SEATS (% STANDARD ERROR)	0 0.0	1040 *	271545 *	14 *	1715 *	154 *	7878 *	7219 *	796 *	1847 *	292208 *
2 ENGINE: TOTAL (% STANDARD ERROR)	74 *	8849 *	279868 *	68 *	18901 *	2716 *	10785 *	26921 *	50579 *	32788 48.7	431549 37.3
TURBOPROP: OTHER (% STANDARD ERROR)	194 *	314 *	2812 36.9	724 *	124 *	0 0.0	15428 *	18337 46.2	12571 *	58501 *	107005 33.5
TURBOPROP: TOTAL (% STANDARD ERROR)	268 *	9163 *	282680 *	792 *	19025 *	2716 *	26213 *	45258 42.1	63150 *	89289 39.9	538554 30.6

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2-38
GENERAL AVIATION
NUMBER OF LANDINGS IN LOCAL FLIGHT
BY
AIRCRAFT TYPE AND REGION
1985

PAGE 2 OF 2

AIRCRAFT TYPE	REGION										TOTAL
	ALASKAN	CENTRAL	EASTERN	EUROPEAN OFFICE	GREAT LAKES	NEW ENGLAND	NORTHWEST MOUNTAIN	SOUTHERN	SOUTH-WESTERN	WESTERN-PACIFIC	
FIXED WING- TURBOJET											
2 ENGINE TURBOJET (% STANDARD ERROR)	0 0.0	881 *	11537 *	52 *	21226 *	1965 *	1454 *	24213 48.0	33887 *	16858 *	112073 27.4
TURBOJET: OTHER (% STANDARD ERROR)	0 0.0	15 *	1841 *	26 *	1290 *	423 *	86 *	592 *	3880 *	2989 *	11142 39.8
TURBOJET: TOTAL (% STANDARD ERROR)	0 0.0	896 *	13378 *	78 *	22516 *	2388 *	1540 *	24805 47.0	37787 *	19847 48.7	123215 25.2
FIXED WING: TOTAL (% STANDARD ERROR)	679472 26.8	1444164 15.7	2951576 11.9	24374 *	4373174 10.6	879741 20.5	2014751 11.2	3883207 10.3	4143616 11.1	3770873 10.0	24164948 4.2
ROTORCRAFT											
PISTON (% STANDARD ERROR)	12510 48.5	38416 *	80548 41.5	35 *	351765 42.7	57152 *	178022 *	146773 39.0	15432 *	667000 38.3	1547653 20.8
TURBINE (% STANDARD ERROR)	192290 *	93550 *	225030 26.4	17786 *	235803 14.4	24472 20.5	52044 39.7	136441 28.6	1155826 *	501422 37.6	2634864 25.9
ROTORCRAFT: TOTAL (% STANDARD ERROR)	204800 47.8	131966 *	305578 22.3	17821 *	587568 26.2	81624 43.6	230066 43.2	283214 24.5	1171258 *	1168422 27.2	4182317 18.0
OTHER (% STANDARD ERROR)	292 *	14348 *	65030 31.8	0 0.0	72748 30.4	7352 *	29757 23.2	43873 40.5	82843 33.4	205277 28.7	521520 14.4
TOTAL (% STANDARD ERROR)	884564 23.4	1590478 15.2	3322184 10.8	42195 45.2	5033490 9.7	968717 19.0	2274574 10.8	4210294 9.6	5397717 14.6	5144572 9.6	28868785 4.4

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-37
GENERAL AVIATION
NUMBER OF LANDINGS IN CROSS COUNTRY FLIGHT
BY
AIRCRAFT TYPE AND REGION
1985

PAGE 1 OF 2

AIRCRAFT TYPE	REGION										TOTAL
	ALASKAN	CENTRAL	EASTERN	EUROPEAN OFFICE	GREAT LAKES	NEW ENGLAND	NORTHWEST MOUNTAIN	SOUTHERN	SOUTH-WESTERN	WESTERN-PACIFIC	
FIXED WING											
FIXED WING- PISTON											
1 ENG: 1-3 SEATS (% STANDARD ERROR)	103670 30.8	87619 22.5	221702 15.5	1310 *	436045 16.3	87242 26.5	112779 20.8	280700 20.7	272673 25.0	293190 15.8	1896930 7.2
1 ENG: 4+ SEATS (% STANDARD ERROR)	424267 25.3	353467 17.5	619721 13.3	12891 *	911139 10.1	235894 17.7	638967 11.0	861958 9.8	1153378 11.6	1341809 11.2	6553491 4.5
1 ENGINE: TOTAL (% STANDARD ERROR)	527937 21.2	441086 14.7	841423 10.6	14201 *	1347184 8.6	323136 14.8	751746 9.9	1142658 8.9	1426051 10.6	1634999 9.6	8450421 3.8
2 ENG: 1-6 SEATS (% STANDARD ERROR)	24138 *	67500 31.7	222182 50.0	12719 *	391485 23.2	68783 43.9	142131 47.2	387554 16.9	258720 26.2	136310 19.5	1713522 11.2
2 ENG: 7+ SEATS (% STANDARD ERROR)	9846 *	110694 42.3	107332 29.2	11122 45.5	191838 21.2	34921 47.1	114998 *	376749 19.6	341753 19.9	264824 37.4	1564077 10.9
2 ENGINE: TOTAL (% STANDARD ERROR)	33984 *	178194 28.8	329514 35.0	23841 43.5	583323 17.1	103704 33.1	257129 36.0	784303 12.9	800473 16.0	403134 25.5	3277599 7.8
PISTON: OTHER (% STANDARD ERROR)	645 *	0 0.0	0 0.0	0 0.0	40 *	3848 *	735 *	0 0.0	121 38.1	6555 25.5	11924 31.9
PISTON: TOTAL (% STANDARD ERROR)	562566 20.3	619280 13.4	1170937 12.5	38042 40.3	1930527 7.9	430688 13.7	1009610 11.8	1906961 7.4	2026645 8.8	2044688 9.2	11739944 3.5
FIXED WING- TURBOPROP											
2 ENG: 1-12 SEATS (% STANDARD ERROR)	598 *	101412 37.9	137208 29.6	2401 *	219665 25.6	22414 *	84007 47.2	237630 19.9	212222 25.7	114562 33.1	1132119 10.7
2 ENG: 13+ SEATS (% STANDARD ERROR)	45037 *	10987 *	141470 46.0	19973 *	35381 47.0	5817 46.7	6055 *	122890 44.6	10083 45.4	22443 *	420136 23.9
2 ENGINE: TOTAL (% STANDARD ERROR)	45635 *	112399 35.3	278678 27.5	22374 *	255046 23.0	28231 46.1	90062 44.5	360520 20.1	222305 24.6	137005 30.1	1552255 10.1
TURBOPROP: OTHER (% STANDARD ERROR)	13217 47.9	190 *	1439 46.0	399 20.8	3043 29.8	0 0.0	361 *	2876 46.9	5784 31.4	92 *	27401 25.0
TURBOPROP: TOTAL (% STANDARD ERROR)	58852 *	112589 35.3	280117 27.4	22773 *	258089 22.7	28231 46.1	90423 44.3	363396 19.9	228089 24.0	137097 30.0	1579656 10.0

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2-37

GENERAL AVIATION
NUMBER OF LANDINGS IN CROSS COUNTRY FLIGHT
BY
AIRCRAFT TYPE AND REGION
1985

PAGE 2 OF 2

AIRCRAFT TYPE	REGION											TOTAL
	ALASKAN	CENTRAL	EASTERN	EUROPEAN OFFICE	GREAT LAKES	NEW ENGLAND	NORTHWEST MOUNTAIN	SOUTHERN	SOUTH-WESTERN	WESTERN-PACIFIC		
FIXED WING- TURBOJET												
2 ENGINE TURBOJET (% STANDARD ERROR)	267 *	54134 37.1	172221 20.2	3515 *	274242 19.4	55760 *	40881 41.5	121608 24.5	230817 24.7	63107 33.2		1016552 10.1
TURBOJET: OTHER (% STANDARD ERROR)	0 0.0	6580 *	11426 30.5	784 *	25237 41.6	2804 *	5539 *	21743 22.9	6597 30.3	8559 39.6		89269 15.7
TURBOJET: TOTAL (% STANDARD ERROR)	267 *	60714 33.9	183647 19.0	4299 *	299479 18.1	58564 *	46420 37.1	143351 21.0	237414 24.0	71666 28.6		1105821 9.4
FIXED WING: TOTAL (% STANDARD ERROR)	621685 19.7	792583 11.9	1634701 10.3	65114 30.8	2488095 6.9	517483 13.5	1146453 11.0	2413708 6.7	2492148 7.8	2253451 8.6		14425421 3.1
ROTORCRAFT												
PISTON (% STANDARD ERROR)	11557 *	1347 *	21754 *	0 0.0	33705 *	7518 43.6	6942 *	21906 42.9	3339 *	24888 38.2		132956 26.2
TURBINE (% STANDARD ERROR)	55052 35.8	5849 36.3	141375 21.4	293 *	54618 38.6	48630 31.1	20744 *	85032 35.6	304923 40.0	146089 33.9		862605 16.7
ROTORCRAFT: TOTAL (% STANDARD ERROR)	66609 33.0	7196 35.1	163129 20.8	293 *	88323 34.1	56148 27.6	27686 *	106938 29.6	308262 39.8	170977 29.5		995561 14.9
OTHER (% STANDARD ERROR)	0 0.0	2198 *	4874 *	0 0.0	3988 *	6584 42.3	2801 *	2086 *	1300 *	14585 49.5		38416 33.8
TOTAL (% STANDARD ERROR)	688294 18.1	801977 11.8	1802704 9.5	65407 33.3	2580406 6.8	580215 12.3	1176940 10.9	2522732 6.6	2801710 8.2	2439013 8.2		15459398 3.1

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-38
GENERAL AVIATION
TOTAL NUMBER OF LANDINGS
BY
AIRCRAFT TYPE AND REGION
1985

PAGE 1 OF 2

AIRCRAFT TYPE	REGION										TOTAL
	ALASKAN	CENTRAL	EASTERN	EUROPEAN OFFICE	GREAT LAKES	NEW ENGLAND	NORTHWEST MOUNTAIN	SOUTHERN	SOUTH-WESTERN	WESTERN-PACIFIC	
FIXED WING											
FIXED WING- PISTON											
1 ENG: 1-3 SEATS (% STANDARD ERROR)	277525 24.1	912621 20.6	1607371 17.4	17192 *	2835315 14.2	535079 31.8	1083289 18.0	2376206 16.1	2900607 14.9	2187225 15.1	14732430 8.0
1 ENG: 4+ SEATS (% STANDARD ERROR)	926376 22.6	883493 19.0	1743684 12.6	17319 *	2666445 13.4	640383 17.1	1606296 10.6	2181173 9.1	2403529 10.9	2876545 10.3	16045243 4.4
1 ENGINE: TOTAL (% STANDARD ERROR)	1203901 18.2	1796114 14.0	3351055 10.6	34511 *	5501760 9.8	1175462 17.2	2689585 9.6	4557379 9.5	5304136 9.5	5163770 8.7	30777673 3.7
2 ENG: 1-6 SEATS (% STANDARD ERROR)	29868 *	126364 28.0	327190 *	15254 *	540218 20.0	85050 38.2	175015 38.4	706194 18.7	305219 26.9	246640 24.6	2557012 10.8
2 ENG: 7+ SEATS (% STANDARD ERROR)	11908 *	133930 34.2	149466 26.5	11833 42.0	220728 18.5	42125 43.3	133933 48.5	462755 16.1	465861 18.0	287054 31.9	1919593 9.2
2 ENGINE: TOTAL (% STANDARD ERROR)	41776 *	260294 22.2	476656 36.3	27087 49.7	760946 15.2	127175 29.3	308948 30.3	1168949 13.0	771080 15.2	533694 20.6	4476605 7.3
PISTON: OTHER (% STANDARD ERROR)	869 *	0 0.0	0 0.0	0 0.0	44 *	3957 *	1137 *	0 0.0	121 *	9838 29.2	15966 31.0
PISTON: TOTAL (% STANDARD ERROR)	1246546 17.7	2056408 12.6	3827711 10.3	61598 39.1	6262750 8.8	1306594 15.8	2999670 9.2	5726328 8.0	6075337 8.5	5707302 8.1	35270244 3.3
FIXED WING- TURBOPROP											
2 ENG: 1-12 SEATS (% STANDARD ERROR)	672 *	109482 32.8	145803 26.2	2626 *	236375 22.5	24734 *	87271 43.5	257355 18.1	263713 27.4	147313 26.1	1275344 9.9
2 ENG: 13+ SEATS (% STANDARD ERROR)	45037 *	12101 *	385498 38.3	19989 *	36165 43.7	5947 44.8	16497 *	130981 40.7	11047 49.0	24175 *	687437 24.1
2 ENGINE: TOTAL (% STANDARD ERROR)	45709 *	121583 30.7	531301 28.7	22615 *	272540 20.4	30681 44.0	103768 40.2	388336 18.2	274760 26.4	171488 24.3	1962781 10.6
TURBOPROP: OTHER (% STANDARD ERROR)	13411 43.6	505 *	4252 27.0	1124 49.4	3168 21.5	0 0.0	15789 *	21282 38.6	18411 35.3	56939 *	134881 26.3
TURBOPROP: TOTAL (% STANDARD ERROR)	59120 *	122088 30.6	535553 28.5	23739 49.7	275708 20.2	30681 44.0	119557 36.4	409618 17.4	293171 24.9	228427 22.8	2097662 10.1

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2-38

GENERAL AVIATION
TOTAL NUMBER OF LANDINGS
BY
AIRCRAFT TYPE AND REGION
1985

PAGE 2 OF 2

AIRCRAFT TYPE	REGION											TOTAL
	ALASKAN	CENTRAL	EASTERN	EUROPEAN OFFICE	GREAT LAKES	NEW ENGLAND	NORTHWEST MOUNTAIN	SOUTHERN	SOUTH-WESTERN	WESTERN-PACIFIC		
FIXED WING- TURBOJET												
2 ENGINE TURBOJET (% STANDARD ERROR)	267 *	54980 33.7	183797 18.4	3561 *	294462 16.9	57710 *	42304 38.3	145502 21.9	264513 21.3	82345 36.0	1129441 9.0	
TURBOJET: OTHER (% STANDARD ERROR)	0 0.0	6594 *	13243 28.0	812 *	26534 36.1	3228 *	5588 42.8	22256 22.1	10510 34.8	11505 29.3	100270 13.5	
TURBOJET: TOTAL (% STANDARD ERROR)	267 *	61574 30.9	197040 17.3	4373 *	320996 15.8	60938 *	47892 34.2	167758 19.2	275023 20.5	93850 31.8	1229711 8.3	
FIXED WING: TOTAL (% STANDARD ERROR)	1305933 17.2	2240070 11.7	4560304 9.3	89710 30.4	6859454 8.1	1388213 14.9	3167119 8.8	6303704 7.4	6643531 7.9	6029579 7.8	38597617 3.1	
ROTORCRAFT												
PISTON (% STANDARD ERROR)	23911 *	39684 *	100980 40.0	35 *	384109 42.1	64289 *	184805 *	168845 34.2	18521 *	689185 36.9	1674364 19.6	
TURBINE (% STANDARD ERROR)	254119 36.7	98815 *	367618 18.4	18080 23.5	284606 13.0	73705 24.0	71920 35.5	221943 24.2	1476443 45.8	643284 31.8	3510533 20.6	
ROTORCRAFT: TOTAL (% STANDARD ERROR)	278030 34.0	138499 *	468598 16.8	18115 23.5	668715 24.8	137994 30.1	256725 38.9	397788 40.2	1494964 45.2	1332469 24.5	5184897 15.3	
OTHER (% STANDARD ERROR)	292 *	16802 *	70143 39.8	0 0.0	77587 35.7	13735 *	32918 30.2	46290 *	84749 35.4	222110 27.3	564626 15.1	
TOTAL (% STANDARD ERROR)	1584255 15.4	2395371 11.5	509045 8.5	107825 25.6	7605756 7.6	1549942 13.8	3456762 8.6	6740782 7.0	8223244 10.4	7584158 7.6	44347140 3.3	

* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

APPENDIX A.1: FIRST MAILING COVER LETTER



U.S. Department
of Transportation
**Federal Aviation
Administration**

800 Independence Ave. S.W.
Washington, D.C. 20591

April 1986

Dear Aircraft Owner:

The Federal Aviation Administration (FAA) is asking the Transportation Systems Center (TSC), of the Department of Transportation, at Kendall Square, Cambridge, Massachusetts 02142, to conduct the annual General Aviation Activity and Avionics Survey. Data collected in the survey will be used only to produce summary statistics for performing safety analyses, determining the need for air traffic facilities and services, and evaluating the effect of proposed regulatory changes on the general aviation fleet.


Enclosed is the General Aviation Activity and Avionics Survey questionnaire for calendar year 1985. Around 10 percent of all general aviation aircraft are selected to be surveyed. Since the sample is random, it is possible that your aircraft may be selected in successive years or that more than one of your aircraft may be selected this year. It could happen more often if the number of aircraft of the type that you own is very small. When more than one of your aircraft is selected, you will find a separate questionnaire provided for each aircraft. Please answer all questions for the aircraft so identified in the questionnaire. If you can not provide a precise answer to any questions, please make your best estimate.

If your aircraft, for whatever reasons, was not in use during calendar year 1985, please check question six indicating the aircraft was not flown; if the aircraft was sold prior to January 1985, please so indicate on the space showing the N-number of the aircraft and return the form to TSC; if your aircraft is operated principally by another (leased, etc.), please obtain the necessary information from the operator, or forward this mail to that person or firm for completion.

Please answer all questions and return this questionnaire in the enclosed, self-addressed, postpaid envelope. A prompt response will eliminate the need for additional followup contacts. Your timely response is very important to the quality of the results. Please mail your response today!

We appreciate your cooperation.

Sincerely,



Lawrence R. Kelly, Jr.
Manager, Management Standards
and Statistics Division, AMS-400

Enclosures



50 Years of Air Traffic Control Excellence
- A Standard for the World

APPENDIX A.2: SECOND MAILING COVER LETTER



US Department
of Transportation
**Federal Aviation
Administration**

800 Independence Ave. S.W.
Washington, D.C. 20591

May 1986

Dear Aircraft Owner:

In April, the Federal Aviation Administration sent aircraft owners a questionnaire as part of its program to gather statistical information on the use and characteristics of the general aviation fleet.

You were one of the aircraft owners selected at random to receive a questionnaire. As of this date, we have not received a response from you. In the event the survey questionnaire has been lost or misplaced, another copy is enclosed for your convenience in responding. Your response is very important to the success of the survey program, please mail your response today!

If you have already responded, please disregard this notice. We appreciate your cooperation.

Sincerely,

Lawrence R. Kelly, Jr.
Manager, Management Standards
and Statistics Division, AMS-400

Enclosures



50 Years of Air Traffic Control Excellence
— A Standard for the World —

APPENDIX A.3: THIRD MAILING COVER LETTER



U.S. Department
of Transportation
**Federal Aviation
Administration**

800 Independence Ave. S.W.
Washington, D.C. 20591

June 1986

Dear Aircraft Owner:

In April, the Federal Aviation Administration sent aircraft owners a questionnaire as part of its program to gather statistical information on the use and characteristics of the general aviation fleet.

You were one of the aircraft owners selected at random to be included in this survey. Since the survey is based on a random sample of general aviation aircraft, your response is very essential to making the survey results comprehensive, accurate and timely. As of this date, we have not received a response from you. In the event the survey questionnaire has been lost or misplaced, another copy is enclosed for your convenience in responding. Please take a few minutes to complete the questionnaire and mail your response no later than July 21. Your cooperation will be very valuable, not only to the FAA, but also the aviation community as a whole.

If you have already responded, please disregard this notice. We appreciate your cooperation.

Sincerely,

Lawrence R. Kelly, Jr.
Manager, Management Standards
and Statistics Division, AMS-400

Enclosures



50 Years of Air Traffic Control Excellence
— A Standard for the World

GENERAL AVIATION ACTIVITY AND AVIONICS SURVEY

(As of December 31, 1985)

Form Approved
OMB NO 2120-0060

This report is authorized by Section 311 of the Federal Aviation Act of 1958, as amended. While you are not required to respond, your cooperation is needed to make the results of this survey comprehensive, accurate and timely. Information collected in this survey will be used for statistical purposes only and not to disclose individual activity.

Transportation Systems Center—GAF
→ Kendall Square
Cambridge, Massachusetts 02142

Instrument Methodology: a Condition: MC, 0.1, a
Instrument Methodology: a Condition: MC, 0.1, a
Visual Methodology: a Condition: MC, 0.1, a
Visual Methodology: a Condition: MC, 0.1, a
TOTAL

00

100

4 2 1 4 3 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040

APPENDIX B SAMPLE DESIGN

B.1 SAMPLE FRAME AND SIZE

The Aircraft Registration Master File, maintained by the FAA Mike Monroney Aeronautical Center in Oklahoma City, provided the sample frame, the list of aircraft from which the sample was selected, for the survey. This file is the official record of registered civil aircraft in the U.S., containing one record per aircraft.

Between the 1977 and 1978 survey cycles several changes occurred to this file which had an impact on the sample population and frame, and ultimately on the survey results. In January 1978, FAA implemented a new procedure for maintaining the file, known as triennial revalidation. Instead of requiring all owners to revalidate and update their aircraft registration annually, FAA required revalidation for only those owners who had not contacted the registry for 3 years. The less frequent updating affected the accuracy of the file and its representativeness. Two major consequences for the survey results are discussed below:

- 1) The accuracy of owners' addresses deteriorated, causing the percentage of questionnaires returned by the post office to almost triple from 1977 to 1982. Post office returns have since stabilized at about 6 or 7 percent of the original sample of aircraft selected. This partially accounted for the lower survey response rates experienced since 1977.
- 2) The file contained a residue of aircraft which under the old revalidation system would have been deregistered and purged from the file, but remained under the new system. Consequently, the population counts were inflated resulting in artificially large increases in the estimates of the number of active general aviation aircraft from 1977 to 1978, and from 1978 to 1979.

Also during this period the entire Aircraft Registration System was installed on a new computer system. At the same time, FAA modified many of the updating and processing procedures. It is quite possible that these changes affected the registration file, although it is not known in what way.

Finally, new legislation required two categories of aircraft, formerly ineligible, to be registered with the U.S. Registry, namely:

- 1) aircraft owned by individual citizens of foreign countries who are permanent residents of the U.S., and
- 2) aircraft owned by non-U.S. corporations which are organized and doing business under U.S. law as long as the aircraft are based and used primarily in the U.S.

The definition of a registered general aviation aircraft changed from 1977 to 1978 to include the two new groups. It is estimated that these aircraft comprise less than one half percent of the general aviation fleet.

Thus, these changes discussed above affected the contents of the Aircraft Registration Master File and consequently the survey results. While it is difficult to quantify the effects of the changes, FAA estimates that they caused the survey results to overestimate population and hours flown by not more than five percent.

All aircraft identified as general aviation in the file according to the definition in Section 1.2.1 comprise the sample frame with the following exceptions:

- 1) Aircraft registered to dealers.
- 2) Aircraft with "Sale Reported" or "Registration Pending" appearing in the record instead of the owner's name.
- 3) Aircraft with a known inaccurate owner's address.
- 4) Aircraft with missing state of registration, aircraft make-model-series code, or aircraft type information.

For calendar year 1985, the sample frame consisted of 270,284 general aviation aircraft records from which 27,806 records were sampled, yielding a 10.3 percent sample. Table B-1 and Figure B.1 show the distribution of the sample compared to that of the population by aircraft type. Table B-2 and Figure B.2 show similar distributions by FAA region. (See Appendix C for the FAA regional map.) These displays clearly demonstrate the disproportionality of the sample to the population, an intended result of the sample design to gain efficiency and to control errors.

B.2 DESCRIPTION OF SAMPLE DESIGN

The sample design employed was a stratified, systematic design from a random start. The sample was selected from a two-way stratified frame matrix. The two stratification criteria were:

- 1) State or territory of aircraft registration.
- 2) A variable called the make-model index constructed from a combination of the computed aircraft type and the Service Difficulty Reporting (SDR) aircraft manufacturer/model group.

The 54 levels of the state criterion and the 369 levels of the make model index yielded a matrix of 54 by 369 or 19,926 cells (strata) among which the frame was divided for sampling.

The FAA's primary requirement was for estimates of mean annual flight hours per aircraft, necessitating optimal determination of sample sizes based on flight hour variation by state and by make-model index, and not on population. Hence, the sample was not proportional to size, and a sampling fraction was determined for each cell with a non zero population. Sampling was then performed systematically from a random start within individual cells, yielding a final sample size of 27,806 general aviation aircraft.

Initially, each aircraft in the sample was given a weight which was the inverse of its cell's sampling fraction, and which corresponded to the number of aircraft in


TABLE B-1. SAMPLE AND POPULATION DISTRIBUTIONS BY AIRCRAFT TYPE

TYPE	POPULATION	SAMPLE SIZE	SAMPLE AS % OF POPULATION
Fixed Wing			
<u>Piston</u>			
1 engine, 1 - 3 seats	87,513	8,457	9.7
1 engine, 4+ seats	122,872	8,070	6.6
2 engines, 1 - 6 seats	18,929	1,852	9.8
2 engines, 7+ seats	10,194	2,440	23.9
Other Piston	347	194	55.9
<u>Turboprop</u>			
2 engines, 1-12 seats	5,201	695	13.4
2 engines, 13+ seats	876	292	33.3
Other Turboprop	284	201	70.8
<u>Turbojet</u>			
2 engines	4,151	798	19.2
Other Turbojet	683	368	53.9
Rotorcraft			
Piston	5,588	1,330	23.8
Turbine	4,792	951	19.8
Other	8,854	2,281	25.8
TOTAL	270,284	27,806	10.3

TABLE B-2. SAMPLE AND POPULATION DISTRIBUTIONS BY REGION OF REGISTERED AIRCRAFT

REGION	APPROXIMATE POPULATION	SAMPLE SIZE	SAMPLE AS % OF POPULATION
Alaskan	8,938	1,227	13.7
Central	16,683	1,561	9.4
Eastern	30,660	3,342	10.9
European (Foreign)	391	157	40.2
Great Lakes	46,622	4,271	9.2
New England	10,572	1,863	17.6
Northwest Mountain	29,056	2,655	9.1
Southern	42,001	4,576	10.9
Southwestern	40,649	2,669	6.6
Western-Pacific	44,712	5,485	12.3
TOTAL	270,284	27,806	10.3

Note: Column summations may differ from printed totals due to estimation procedures.



**FIGURE B.1. COMPARISON OF POPULATION AND SAMPLE DISTRIBUTIONS
BY AIRCRAFT TYPE**

all estimated quantities. In some cases, the tables contain the percent standard error, which is the standard error multiplied by 100 divided by the corresponding estimate. The paragraphs below explain the proper interpretation and use of the errors.

An estimate and its standard error make it possible to construct an interval estimate with prescribed confidence that the interval will include the average value of the estimate from all possible samples of the population. Table B-3 below shows selected interval widths and their corresponding confidence.

TABLE B-3. CONFIDENCE OF INTERVAL ESTIMATES

WIDTH OF INTERVAL	APPROXIMATE CONFIDENCE THAT INTERVAL INCLUDES AVERAGE VALUE
1 Standard error	68%
2 Standard errors	95%
3 Standard errors	99%

As an example, from Table 2-6 a 95 percent confidence interval for the number of active rotorcraft with piston engines would be $2877 \pm 2(201)$ or (2475, 3279). One would say that the number of active rotorcraft with piston engines lies somewhere between 2475 and 3279 with 95 percent confidence.

B.3.2 Non-Sampling Error

Non-sampling error can be reduced through survey design, although the amount of reduction is difficult, if not impossible, to quantify in any given design. Nevertheless, through controlled experiments, various techniques have been identified which limit non-sampling error. Several of these techniques were incorporated into the design of the general aviation survey and are itemized below:

- Second and third mailings to non-respondents were conducted in addition to the original mailing to improve the response rate, since a low response rate is a major cause of non-sampling error. A total of 63.7 percent of those aircraft sampled responded to a least one question of the survey. The 1985 rate marks a decline over the 80 percent response achieved in 1977, the first year of the survey, but shows an improvement over the previous survey which achieved only a 59.5 percent response rate. The addition of a third mailing (2nd follow up) probably explains this improvement. Possible causes of the decrease include:
 - 1) The deterioration of the currency of aircraft owners' addresses in the Aircraft Registration Master File, the sample frame. This caused a gradual increase in the percentage of questionnaires returned undelivered by the postmaster from around 1.6 percent in 1977 to 6.8 percent in 1981, hence decreasing the response rate. The percentage

of postmaster returns for 1985 (6.6%) showed a slight decline from previous years, but is still significantly higher than in 1977.

- 2) Repeated sampling of aircraft in 2 and possibly 3 or 4 successive years. Due to the design of the sample to achieve specified precision in estimates for states and manufacturer/model groups of aircraft, it is impossible to avoid sampling some of the same aircraft in consecutive years. Owners of such aircraft may have been less willing to respond in 1985 than in previous years.

Tables B-4 and B-5 show the response rates broken down by FAA region and aircraft type, respectively. Only one region, Alaskan, had a response rate lower than 50 percent, but this region represents only 3.3 percent of the fleet. Two aircraft types had response rates of less than 50 percent, fixed wing twin engine piston aircraft with seven or more seats, and the other piston group. These two groups, however, represent only 3.9 percent of the fleet.

- The survey questionnaire was designed and pre-tested to minimize misinterpretation of questions by the aircraft owners.
- To assure the owners of the confidentiality of their responses, the questionnaire cover letter informed them that the intended use of the responses was "only to produce summary statistics and not to disclose individual operations nor to make changes to your aircraft records."¹
- Comprehensive editing procedures insured the accuracy of the data transcription to machine readable form and the internal consistency of responses.
- The official and most accurate source of information available on the general aviation fleet, the FAA Aircraft Registration Master File, was used as the sampling frame.

¹See Appendix A.1.

TABLE B-4. RESPONSE RATES BY REGION



REGION	RESPONSE RATE (%)	REGION	RESPONSE RATE (%)
Alaskan	47.8	New England	68.8
Central	72.3	Northwest Mountain	62.6
Eastern	66.6	Southern	61.5
European (Foreign)	51.0	Southwestern	62.5
Great Lakes	70.7	Western-Pacific	59.3
		<hr/> TOTAL	<hr/> 63.7

TABLE B-5. RESPONSE RATES BY AIRCRAFT TYPE

AIRCRAFT TYPE	RESPONSE RATE (%)	AIRCRAFT TYPE	RESPONSE RATE (%)
Fixed Wing			
Piston		Turbojet	
1 engine, 1-3 seats	68.8	2 engines	66.9
1 engine, 4+ seats	66.3	Other	64.1
2 engines, 1-6 seats	60.7		
2 engines, 7+ seats	48.0	Rotorcraft	
Other	35.1	Piston	58.0
Turboprop		Turbine	56.9
2 engines, 1-12 seats	64.3		
2 engines, 13+ seats	63.4	Other	63.1
Other	52.7	<hr/> TOTAL	<hr/> 63.7

APPENDIX C: FAA REGIONAL BOUNDARIES

U.S. DEPARTMENT OF TRANSPORTATION Federal Aviation Administration FAA REGIONAL BOUNDARIES Including Locations of Regional Headquarters and Centers



APPENDIX D
SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES

THE FOLLOWING TABLE SHOWS THE CORRESPONDENCE BETWEEN THE SERVICE DIFFICULTY REPORTING (SDR) AIRCRAFT GROUP NAMES AND THE FAA AIRCRAFT MANUFACTURER/MODEL/SERIES (MMS) CODES AND APPEARS IN ALPHABETICAL ORDER BY SDR NAME. THE SDR NAMES COMBINE MMS CODES FOR AIRCRAFT OF SIMILAR DESIGN INTO GROUPS FOR ANALYTIC PURPOSES. THE TABLE CONTAINS ENTRIES FOR ALL THE SDR NAMES APPEARING IN SEVERAL OF THE TABLES IN THE BODY OF THIS REPORT.

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES

SDR	FAA	SDR	FAA	SDR	FAA
ADAMS A50S	0050101	AMERANS56	0580104	ARONCA58	0191002
ADAMS A50S	0050103	AMERAPPILGRM	0620104	ARONCA58	0191006
ADAMS A50S	0050105	AMTR 3A	05601BP	ARONCA58	0191008
ADAMS AB	0050100	AMTR 850	0566042	ARONCA58	0191010
ADAMSTT11	8950104	AMTR A4C	7710110	ARONCA65	0190802
AERORSJ2	5500604	AMTR AA4	05637P8	ARONCA65	0190902
AEROSP262	6380502	AMTR AN1	70401RZ	ARONCA65	0190906
AEROSP262	6380524	AMTR AOP	0881210	ARONCA65	0190908
AEROSP262	6380526	AMTR B	0564405	ARONCA65	0190910
AEROSP360	8680662	AMTR B10	0566605	ARONCA65	0190914
AEROSP601	8680661	AMTR BIPE	05601ZE	ARONCA65	0190918
AEROSPAS355	8680805	AMTR C2	0563781	ARONCA65	0191016
AEROSPAS355	8680806	AMTR DK1	0564406	ARONCAC2	0190102
AEROSPAS355	8680810	AMTR EASY2	0563804	ARONCAC2	0190104
AEROSPSA316	8680207	AMTR H2	1301806	ARONCAC3	0190302
AEROSPSA316	8680515	AMTR HP11	0564752	ARONCAC3	0190304
AEROSPSA316	8680605	AMTR HUMMER	0564475	ARONCAF	0190702
AEROSPSA316	8680615	AMTR JM101	05601UN	ARONCALB	0190604
AEROSPSA319	8680607	AMTR KV3	0560887	ARONCALC	0190606
AEROSPSA365	8680669	AMTR LGTHZR	0564573	ARONCAM	0190504
AERPEGM100S	0200506	AMTR P51X	1690462	AUGSBGK1680	1020101
AERSPC377	0160208	AMTR QCKSLV	05655P4	AUGSBUK630	05604MR
AETNA 2SA	0220102	AMTR REPDGA	0566171	AVIANWCLIPPR	0900108
AGUSTA205	1181414	AMTR RICE	05601YQ	AVIANWFALCON	0900102
AGUSTA206AGS	0260301	AMTR RS15	05647AL	AVIANWSKYHWK	0900104
AGUSTAA109	0260109	AMTR S14	0566157	AYRES S2	0143006
AIRBLDPRNCX	0320102	AMTR SCMFRT	056134R	AYRES S2	0143010
AIRBUS300	3930103	AMTR SNOOP2	05613DZ	AYRES S2	0143012
AIRBUS300	3930104	AMTR SPAD7	05608A7	AYRES S2	0143022
AIRBUS300	3930106	AMTR SPTBPL	05655D1	AYRES S2	0970100
AIRBUS300	3930306	AMTR TMK	4220120	AYRES S2	0970101
AIRMECA1	0400102	AMTR TPBRD	0561338	AYRES S2	0970105
AIRMECA1	0400106	AMTR VAN	0561383	AYRES S2	0970106
AIRMECA1	0400108	AMTR WD6	056013R	AYRES S2	0970107
AIRMECA1	0400113	AMTR ZIA	0130240	AYRES S2	0970202
AIRMECA1	0400302	AMTR ZUNI	0130202	AYRES S2	0970210
AIRPTSA	0144202	AMTR ZUNI	0130230	AYRES S2	0970215
AIRPTSA	0144204	AMTRBSCONCPT	1240104	AYRES S2	7630202
AIRPTSA	0144206	AMTRDNBD2	05601GX	AYRES S2	7630203
AIRPTSA	1850102	AMTRPIAX3	05604T4	AYRES S2	7630303
AIRPTSA	1850104	AMTRPIAX3	05604T8	AYRES S2	8380202
AIRPTSA	1850106	AMTRPIAX3	05604UQ	AYRES S2	8380204
AIRPTSA	1850108	AMTRPIAX3	05637C2	AYRES S2	8380206
AIRPTSA	1850110	AMTRPIAX3	05637C9	AYRES S2	8380302
AIRPTSA	1850112	AMTRPIAX3	7001213	AYRES S2	8380306
AIRPTSA	1850114	AMTRSAPLAYBY	86502M1	BAC 111	1480202
AIRPTSA	1850118	AMTRWTDFA	9790161	BAC 111	1480204
AIRPTSA	1850120	AMTRXPCUBEAA	05611B6	BAC 111	1480208
AIRPTSA	1850122	ANDGRN14	0740102	BAC 111	1480210
AIRPTSA	4570622	ARACFTSPORT	0840102	BAC 111	1480218
AIRPTSA	4570624	ARACFTSPORT	0840110	BAC 111	1480221
AIRSPC18	0440104	ARCRNEH37	8141617	BAC 111	1480268
AIRTRCAT300	0390101	ARCRNEH37	8142801	BAC 111	1480273
AIRTRCAT300	0390103	ARCTICS1A	1850202	BAC 111	1480277
AIRTRCAT300	0390104	ARCTICS1A	1850204	BAC 111	1480283
AIRTRCAT400	0390202	ARCTICS1A	1850206	BAG B206	1121223
AIRTRCAT400	0390203	ARCTICS1A	1850208	BAG B206	1121224
ALCATRARGO	0530102	ARCTICS1A	1850210	BAG DH125	4230170
AMD FALC10	2730101	ARCTICS1A	1850212	BALWKSFIREFY	1050100
AMD FALC20	2720302	ARCTICS1A	1850216	BALWKSFIREFY	1050101
AMD FALC20	2720304	ARCTICS1B1	1850302	BALWKSFIREFY	1050103
AMD FALC20	2720306	ARCTICS1B1	1850308	BALWKSFIREFY	1050104
AMD FALC20	2730103	ARCTICS1B2	1850303	BALWKSFIREFY	1050107
AMD FALC50	2730106	ARMWHT650101	0820122	BALWKSFIREFY	1050109
AMEGLEEAGLET	0650102	AROCARAROCAR	0100102	BALWKSFIREFY	10501A9
AMEGLEEAGLET	0650104	AROCARAROCAR	0100104	BARNADD31	1030104
AMEGLEEAGLET	0650106	ARONCA15	0191202	BARTLTLC13	1050102
AMEGLEEAGLET	0650108	ARONCA15	0191204	BBAVIA11	0191102

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
BBAVIA11	0191104	BEECH 18	1151022	BEECH 36	1151607
BBAVIA11	0191106	BEECH 18	1151023	BEECH 36	1151609
BBAVIA11	0191108	BEECH 18	1151024	BEECH 45	1152002
BBAVIA11	0191112	BEECH 18	1151026	BEECH 45	1152006
BBAVIA11	9140404	BEECH 18	1151040	BEECH 45	1152008
BBAVIA402	2110204	BEECH 18	1151042	BEECH 45	1152010
BBAVIA7	2110102	BEECH 18	1151044	BEECH 45	1152012
BBAVIA7	2110106	BEECH 1900	1154160	BEECH 45	1152013
BBAVIA7	2110108	BEECH 1900	1154161	BEECH 45	1152014
BBAVIA7	2110116	BEECH 200	1152920	BEECH 50	1152502
BBAVIA7	2110120	BEECH 200	1152921	BEECH 50	1152506
BBAVIA7	2110124	BEECH 200	1152922	BEECH 50	1152510
BBAVIA7	2110126	BEECH 200	1152924	BEECH 50	1152512
BBAVIA7	2110130	BEECH 200	1152926	BEECH 50	1152516
BBAVIA7	21101MW	BEECH 200	1152928	BEECH 50	1152518
BBAVIA7	21101N8	BEECH 23	1151202	BEECH 50	1152520
BBAVIA7	21101NG	BEECH 23	1151204	BEECH 50	1152522
BBAVIA7	21101NN	BEECH 23	1151208	BEECH 50	1152524
BBAVIA7	21101NS	BEECH 23	1151212	BEECH 50	1152526
BBAVIA7	21101P3	BEECH 23	1151214	BEECH 50	1152530
BBAVIA7	21101PH	BEECH 23	1151215	BEECH 50	1152532
BBAVIA7	21101PK	BEECH 23	1151216	BEECH 50	1152534
BBAVIA7	21101PN	BEECH 23	1151226	BEECH 50	1152536
BBAVIA7	21101PT	BEECH 23	1151240	BEECH 55	1152702
BBAVIA7	21101PY	BEECH 23	1151242	BEECH 55	1152704
BBAVIA8	1220803	BEECH 23	1151250	BEECH 55	1152706
BBAVIA8	2110612	BEECH 23	1151252	BEECH 55	1152708
BCRAFTHB	1110102	BEECH 23	1151253	BEECH 55	1152729
BEAGLE 121	1120424	BEECH 23	1151254	BEECH 55	1152730
BEAGLE 121	1120425	BEECH 300	1152930	BEECH 55	1152732
BEECH 100	1152915	BEECH 33	1151402	BEECH 56	1152736
BEECH 100	1152916	BEECH 33	1151404	BEECH 56	1152738
BEECH 100	1152919	BEECH 33	1151406	BEECH 58	1152740
BEECH 17	1150504	BEECH 33	1151408	BEECH 58	1152744
BEECH 17	1150508	BEECH 33	1151410	BEECH 58	1152746
BEECH 17	1150512	BEECH 33	1151422	BEECH 60	1153602
BEECH 17	1150518	BEECH 33	1151423	BEECH 60	1153604
BEECH 17	1150524	BEECH 33	1151424	BEECH 60	1153605
BEECH 17	1150534	BEECH 33	1151425	BEECH 65	1152802
BEECH 17	1150538	BEECH 33	1151432	BEECH 65	1152803
BEECH 17	1150550	BEECH 33	1151434	BEECH 65	1152805
BEECH 17	1150554	BEECH 33	1151435	BEECH 76	1153005
BEECH 17	1150556	BEECH 35	1151502	BEECH 77	1153007
BEECH 17	1150558	BEECH 35	1151504	BEECH 80	1152806
BEECH 17	1150564	BEECH 35	1151506	BEECH 80	1152807
BEECH 18	1150202	BEECH 35	1151508	BEECH 80	1152808
BEECH 18	1150204	BEECH 35	1151510	BEECH 80	1152809
BEECH 18	1150702	BEECH 35	1151512	BEECH 80	1152812
BEECH 18	1150902	BEECH 35	1151514	BEECH 90	1152907
BEECH 18	1150904	BEECH 35	1151516	BEECH 90	1152908
BEECH 18	1150909	BEECH 35	1151518	BEECH 90	1152909
BEECH 18	1150911	BEECH 35	1151520	BEECH 90	1152912
BEECH 18	1150913	BEECH 35	1151522	BEECH 90	1152913
BEECH 18	1151001	BEECH 35	1151524	BEECH 90	1152914
BEECH 18	1151004	BEECH 35	1151526	BEECH 95	1153402
BEECH 18	1151006	BEECH 35	1151528	BEECH 95	1153404
BEECH 18	1151007	BEECH 35	1151530	BEECH 95	1153406
BEECH 18	1151008	BEECH 35	1151532	BEECH 95	1153408
BEECH 18	1151010	BEECH 35	1151538	BEECH 95	1153410
BEECH 18	1151011	BEECH 35	1151540	BEECH 99	1154002
BEECH 18	1151012	BEECH 35	1151544	BEECH 99	1154003
BEECH 18	1151013	BEECH 35	1151546	BEECH 99	1154004
BEECH 18	1151014	BEECH 35	1151548	BEECH 99	1154006
BEECH 18	1151016	BEECH 36	1151602	BELL 204	1181401
BEECH 18	1151018	BEECH 36	1151603	BELL 204	1181404
BEECH 18	1151019	BEECH 36	1151604	BELL 204	1181405
BEECH 18	1151020	BEECH 36	1151605	BELL 204	1181407
BEECH 18	1151021	BEECH 36	1151606	BELL 204	1181408

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
BELL 204	1181410	BELL 47	1181062	BLANCA7	2110144
BELL 204	1181411	BELL 47	1181063	BLANCA7	2110148
BELL 206	1181502	BELL 47	1181065	BLANCA7	2110150
BELL 206	1181503	BELL 47	1181066	BLANCA7	2110154
BELL 206	1181504	BELL 47	1181068	BLANCA7	2110158
BELL 206	1181506	BELL 47	1181069	BLANCA7	2110162
BELL 206	1181508	BELL 47	1181071	BLANCA7	2110164
BELL 206	1181511	BELL 47	1181102	BLANCA7	2110166
BELL 206	1181522	BELL 47	1181104	BLANCA7	2110168
BELL 206	1181579	BELL 47	1181106	BLANCA7	2110170
BELL 206	1182107	BELL 47	1181202	BLANCA7	2110172
BELL 206	1182108	BELL 47	1181310	BLANCA7	21101MA
BELL 212	1181420	BELL 47	2390101	BLANCA7	21101ML
BELL 214	1182100	BELL 47	2390202	BLANCA7	21101N2
BELL 214	1182105	BELL 47	2390301	BLANCA7	21101N7
BELL 214	1182106	BELL 47	8930102	BLANCA7	21101NB
BELL 222	1182122	BELL 47	8930103	BLANCA7	21101NM
BELL 222	1182124	BELL 47	8930105	BLANCA7	21101NX
BELL 222	1182140	BELL OH13H	2390204	BLANCA7	21101PC
BELL 412	1182202	BELL P63	1180202	BLANCA8	1220801
BELL 47	1180602	BELL P63	1180204	BLANCAPACMKR	1200202
BELL 47	1180604	BELL 204	1181402	BLANCAPACMKR	1200702
BELL 47	1180606	BIMONDCB1	2370152	BLANCASKYRKT	1200402
BELL 47	1180702	BLANCA11	0191110	BLANCASKYRKT	1200602
BELL 47	1180802	BLANCA1412	1200902	BNORM BN2	1520202
BELL 47	1180808	BLANCA1413	1201002	BNORM BN2	1520204
BELL 47	1180809	BLANCA1413	1201004	BNORM BN2	1520205
BELL 47	1180810	BLANCA1413	1201006	BNORM BN2	1520207
BELL 47	1180813	BLANCA1419	1220402	BNORM BN2	1520209
BELL 47	1180816	BLANCA1419	1220404	BNORM BN2	1520210
BELL 47	1180820	BLANCA1419	1220406	BNORM BN2	1520215
BELL 47	1180822	BLANCA1419	1220408	BNORM BN2	1520220
BELL 47	1180843	BLANCA1419	3080102	BNORM BN2	1520221
BELL 47	1180844	BLANCA1419	3080104	BNORM BN2	1520226
BELL 47	1180845	BLANCA1419	3080106	BNORM BN2	1520227
BELL 47	118084C	BLANCA1419	3080108	BNORM BN2	1520302
BELL 47	118084G	BLANCA1419	3080112	BNORM BN2	1520350
BELL 47	118084P	BLANCA1419	3080114	BNORM BN2	7080221
BELL 47	118084R	BLANCA1419	3080116	BNORM BN2	7080227
BELL 47	118084V	BLANCA1419	3080118	BNORM BN2MK3	1520203
BELL 47	1180904	BLANCA1419	3080122	BNORM BN2MK3	1520208
BELL 47	1181001	BLANCA1419	3080124	BOARD XJL1	2320104
BELL 47	1181002	BLANCA1419	3080126	BOEING100	1381902
BELL 47	1181003	BLANCA1419	3080128	BOEING107	9420602
BELL 47	1181005	BLANCA1419	4580806	BOEING107	9420604
BELL 47	1181006	BLANCA1419	4580808	BOEING234	1385049
BELL 47	1181008	BLANCA149	1200802	BOEING307	1381102
BELL 47	118100V	BLANCA149	1200804	BOEING42	1385006
BELL 47	1181010	BLANCA17	1220432	BOEING42	9420102
BELL 47	1181011	BLANCA17	1220433	BOEING42	9420106
BELL 47	1181012	BLANCA17	1220434	BOEING707	138360H
BELL 47	1181013	BLANCA17	1220435	BOEING707	138360P
BELL 47	1181014	BLANCA17	1220436	BOEING707	138360T
BELL 47	1181023	BLANCA17	1220437	BOEING707	138361G
BELL 47	1181024	BLANCA51	0740151	BOEING707	138365B
BELL 47	1181025	BLANCA51	1225051	BOEING707	138365D
BELL 47	1181026	BLANCA7	1220438	BOEING707	138365H
BELL 47	1181027	BLANCA7	1220460	BOEING707	138365K
BELL 47	1181028	BLANCA7	1220501	BOEING707	1383668
BELL 47	1181029	BLANCA7	1220601	BOEING707	138366B
BELL 47	1181030	BLANCA7	1220701	BOEING707	138366C
BELL 47	1181031	BLANCA7	2110104	BOEING707	138366F
BELL 47	1181032	BLANCA7	2110110	BOEING707	138366H
BELL 47	1181033	BLANCA7	2110112	BOEING707	1383677
BELL 47	1181034	BLANCA7	2110114	BOEING707	138367A
BELL 47	118103Z	BLANCA7	2110122	BOEING707	138367B
BELL 47	1181060	BLANCA7	2110136	BOEING707	138367D
BELL 47	1181061	BLANCA7	2110140	BOEING707	138367E

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
BOEING707	138367F	BOEING737	1384459	BOLKMS105	5626006
BOEING707	138367K	BOEING737	1384461	BOLKMS117	5626010
BOEING707	138367M	BOEING737	138446R	BOLKMS209	5626007
BOEING707	138367N	BOEING737	1384473	BOLKOWJR	1400202
BOEING707	138367S	BOEING737	1384480	BRAERQ748	1500248
BOEING707	138368D	BOEING737	1384483	BRAERQ748	4231001
BOEING707	138368H	BOEING737	1384488	BRAERODH125	1500205
BOEING720	1383810	BOEING737	138448C	BRASOVIS28	4490102
BOEING720	1383818	BOEING737	138448D	BRASOVIS29	4490106
BOEING720	1383822	BOEING737	138448G	BRWSTRFLEE10	1462004
BOEING720	1383826	BOEING737	138448P	BRWSTRFLEET1	1461104
BOEING720	1383830	BOEING737	138448R	BRWSTRFLEET2	1461202
BOEING720	1383857	BOEING737	138448W	BRWSTRFLEET2	1461204
BOEING720	1383869	BOEING737	138448X	BRWSTRFLEET7	1461502
BOEING720	1383877	BOEING737	138448Z	BRWSTRFLEET7	1461504
BOEING727	1384002	BOEING737	1384492	BRWSTRFLEET7	1461512
BOEING727	1384003	BOEING737	1384493	BRWSTRFLEET8	1461802
BOEING727	1384004	BOEING737	1384494	BRWSTRFLEET8	1461804
BOEING727	1384005	BOEING747	1384802	BRWSTRFLEET9	1461902
BOEING727	1384006	BOEING747	1384807	BUHL CA3	1650302
BOEING727	1384008	BOEING747	1384810	BUHL LA1	1651002
BOEING727	138400C	BOEING747	1384813	BUKER 131	1590104
BOEING727	138400E	BOEING747	1384815	BUKER 131	1590114
BOEING727	138400F	BOEING747	1384856	BUKER 133	1590326
BOEING727	138400H	BOEING747	1384866	BURNS BA42	05601D3
BOEING727	138400J	BOEING747	1384871	BUSHMS2000	0350406
BOEING727	138400K	BOEING747	1384873	BUTLERBHAWK	1720102
BOEING727	138400M	BOEING747	1384886	CAMAIR480	1890102
BOEING727	1384010	BOEING747	1384890	CAMROND50	1880114
BOEING727	1384012	BOEING747	1384895	CAMRONMODELO	1880104
BOEING727	1384014	BOEING747	1384896	CAMRONMODELO	1880106
BOEING727	1384015	BOEING747	1384903	CAMRONMODELO	1880108
BOEING727	1384016	BOEING747	1384920	CAMRONMODELO	1880110
BOEING727	1384017	BOEING75	1380102	CAMRONMODELO	1880112
BOEING727	1384018	BOEING75	1380104	CAMRONMODELO	1880113
BOEING727	1384030	BOEING75	1380106	CAMRONMODELO	1880120
BOEING727	1384032	BOEING75	1380108	CAMRONMODELO	1880122
BOEING727	1384035	BOEING75	1380112	CAMRONMODELO	1880201
BOEING727	1384036	BOEING75	1380116	CAMRONMODELO	1880202
BOEING727	1384041	BOEING75	1380118	CAMRONMODELO	1880203
BOEING727	1384043	BOEING75	1380120	CAMRONMODELO	1880204
BOEING727	138404G	BOEING75	1380122	CAMRONMODELO	1880225
BOEING727	138404Z	BOEING75	1380124	CARMAMM200	1981008
BOEING727	1384058	BOEING75	1380131	CASA C212	2410200
BOEING727	1384063	BOEING75	1380132	CASA C212	2410202
BOEING727	1384075	BOEING75	1380134	CASA C212	2410204
BOEING727	1384076	BOEING75	1380136	CASA C212	2410304
BOEING727	1384077	BOEING75	1380137	CCOPTR47BELL	2390303
BOEING727	1384078	BOEING75	1380140	CCOPTR47BELL	2390304
BOEING727	1384079	BOEING75	1380142	CCOPTR47BELL	2390305
BOEING727	138407E	BOEING75	1380144	CENTRL26	0180604
BOEING727	138407G	BOEING75	1380146	CESSNA120	2071402
BOEING727	138407L	BOEING75	1380148	CESSNA140	2071602
BOEING727	138407R	BOEING75	1380150	CESSNA140	2071604
BOEING727	138407W	BOEING75	1380152	CESSNA150	2071802
BOEING727	1384084	BOEING75	1380154	CESSNA150	2071804
BOEING727	138408D	BOEING757	1384950	CESSNA150	2071806
BOEING727	138408F	BOEING757	1384959	CESSNA150	2071808
BOEING727	138408H	BOEING767	1385123	CESSNA150	2071810
BOEING727	138408J	BOEING767	1385132	CESSNA150	2071812
BOEING727	138408M	BOEINGB17	1380202	CESSNA150	2071814
BOEING727	138408S	BOEINGB17	1380204	CESSNA150	2071816
BOEING727	138408W	BOEINGC97	1381604	CESSNA150	2071818
BOEING727	138408X	BOEINGC97	1381605	CESSNA150	2071820
BOEING727	13840X2	BOEINGC97	1381611	CESSNA150	2071822
BOEING727	13840XY	BOEINGYL15	1380810	CESSNA150	2071824
BOEING727	1384481	BOEINXH47	4090202	CESSNA150	2071826
BOEING737	1384453	BOLKMS105	5626005	CESSNA150	2071828

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
CESSNA150	2071830	CESSNA182	2075802	CESSNA210	2073418
CESSNA150	2071831	CESSNA182	2075806	CESSNA210	2073422
CESSNA150	2071835	CESSNA182	2075814	CESSNA210	2073430
CESSNA150	2071836	CESSNA182	2075816	CESSNA210	2073432
CESSNA170	2072302	CESSNA185	2072802	CESSNA210	2073435
CESSNA170	2072304	CESSNA185	2072804	CESSNA210	2073438
CESSNA170	2072306	CESSNA185	2072806	CESSNA210	2073439
CESSNA172	2072202	CESSNA185	2072808	CESSNA210	2073440
CESSNA172	2072402	CESSNA185	2072812	CESSNA210	2073446
CESSNA172	2072404	CESSNA185	2072816	CESSNA210	2073447
CESSNA172	2072406	CESSNA185	2072818	CESSNA210	2073448
CESSNA172	2072408	CESSNA185	2072821	CESSNA210	2073449
CESSNA172	2072410	CESSNA188	2073002	CESSNA210	2073450
CESSNA172	2072412	CESSNA188	2073004	CESSNA210	2073451
CESSNA172	2072413	CESSNA188	2073005	CESSNA210	2073453
CESSNA172	2072414	CESSNA188	2073006	CESSNA210	2073454
CESSNA172	2072416	CESSNA188	2073007	CESSNA210	2073456
CESSNA172	2072418	CESSNA188	2073008	CESSNA303	2073820
CESSNA172	2072420	CESSNA188	2073010	CESSNA305	2073902
CESSNA172	2072421	CESSNA188	2073011	CESSNA305	2074002
CESSNA172	2072424	CESSNA188	2073012	CESSNA305	2074003
CESSNA172	2072426	CESSNA190	2072902	CESSNA305	2074004
CESSNA172	2072429	CESSNA195	2073102	CESSNA305	2074005
CESSNA172	2072430	CESSNA195	2073106	CESSNA305	2074006
CESSNA172	2072431	CESSNA195	2073108	CESSNA305	2074008
CESSNA172	2072432	CESSNA195	2073110	CESSNA305	2074012
CESSNA172	2072434	CESSNA195	2073112	CESSNA305	2074014
CESSNA172	2072436	CESSNA205	2073202	CESSNA305	2074016
CESSNA172	2072437	CESSNA205	2073204	CESSNA305	2074018
CESSNA172	2072438	CESSNA206	2073302	CESSNA305	2074028
CESSNA175	2072502	CESSNA206	2073304	CESSNA305	2074030
CESSNA175	2072504	CESSNA206	2073306	CESSNA310	2074202
CESSNA175	2072506	CESSNA206	2073308	CESSNA310	2074204
CESSNA175	2072508	CESSNA206	2073309	CESSNA310	2074206
CESSNA177	2073704	CESSNA206	2073310	CESSNA310	2074208
CESSNA177	2073706	CESSNA206	2073311	CESSNA310	2074210
CESSNA177	2073708	CESSNA206	2073312	CESSNA310	2074212
CESSNA177	2073709	CESSNA206	2073313	CESSNA310	2074214
CESSNA182	2072601	CESSNA206	2073316	CESSNA310	2074216
CESSNA182	2072604	CESSNA206	2073318	CESSNA310	2074218
CESSNA182	2072606	CESSNA206	2073322	CESSNA310	2074220
CESSNA182	2072608	CESSNA206	2073324	CESSNA310	2074222
CESSNA182	2072611	CESSNA206	2073332	CESSNA310	2074224
CESSNA182	2072612	CESSNA206	2073333	CESSNA310	2074226
CESSNA182	2072614	CESSNA206	2073334	CESSNA310	2074228
CESSNA182	2072616	CESSNA206	2073338	CESSNA310	2074230
CESSNA182	2072618	CESSNA206	2073340	CESSNA310	2074234
CESSNA182	2072622	CESSNA206	2073342	CESSNA310	2074238
CESSNA182	2072624	CESSNA206	2073344	CESSNA310	2074240
CESSNA182	2072626	CESSNA206	2073346	CESSNA310	2074242
CESSNA182	2072628	CESSNA206	2073348	CESSNA310	2074244
CESSNA182	2072630	CESSNA206	2073350	CESSNA310	2074245
CESSNA182	2072632	CESSNA206	2073352	CESSNA310	2074246
CESSNA182	2072634	CESSNA206	2073353	CESSNA320	2074502
CESSNA182	2072636	CESSNA206	2073356	CESSNA320	2074504
CESSNA182	2072638	CESSNA206	2073357	CESSNA320	2074506
CESSNA182	2072640	CESSNA206	2073602	CESSNA320	2074508
CESSNA182	2072642	CESSNA206	2073604	CESSNA320	2074510
CESSNA182	2072644	CESSNA206	2073606	CESSNA320	2074512
CESSNA182	2072646	CESSNA206	2073608	CESSNA320	2074514
CESSNA182	2072648	CESSNA206	2073610	CESSNA320	2074516
CESSNA182	2072650	CESSNA206	2073612	CESSNA325	2074802
CESSNA182	2072652	CESSNA206	2073614	CESSNA335	2075601
CESSNA182	2072654	CESSNA206	2073616	CESSNA336	2075602
CESSNA182	2072656	CESSNA206	2073618	CESSNA337	2075702
CESSNA182	2072658	CESSNA206	2073620	CESSNA337	2075704
CESSNA182	2072660	CESSNA206	2073622	CESSNA337	2075706
CESSNA182	2072662	CESSNA206	2073624	CESSNA337	2075707

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
CESSNA337	2075712	COMWTH185	2370602	CURTISTRVAIR	2621820
CESSNA337	2075714	COMWTH185	2370604	CURTISTRVAIR	2621822
CESSNA337	2075717	COMWTH185	2370608	CURTISTRVAIR	2621824
CESSNA337	2075719	COMWTH190	2370704	CURTISTRVAIR	2621826
CESSNA337	2075721	COMWTH7000	2371206	CURTISTRVAIR	2621830
CESSNA337	2075723	COMWTH9000	2371422	CURTISTRVAIR	2621902
CESSNA337	2075724	CONAERC1	5110102	CURTISTRVAIR	2621904
CESSNA337	2075725	CONAERC2	5110202	CURTISTRVAIR	2621908
CESSNA337	2075726	CONAERLA4	2400102	CVAC	22 2423302
CESSNA337	2075727	CONAERLA4	2400108	CVAC	22 2423304
CESSNA337	2075730	CONAERLA4	5110302	CVAC	240 2422601
CESSNA337	2075731	CONAERLA4	5110304	CVAC	240 2422602
CESSNA337	2075732	CONAERLA4	5110306	CVAC	240 2422604
CESSNA337	2075733	CONAERLA4	5110310	CVAC	240 2422608
CESSNA340	2076404	CONAERLA4	5110312	CVAC	240 2422610
CESSNA340	2076405	CONAERLA4	5110320	CVAC	240 2422612
CESSNA401	207590C	CORCRNGLIDER	2480122	CVAC	240 2422628
CESSNA401	207590D	CORCRNGLIDER	2480126	CVAC	240 2422633
CESSNA401	207590E	CUNHAMPT6	2580104	CVAC	240 2422642
CESSNA402	207590K	CURTIS22	2620202	CVAC	240 2422644
CESSNA402	207590L	CURTISC46	2622601	CVAC	240 2422647
CESSNA402	207590M	CURTISC46	2622602	CVAC	30 2423202
CESSNA402	207590P	CURTISC46	2622604	CVAC	30 2423204
CESSNA402	207590R	CURTISC46	2622608	CVAC	340 2422704
CESSNA404	2075901	CURTISC46	2622610	CVAC	340 2422706
CESSNA411	2075902	CURTISC46	2622701	CVAC	340 242270A
CESSNA411	2075904	CURTISC46	2622702	CVAC	340 2422716
CESSNA414	2075907	CURTISC46	2622708	CVAC	340 2422742
CESSNA414	2075908	CURTISC46	2622710	CVAC	440 2422902
CESSNA421	2076010	CURTISFLGLNG	2620302	CVAC	440 2422904
CESSNA421	2076012	CURTISJUN4D	2620604	CVAC	440 2423004
CESSNA421	2076014	CURTISJR	2620502	CVAC	824 2422502
CESSNA421	2076016	CURTIS052	2622002	CVAC	BT13 2420202
CESSNA425	2076018	CURTISP40	2622202	CVAC	BT13 2420204
CESSNA441	2076020	CURTISP40	2622203	CVAC	BT13 2420206
CESSNA500	2076602	CURTISP40	2622206	CVAC	BT13 2420208
CESSNA500	2076604	CURTISROBIN	2620802	CVAC	BT13 2420222
CESSNA501	2076605	CURTISROBIN	2620806	CVAC	BT13 2420224
CESSNA650	2076802	CURTISROBIN	2620808	CVAC	BT13 2420228
CESSNAAW	2070502	CURTISROBIN	2620812	CVAC	BT13 2420230
CESSNAT303	2073803	CURTISSEDAN	2620904	CVAC	BT15 2420302
CESSNAT37	2074321	CURTISTRVAIR	2621004	CVAC	B 15 2420312
CESSNAT50	2071302	CURTISTRVAIR	2621006	CVAC	L13 2420702
CESSNAT50	2071306	CURTISTRVAIR	2621010	CVAC	L13 2420704
CESSNAT50	2071308	CURTISTRVAIR	2621012	CVAC	L13 2420706
CESSNAUC77	2070702	CURTISTRVAIR	2621104	CVAC	LB30 2420804
CESSNAUC77	2070802	CURTISTRVAIR	2621108	CVAC	P4Y 2421102
CESSNAUC94	2070902	CURTISTRVAIR	2621204	CVAC	PBY5 2421208
CESSNAUC94	2071002	CURTISTRVAIR	2621302	CVAC	PBY5 2421218
CESSNAUC94	2071102	CURTISTRVAIR	2621304	CVAC	PBY5 2421230
CHILD S1	0110100	CURTISTRVAIR	2621308	CVAC	PBY6 2421302
CHILD S1	0110301	CURTISTRVAIR	2621402	CVAC	STC580 2422801
CHILD S1	0110303	CURTISTRVAIR	2621404	CVAC	STC580 2422804
CHILD S2	0110201	CURTISTRVAIR	2621502	CVAC	STC580 2422806
CHILD S2	0110202	CURTISTRVAIR	2621506	CVAC	STC580 2423001
CHILD S2	0110304	CURTISTRVAIR	2621508	CVAC	STC600 2422660
CLARK 1000	2230102	CURTISTRVAIR	2621602	CVAC	STC640 2422814
CLARK 12	2230302	CURTISTRVAIR	2621604	CVAC	V1A 2421702
CND AIRCL44	1900102	CURTISTRVAIR	2621606	DART	G 2700102
CND AIRCL600	1900302	CURTISTRVAIR	2621702	DART	G 2700104
COAIRE3C	2350102	CURTISTRVAIR	2621704	DART	G 2700106
COAIRE3C	2350104	CURTISTRVAIR	2621802	DART	G 2700108
COAIRE3C	2350106	CURTISTRVAIR	2621804	DAVIS	D1 2740504
COAIRE5C	2350202	CURTISTRVAIR	2621806	DAVIS	D1 2740506
COLT 77A	2300102	CURTISTRVAIR	2621808	DAVIS	D1 2740508
COMWTH175	2370402	CURTISTRVAIR	2621810	DAVIS	V3 2743002
COMWTH180	2370502	CURTISTRVAIR	2621814	DHAV	DH82 2801000
COMWTH180	2370504	CURTISTRVAIR	2621818	DHAV	DHC1 2801702

TABLE D-1. SDR AIRCRAFT GROUP NAME FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA		
DHAV	DHC1	2801704	DOUG	DC4	3021518	ENSTRMF28	3300412
DHAV	DHC1	2801712	DOUG	DC4	3021522	ENSTRMF28	3300430
DHAV	DHC1	2801714	DOUG	DC4	3021524	ENSTRMF28	3300502
DHAV	DHC1	2801716	DOUG	DC4	3021528	ENSTRMF28	3300505
DHAV	DHC1	2801736	DOUG	DC4	3021530	ENSTRMF28	3300550
DHAV	DHC1	2801738	DOUG	DC4	3021534	ENTWICPMBUS	3403014
DHAV	DHC1	2801739	DOUG	DC4	3021536	ENTWICPMBUS	3321206
DHAV	DHC2	2800102	DOUG	DC8	3021702	ENTWICPMBUS	3321210
DHAV	DHC2	2800104	DOUG	DC8	3021706	EVNAIR4500	3340104
DHAV	DHC2	2800105	DOUG	DC8	3021710	EVNAIR4500	3340106
DHAV	DHC2	2800106	DOUG	DC8	3021712	FARZWD1AMA1	3550802
DHAV	DHC2	2800107	DOUG	DC7	3021802	FARZWD1AMA1	3550806
DHAV	DHC2	2800108	DOUG	DC7	3021804	FLEET 168	3480502
DHAV	DHC2	2800109	DOUG	DC7	3021806	FLTCNR24	3530204
DHAV	DHC2	2801830	DOUG	DC8	3021906	FLTCNRFD25	3530102
DHAV	DHC3	2800202	DOUG	DC8	3021908	FLYGSTWTIME	3802219
DHAV	DHC4	2800302	DOUG	DC8	3021912	FOKKERF27	4990614
DHAV	DHC4	2800304	DOUG	DC8	3021918	FOKKERF27	4990617
DHAV	DHC6	2802606	DOUG	DC8	3021920	FOKKERF27	4990620
DHAV	DHC7	2802706	DOUG	DC8	3021922	FOKKERF27	4990626
DHAV	DHC7	2802708	DOUG	DC8	3021926	FOKKERF27	4990629
DHAV	DHC7	2802710	DOUG	DC8	3021927	FOKKERF28	4990608
DHAVXXDH87		2801002	DOUG	DC8	3021928	FOKKERF28	4990610
DHAVXXDH89		2801015	DOUG	DC8	3021924	FOMDC04AT	3590102
DOMION800		2970102	DOUG	DC8	3021952	FOMDC04AT	3590104
DORNER133		2999006	DOUG	DC8	3021953	FOMDC05AT	3590202
DORNERDO28		2990102	DOUG	DC8	3021950	FOMDC05AT	3590204
DORNERDO28		2990202	DOUG	DC8	3021970	FRANK 90	3680102
DORNERDO28		2991404	DOUG	DC8	3021972	FRCHLD21	3370102
DOUG	A20	3020302	DOUG	DC8	3021978	FRCHLD22	3370104
DOUG	A20	3020306	DOUG	DC8	302198A	FRCHLD22	3370108
DOUG	A24	3020406	DOUG	DC8	302198B	FRCHLD22	3370110
DOUG	A26	3020504	DOUG	DC8	302198H	FRCHLD22	3370112
DOUG	A26	3020506	DOUG	DC8	302199A	FRCHLD22	3370114
DOUG	B23	3020702	DOUG	DC9	3022034	FRCHLD22	3370116
DOUG	B26	3020514	DOUG	DC9	3022036	FRCHLD24	3370202
DOUG	DC10	3022110	DOUG	DC9	3022037	FRCHLD24	3370204
DOUG	DC10	3022118	DOUG	DC9	302203H	FRCHLD24	3370206
DOUG	DC10	3023501	DOUG	DC9	302203H	FRCHLD24	3370208
DOUG	DC10	3023503	DOUG	DC9	3022065	FRCHLD24	3370216
DOUG	DC10	3023508	DOUG	DC9	3022066	FRCHLD24	3370220
DOUG	DC2	3021302	DOUG	DC9	3022067	FRCHLD24	3370302
DOUG	DC3	3021401	DOUG	DC9	302206A	FRCHLD24	3370402
DOUG	DC3	3021404	DOUG	DC9	302206C	FRCHLD24	3370408
DOUG	DC3	3021424	DOUG	DC9	302207A	FRCHLD24	3370414
DOUG	DC3	3021433	DOUG	DC9	3022081	FRCHLD24	3370502
DOUG	DC3	3021436	DOUG	DC9	3022082	FRCHLD24	3370508
DOUG	DC3	3021440	DOUG	DOLPHIN	3020104	FRCHLD24	3370514
DOUG	DC3	3021454	DRIGGSSKYLK3		3160502	FRCHLD24	3370516
DOUG	DC3	3021457	DURMOLF46		3200502	FRCHLD24	3370520
DOUG	DC3	3021458	EAA SA9		8850747	FRCHLD24	3370602
DOUG	DC3	3021460	EAGLE OW		3230203	FRCHLD24	3370608
DOUG	DC3	3021461	EAGLEBAX7		3240107	FRCHLD24	3370614
DOUG	DC3	3021462	EAGLEBC7		3240207	FRCHLD24	3370620
DOUG	DC3	3021466	EIRVON20		5760102	FRCHLD24	3370626
DOUG	DC3	3021467	EIRVON20		5760104	FRCHLD24	3370628
DOUG	DC3	3021468	EIRVON20		5760202	FRCHLD71	3370802
DOUG	DC3	3021470	EIRVON20		5760204	FRCHLDC119	3372102
DOUG	DC3	3021471	EIRVON20		5760206	FRCHLDC119	3372106
DOUG	DC3	3021472	EIRVON20		5760207	FRCHLDC119	3372108
DOUG	DC3	3021474	EMAIR MA1		3280103	FRCHLDC123	3372202
DOUG	DC3	3021478	EMAIR MA1		6070102	FRCHLDC82	3372002
DOUG	DC3	3021481	EMB 110		3260122	FRCHLDC82	3372004
DOUG	DC4	3021502	EMB 110		3260124	FRCHLDF27	3373002
DOUG	DC4	3021506	ENSTRM280		3300510	FRCHLDF27	3373004
DOUG	DC4	3021510	ENSTRMF28		3300404	FRCHLDF27	3373008
DOUG	DC4	3021512	ENSTRMF28		3300406	FRCHLDF27	3373016
DOUG	DC4	3021516	ENSTRMF28		3300407	FRCHLDF45	3371202

TABLE D 1. SDR AIRCRAFT GROUP NAME FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
FRCHLOFC2	3371102	GRUMANS A18	3950406	GULSTMB90TP	3870411
FRCHLOFH1100	4361415	GRUMANS A18	3950410	GULSTMB90TP	7630515
FRCHLOFH227	3373042	GRUMANS A18	3950412	GULSTMB90TP	7630516
FRCHLOFH227	3373050	GRUMANS A18	3950413	GULSTMB90TP	7630517
FRCHLOKR31	3371402	GRUMANS A18	3950414	GULSTMB90TP	7630518
FRCHLOKR34	3371504	GRUMANS A18T	3950407	GULSTMB90TP	7630519
FRCHLOKR34	3371506	GRUMANS A18T	3950408	GULSTMAA1	0630610
FRCHLOMB2	3371604	GRUMANTS2	3951102	GULSTMAA1	0630710
FRCHLOMB2	3371606	GRUMAVAA1	0630820	GULSTMAA5	0631410
FRCHLOMB2	3371608	GRUMAVAA1	3960100	GULSTMAA5	3960106
FRCHLOMB2	3371618	GRUMAVAA1	3960103	GULSTMG1159	3953505
FRCHLOMB2	3371620	GRUMAVAA5	3960104	GULSTMG1159	3970109
FRCHLOMB2	3371622	GRUMAVAA5	3960105	GULSTMG159	3952202
FRCHLOMB2	3371624	GRUMAVG1159	3960302	GULSTMG44	3951502
FRCHLOMB2	3371626	GRUMAVG164	3952702	GULSTMG44	3951508
FRCHLOMB2	3371628	GRUMAVG164	3952801	GULSTMG73	3951802
FRCHLOMB2	3371630	GRUMAVG164	3952802	GULSTMG73	3951802
FRCHLOMB2	3371632	GRUMAVG164	3952803	GULSTMG7	3960401
FRCHLOMB2	3371640	GRUMAVG164	3952804	H1	1181409
FRCHLOMB2	3374004	GRUMAVG164	3960201	H13 HTL	1180806
FRCHLOMB2	3374006	GRUMAVG164	3960202	H13 HTL	1181007
FUNK FUNK	3720202	GRUMAVG164	3960203	H13 HTL	1181585
GARCIA TROJAN	3270102	GRUMAVG164	3960204	H19 45	8141615
GEN 205	0380102	GRUMAVG164	3979904	H19 45	814161E
GENBALAX6	1760102	GRUMAVG21	3951202	H23 HTE	4360109
GENBALAX6	1760202	GRUMAVG21	3951204	H23 HTE	4360111
GENBALSPRINT	1760402	GRUMAVG21	3951214	H23 HTE	4360123
GLASF201	1800344	GRUMAVG21	3951216	H23 HTE	4362303
GLASF204	1800347	GRUMAVG89	3951008	H23 HTE	4362305
GLASF205	1800378	GRUMAVJ2F	3950208	H34 55	8141810
GLASF207	1800335	GRUMAVTBM	3950308	H34 55	8141813
GLASF207	1800337	GRUMAVTBM	3950308	H34 55	8141819
GLASF207	1800339	GRUMAVTBM	3950310	H34 55	8141823
GLASF207	1800341	GULSTN112	0144701	H37	8142302
GLASF207	1800343	GULSTN112	7630302	HAMELUMFB320	4071204
GLASF207	1800346	GULSTN112	7630302	HARTMNDW5M	4200102
GOLDENCHIEF	3840102	GULSTN112	7630307	HEATH CNA40	4250102
GOODYR813	3870146	GULSTN112	7630314	HEATH LMB4	4250202
GOODYRFG10	3870512	GULSTN112	7630315	HELIO H250	4300302
GOODYRGZ20	3870220	GULSTN112	7630316	HELIO H295	4300802
GOODYR530	3870139	GULSTN500	0141102	HELIO H295	4300803
GOODYRTZ	3870218	GULSTN500	0141104	HELIO H295	4301101
GOVT N22	1880102	GULSTN500	0141106	HELIO H295	4301102
GROB 103CAT	1660202	GULSTN500	0141107	HELIO H295	4301104
GROB 109	1660204	GULSTN500	0141108	HELIO H391	4300102
GROB 109	1660205	GULSTN520	0141202	HELIO H391	4300106
GROB ASTIR	1660104	GULSTN560	0141402	HELIO H395	4300202
GRTLKS2T1	3910101	GULSTN560	0141404	HELIO H395	4300206
GRTLKS2T1	3910102	GULSTN560	0141406	HELIO H800	4300500
GRTLKS2T1	3910104	GULSTN580	0141408	HELIO HST550	4301002
GRTLKS2T1	3910106	GULSTN580	0141602	HELIO HST550	4301006
GRTLKS2T1	3910107	GULSTN580	0141604	HILLERFH1100	3376502
GRTLKS2T1	3910108	GULSTN580	0141606	HILLERFH1100	4361405
GRUMANAF25	3950104	GULSTN580	0141608	HILLERUH12	4360102
GRUMANF8F	3950602	GULSTN580	0141610	HILLERUH12	4360103
GRUMANF8F	3950614	GULSTN580	0141611	HILLERUH12	4360104
GRUMANF8F	3950696	GULSTN580	0141612	HILLERUH12	4360105
GRUMANF7F	3950704	GULSTN580	0141802	HILLERUH12	4360108
GRUMANF8F	3950801	GULSTN580	7630513	HILLERUH12	4360110
GRUMANF8F	3950802	GULSTN580TP	0141712	HILLERUH12	4360113
GRUMANF9	3950905	GULSTN580TP	0141714	HILLERUH12	4360115
GRUMANFM	3950102	GULSTN580TP	0141716	HILLERUH12	4360116
GRUMANG134	3951000	GULSTN580TP	0141718	HILLERUH12	4360117
GRUMANG21	3951205	GULSTN590TC	3970404	HILLERUH12	4360118
GRUMANG44	3951802	GULSTN590TP	0141720	HILLERUH12	4360119
GRUMANG73	3951902	GULSTN590TP	0141722	HILLERUH12	4360120
GRUMANS A16	3950404	GULSTN590TP	3970405	HILLERUH12	4360121
GRUMANS A16	3950405	GULSTN590TP	3970410	HILLERUH12	4360122
				HILLERUH12	4360124

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
HILLERUH12	4360125	ISRAEL1124	4500103	LKHEED18	5261640
HILLERUH12	4360126	JAMISNJ1	4650502	LKHEED18	5261642
HILLERUH12	4360128	JAMISNJ2	4651004	LKHEED188	5262602
HILLERUH12	4360130	JBMSTRDGA11	4690302	LKHEED188	5262604
HILLERUH12	4360131	JBMSTRDGA15	4690502	LKHEED282	5262504
HILLERUH12	4360132	JBMSTRDGA15	4690506	LKHEED300	5264504
HILLERUH12	4360135	JBMSTRDGA15	4690516	LKHEED382	5264102
HILLERUH12	4360809	JBMSTRDGA18	4690604	LKHEED382	5264104
HILLERYROE1	4362402	JBMSTRDGA8	4690102	LKHEED382	526413U
HNLYPGHP137	4130402	KAISERF5	4762002	LKHEED382	526414U
HOWARD500	4390102	KAMAN K600	4800702	LKHEED49	5261702
HUGHES269	4470402	KAMAN K600	4800704	LKHEED49	5262004
HUGHES269	4470403	KAMAN K600	4800802	LKHEED49	5262008
HUGHES269	4470404	KAMAN K600	4800803	LKHEEDP2V	5260110
HUGHES269	4470502	KAMAN K600	4800804	LKHEEDP2V	5260112
HUGHES269	4470504	KAMAN K600	4800805	LKHEEDP2V	5269601
HUGHES269	4471004	KAWSKIKV107	4820101	LKHEEDP38	5260201
HUGHES369	4470702	KELLETKD1	4850106	LKHEEDP38	5260203
HUGHES369	4470704	KINNERB	4940202	LKHEEDP38	5260204
HUGHES369	4470706	KINNERB	4940204	LKHEEDP38	5260205
HUGHES369	4470707	KINNERR	4940102	LKHEEDP38	5260206
HUGHES369	4470708	LAIKFN10	5090204	LKHEEDP38	5260207
HUGHES369	4470718	LAIKFNBA100	50901FB	LKHEEDP38	5260214
HUGHES369	4470720	LAIRD LC	5070102	LKHEEDPV1	5260102
HUGHES369	4470722	LAIRD LC	5070104	LKHEEDPV1	5260106
HUGHES369	4470728	LAIRD LCB	5070110	LKHEEDT33	5260401
HUGHES369	4470730	LAISTRPL15	5100108	LKHEEDT33	5260402
HUGHES369	4470731	LAISTRPL15	5100202	LKHEEDT33	5260406
HUGHES369	4470806	LAISTRPL15	5100203	LKHEEDVEGA1	5261002
HUGHES500	4470805	LAISTRPL46	5100101	LKHEEDVEGA5	5261202
HWKSLY80A	2800902	LAISTRPL49	5100102	LKHEEDY03A	5269501
HWKSLYDH104	2800402	LEAR 23	5170102	LKINTL402	5263406
HWKSLYDH104	2800404	LEAR 24	5170302	LUSCMB1	5350102
HWKSLYDH104	2800406	LEAR 24	5170304	LUSCMB4	5350202
HWKSLYDH104	2800410	LEAR 24	5170306	LUSCOM8	8190102
HWKSLYDH104	2800412	LEAR 24	5170307	LUSCOM8	8190104
HWKSLYDH104	2800414	LEAR 24	5170310	LUSCOM8	8190106
HWKSLYDH106	2800308	LEAR 24	5170311	LUSCOM8	8190108
HWKSLYDH114	2800506	LEAR 25	5170506	LUSCOM8	8190110
HWKSLYDH125	1500204	LEAR 25	5170509	LUSCOM8	8190112
HWKSLYDH125	4210101	LEAR 25	5170511	LUSCOM8	8190114
HWKSLYDH125	4230106	LEAR 25	5170513	LUSCOM8	8190116
HWKSLYDH125	4230110	LEAR 25	5170514	LUSCOM8	8190118
HWKSLYDH125	4230126	LEAR 28	5170528	LUSCOM8	8190120
HWKSLYDH125	4230138	LEAR 28	5170529	LUSCOM8	8190122
HWKSLYDH125	423013M	LEAR 35	5170600	LUSCOM8	8190124
HWKSLYDH125	423013P	LEAR 35	5170601	LUSCOM8	8190126
HWKSLYDH125	4230140	LEAR 35	5170602	LUSCOM8	8190128
HWKSLYDH125	4230158	LEAR 55	5170702	LUSCOM8	8190130
HWKSLYDH125	4230160	LET L13	1360306	LUSCOM8	8190132
HYNES 305	1440602	LKHEED10	5261302	LUSCOM8	8190154
HYNES B2	1440502	LKHEED10	5261314	MACCHIAL60	5400106
HYNES B2	1440504	LKHEED1011	5265010	MACCHIAL60	5400108
HYNES B2	1440506	LKHEED1011	5265015	MAEL BA42	5430102
INDAERP166	6960202	LKHEED1011	5265020	MARTIN202	5450602
INLANDR400	4550502	LKHEED1049	5262116	MARTIN202	5450604
INLANDS300	4551002	LKHEED1049	5262118	MARTIN404	5450702
INLANDW500	4552002	LKHEED1049	5262121	MAULE M4	5460102
INTRCP200	5650304	LKHEED1049	5262131	MAULE M4	5460104
INTRCP200	5650306	LKHEED1049	5262140	MAULE M4	5460105
INTRCP200	5650308	LKHEED12A	5261402	MAULE M4	5460106
INTRCP200	5650310	LKHEED1329	5263102	MAULE M4	5460108
ISRAEL101	4500204	LKHEED1329	5263108	MAULE M4	5460112
ISRAEL1121	0142002	LKHEED1329	5263125	MAULE M4	5460114
ISRAEL1121	0142006	LKHEED1649	5262204	MAULE M4	5460128
ISRAEL1121	0142010	LKHEED18	5261602	MAULE M4	5460132
ISRAEL1123	4500101	LKHEED18	5261624	MAULE M5	5460133
ISRAEL1124	4500102	LKHEED18	5261634	MAULE M5	5460134

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
MAULE M5	5460135	MRCHTIS205	8120412	NARDI FN333	6080102
MAULE M5	5460204	MTSBSIMU2	5780404	NARDI FN333	8120704
MAULE M6	5460160	MTSBSIMU2	5780405	NATBAL752	6113310
MCBEMSLARK95	4331020	MTSBSIMU2	5780406	NATBAL752	6113312
MCBEMSLARK95	5160202	MTSBSIMU2	5780407	NATBAL752	6113317
MCKINNG21	5550202	MTSBSIMU2	5780408	NATBAL752	6113320
MCKINNG21T	5550105	MTSBSIMU2	5780409	NAVAL N3N	6120202
MCKINNG21T	5550120	MTSBSIMU2	5780410	NAVIONNAVION	6150106
MCLISHFUNKB	5480102	MTSBSIMU2	5780411	NAVIONNAVION	6150108
MCLISHFUNKB	5480104	MTSBSIMU2	5780412	NAVIONNAVION	6150110
MCLISHFUNKB	5480108	MTSBSIMU2	5780413	NAVIONNAVION	6150118
MCLISHFUNKB	5480202	MTSBSIMU2	5780414	NAVIONNAVION	6150132
MCLISHFUNKB	5480204	MTSBSIMU300	5780602	NAVIONNAVION	6150134
MCLISHFUNKB	5480208	MULTECD16	9230602	NAVIONNAVION	6150136
MEYERSMAC145	5650104	MULTECD16	9230604	NAVIONNAVION	6150140
MEYERSOTW	5650202	MULTECD16	9230606	NAVIONNAVION	6150142
MEYERSOTW	5650206	MULTECD16	9230608	NAVIONNAVION	6150148
MEYERSOTW	5650208	MULTECD16	9230610	NAVIONNAVION	6150160
MILLERUT1	5720102	MULTECD16	9230612	NAVIONNAVION	6150162
MITCHL101	2000102	NAMER A36	6400102	NAVIONNAVION	6150166
MITCHL101	2000104	NAMER B25	6400702	NAVIONNAVION	6150170
MNCOUP110	5810202	NAMER B25	6400704	NAVIONNAVION	6150172
MNCOUP110	5810204	NAMER B25	6400705	NAVIONNAVION	6150174
MNCOUP90	5810102	NAMER B25	6400708	NAVIONNAVION	6150178
MNCOUP90	5810104	NAMER B25	6400710	NELSONBB1	6200102
MNCOUP90	5810107	NAMER B25	6400712	NICBEZ8G	6290202
MNCOUP90	5810110	NAMER B25	6400714	NIHON YS11	6310406
MNMITEM18	5870102	NAMER B25	6400718	NIHON YS11	6310416
MNMITEM18	5870104	NAMER F51	6402301	NIHON YS11	6310420
MNMITEM18	5870106	NAMER F51	6402302	NOORDNUC64	6330204
MNMITEM18	5870108	NAMER F51	6402303	NORD SV4	6383006
MNSLNRMS760	5910102	NAMER F51	6402304	NORD SV4	8470102
MNSLNRMS760	5910106	NAMER F51	6402306	NORWST35	6480102
MODFD47	1180847	NAMER F51	6402307	NORWST35	6480104
MODFD47	118084F	NAMER F51	6402308	NORWST35	6480108
MODFD47	118103H	NAMER F51	6402309	NORWST35	6480126
MODFD47	1181067	NAMER F82	6401522	NORWST40	6480110
MODFD47	1181074	NAMER NA260	6402502	NORWST50	6480114
MODFD47	1181306	NAMER NA260	6402504	NORWST65	6480116
MODFDUH12	4360601	NAMER NA260	6402505	NORWST65	6480118
MODFDUH12	4360701	NAMER O47	6402202	NORWST65	6480122
MODFDUH12	4360702	NAMER P64	6402408	NORWST65	6480124
MODFDUH12	4360704	NAMER T6	1922828	NORWSTEAGLE	7680120
MODFDUH12	4360801	NAMER T6	6400402	OBERNRMG23SL	3801049
MODFDUH12	4360810	NAMER T6	6400404	ORLHELH19	8141608
MODFDUH12	4361101	NAMER T6	6400405	ORLHELH19	8141609
MODFDUH12	4361301	NAMER T6	6400406	ORLHELH19	8141610
MODFDUH12	4361501	NAMER T6	6400407	ORLHELH19	8141612
MOONEYM20	5870202	NAMER T6	6400410	ORLHELH19	8141614
MOONEYM20	5870204	NAMER T6	6400412	ORLHELH19	8141616
MOONEYM20	5870206	NAMER T6	6400414	ORLHELH19	8141618
MOONEYM20	5870208	NAMER T6	6400415	ORLHELH19	814161G
MOONEYM20	5870210	NAMER T6	6400416	ORLHELH19	814161J
MOONEYM20	5870212	NAMER T6	6400417	ORLHELH19	8141612
MOONEYM20	5870214	NAMER T6	6400418	ORLHELH19	8141618
MOONEYM20	5870219	NAMER T6	6400419	ORLHELH19	8141618
MOONEYM20	5870220	NAMER T6	6400420	OTHEXMILPIST	8140102
MOONEYM20	5870308	NAMER T6	6400422	OTHEXMILPIST	8140304
MOONEYM20	5870312	NAMER T6	6400423	OTHEXMILPIST	8141106
MOONEYM20	5870314	NAMER T6	6400424	OTHEXMILTURB	1385060
MOONEYM20	5870601	NAMER T6	6400426	OTHEXMILTURB	1385064
MOONEYM20	5870605	NAMER T6	6400428	OTHEXMILTURB	4470904
MOONEYM20	5870605	NAMER T6	6400430	OTHEXMILTURB	4470905
MOONEYM22	5870402	NAMER T6	6400431	OTHEXMILTURB	4800708
MOONEYM30	5872030	NAMER T6	6400432	PARKS P1T	6770102
MORISY2000	5940102	NAMER T6	6400434	PARMNTCABAIR	6750102
MOTH 60	6000102	NAMER T6	6400436	PARTENP66	6780101
MOTH 60	6000104	NAMER T6	6400441	PARTENP68	6780105
MRCHTIF260	8121206	NAMER T6	6400442	PARTENP68	6780106

**TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)**

<u>SDR</u>	<u>FAA</u>	<u>SDR</u>	<u>FAA</u>	<u>SDR</u>	<u>FAA</u>
PASPEDW1	8790102	PIPER J5	7100702	PIPER PA28	7102805
PDMILRY15	5740102	PIPER J5	7100706	PIPER PA28	7102806
PECOCKPJC	4160204	PIPER J5	7100708	PIPER PA28	7102807
PERTH BIRD	6840122	PIPER J5	7100712	PIPER PA28	7102808
PERTH BIRD	6840126	PIPER L14	7100902	PIPER PA28	7102809
PERTH BIRD	6840132	PIPER PA12	7101202	PIPER PA28	7102810
PHESNTH10	6880102	PIPER PA12	7101204	PIPER PA28	7102811
PIAGIOP136	6960102	PIPER PA14	7101402	PIPER PA28	7102813
PIAGIOP136	6960104	PIPER PA15	7101502	PIPER PA28	7102814
PIAGIOP136	6960106	PIPER PA16	7101602	PIPER PA28	7102815
PIASEXHUP2	6980320	PIPER PA17	7101702	PIPER PA28	7102816
PICARDA5	7001216	PIPER PA18	7101802	PIPER PA28	7102817
PICARDAX6	7001218	PIPER PA18	7101804	PIPER PA28	7102818
PIGMANREARWN	7070104	PIPER PA18	7101806	PIPER PA28	7102819
PIGMANREARWN	7070302	PIPER PA18	7101808	PIPER PA28	7102830
PIGMANREARWN	7070308	PIPER PA18	7101809	PIPER PA30	7103002
PILATSB4	7090103	PIPER PA18	7101812	PIPER PA30	7103902
PILATSB4	7090104	PIPER PA18	7101813	PIPER PA31	7103102
PILATSPC6	7075014	PIPER PA18	7101814	PIPER PA31	7103104
PILATSPC6	7090102	PIPER PA18	7101815	PIPER PA31	7103105
PILATSPC6	7090110	PIPER PA18	7101816	PIPER PA31	7103110
PILATSPC6	7090114	PIPER PA18	7101818	PIPER PA31	7103120
PILATSPC6T	3375011	PIPER PA18	7101820	PIPER PA31T	7103124
PILATSPC6T	7090202	PIPER PA18	7101822	PIPER PA31T	7103126
PILATSPC6T	7090210	PIPER PA18	7101824	PIPER PA31T	7103127
PINAIRSUPERV	1100102	PIPER PA18	7101826	PIPER PA31T	7103128
PIPER 600	7106001	PIPER PA18	7101828	PIPER PA32	7103206
PIPER 600	7106010	PIPER PA18	7101832	PIPER PA32	7103207
PIPER 600	7106012	PIPER PA18	7101834	PIPER PA32	7103209
PIPER 600	7106014	PIPER PA18	7101836	PIPER PA32	7103211
PIPER 600	7106015	PIPER PA18	7101837	PIPER PA32	7103212
PIPER 600	7106023	PIPER PA18	7101838	PIPER PA32	7103213
PIPER 600	8360607	PIPER PA18	7101880	PIPER PA32	7103214
PIPER E2	7100302	PIPER PA18	7101902	PIPER PA32	7103215
PIPER F2	7100304	PIPER PA18	7101904	PIPER PA32	7103216
PIPER J2	7100402	PIPER PA20	7102002	PIPER PA32	7103218
PIPER J3	7100501	PIPER PA20	7102004	PIPER PA32	7103220
PIPER J3	7100502	PIPER PA20	7102006	PIPER PA34	7103405
PIPER J3	7100506	PIPER PA20	7102010	PIPER PA34	7103406
PIPER J3	7100508	PIPER PA20	7102012	PIPER PA34	7103420
PIPER J3	7100510	PIPER PA22	7102202	PIPER PA36	7103610
PIPER J3	7100511	PIPER PA22	7102204	PIPER PA36	7103612
PIPER J3	7100512	PIPER PA22	7102206	PIPER PA36	7103620
PIPER J3	7100514	PIPER PA22	7102208	PIPER PA38	7103812
PIPER J3	7100516	PIPER PA22	7102210	PIPER PA42	7104202
PIPER J3	7100518	PIPER PA22	7102212	PIPER PA42	7104212
PIPER J3	7100519	PIPER PA22	7102214	PIPER PA44	7104402
PIPER J3	7100520	PIPER PA22	7102216	PIPER PA44	7104404
PIPER J3	7100522	PIPER PA23	7102302	PIPER PA46	7104605
PIPER J3	7100526	PIPER PA23	7102303	PIPER TG8	7100102
PIPER J3	7100528	PIPER PA23	7102304	PIRTLEROC185	7140107
PIPER J3	710052T	PIPER PA23	7102305	PIRTLEROC185	7140189
PIPER J3	7100532	PIPER PA23	7102306	PITCANPA4	7180102
PIPER J3	7100536	PIPER PA23	7102308	PITCANPA5	7180202
PIPER J3	7100542	PIPER PA23	7102309	PITCANPA6	7180302
PIPER J3	7100546	PIPER PA23	7102310	PITCANPA7	7180402
PIPER J3	7100550	PIPER PA24	7102402	PITCANPA7	7180406
PIPER J3	7100552	PIPER PA24	7102403	POST A	7280102
PIPER J3	7101102	PIPER PA24	7102404	PRATT PRG1	7300102
PIPER J3	7101104	PIPER PA24	7102406	PRATT PRG1	7300106
PIPER J4	7100602	PIPER PA24	7102408	PROPJT200	0140302
PIPER J4	7100604	PIPER PA24	7102409	PROPJT200	0140312
PIPER J4	7100605	PIPER PA25	7102502	PROPJT200	0140314
PIPER J4	7100606	PIPER PA25	7102504	PROPJT400	4560404
PIPER J4	7100608	PIPER PA25	7102508	RAVEN MG1000	7483202
PIPER J4	7100610	PIPER PA28	7102802	RAVEN RX6	7480502
PIPER J4	7100614	PIPER PA28	7102803	RAVEN S40	7480104
PIPER J5	7100202	PIPER PA28	7102804		

**TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)**

<u>SDR</u>	<u>FAA</u>	<u>SDR</u>	<u>FAA</u>	<u>SDR</u>	<u>FAA</u>
RAVEN S50	05804XW	SCHLERASW19	3801505	SKRSKYS52	8141308
RAVEN S50	7480204	SCHLERASW19	3801508	SKRSKYS55	8141602
RAVEN S55	7480402	SCHLERASW20	3801503	SKRSKYS55	8141803
RAVEN S80	7480808	SCHLERASW20	3801508	SKRSKYS55	8141604
RAVEN S80	7480810	SCHLER11	3801581	SKRSKYS55	8141606
RAVEN S88	7480812	SCHLERK	3801551	SKRSKYS55	8141800
RAWDONT1	7500102	SCHLERK2K7	3801554	SKRSKYS58	8141801
REIMS 150	7530128	SCHLERK8	3801559	SKRSKYS58	8141804
REIMS 150	7530132	SCHLERK8	3801563	SKRSKYS58	8141806
REIMS 150	7530134	SCHLERK8	3801567	SKRSKYS58	8141808
REIMS 172	7530136	SCHLERK8	38019VK	SKRSKYS58	8141809
REIMS 172	7530139	SCHLERK8	38019VL	SKRSKYS58	8141811
REIMS 172	7530203	SCHLERKA8	3801525	SKRSKYS58	8141814
REIMS 172	7530204	SCHLERKA8	3801528	SKRSKYS58	8141815
REIMS 172	7530206	SCHLERKA8	3801530	SKRSKYS58	8141837
REIMS 172	7530207	SCHLERKA8	3801535	SKRSKYS58	8141839
REIMS 172	7530209	SCHLERKA8	3801537	SKRSKYS58T	8141803
REIMS 172	7530210	SCHLERKA8	3801540	SKRSKYS58T	8141805
REIMS 177	7530211	SCHLERKA8	3801542	SKRSKYS58T	8141807
REIMS 337	7535719	SCHLERKA8	3801545	SKRSKYS58T	8141840
REIMS 337	7535726	SCHZOWMODELB	0580221	SKRSKYS58T	8141842
REPLCP47	7570405	SCUZERSG2	8050207	SKRSKYS58T	8141844
RHNF LURW3	7600504	SCWZERG184	3952704	SKRSKYS61	8141826
RK WELL500	7630410	SCWZERSG1	8050102	SKRSKYS61	8142101
RK WELL700	7630520	SCWZERSG1	8050104	SKRSKYS61	8142102
RK WELLNA265	6402608	SCWZERSG1	8050106	SKRSKYS61	8142103
RK WELLNA265	6402612	SCWZERSG1	8050108	SKRSKYS61	8142104
RK WELLNA265	6402614	SCWZERSG1	8050110	SKRSKYS61	8142107
RK WELLNA265	6402618	SCWZERSG1	8050112	SKRSKYS61	814210C
RK WELLNA265	7630101	SCWZERSG1	8050114	SKRSKYS62	8142202
RK WELLNA265	7630104	SCWZERSG1	8050118	SKRSKYS64	8142804
RK WELLNA265	7630108	SCWZERSG1	8050118	SKRSKYS70	8143000
RK WELLNA265	7630107	SCWZERSG1	8050120	SKRSKYS70	8143001
RK WELLNA265	7630108	SCWZERSG1	8050122	SKRSKYS76	8143006
ROBSINR22	7640102	SCWZERSG1	8050124	SKRSKYS76	8143010
ROBSINR22	7640104	SCWZERSG1	8050146	SLINDS100	0140202
ROLSCHLS	3801208	SCWZERSG1	8050147	SLINDS100	0140208
ROLSCHLS	3801208	SCWZERSG1	8050148	SLINDS100	9550102
ROLSCHLS	3801211	SCWZERSG1	8050149	SLINDS100	9550104
ROLSCHLS	3801214	SCWZERSG1	8050151	SLINDS8	0144308
ROLSCHLS	3801250	SCWZERSG1	8050153	SLINDS8	0144308
ROOS 129	7680108	SCWZERSG1	8050502	SLINDS8	4571008
ROOS 1928	7680204	SCWZERSG2	8050202	SLNSBY43	8320206
ROOS A1	7680102	SCWZERSG2	8050206	SLNSBYKITE	8320102
ROOS A1	7680104	SCWZERSG2	8050210	SLNSBYT45	8320304
ROOS PT	7680312	SCWZERSG2	8050602	SLNSBYT49	8321008
ROSE A1	7710102	SCWZERSG2	8050804	SLNSBYT50	8320402
RYAN SCW	7830302	SCWZERSG2	8050808	SLNSBYT51	8320802
RYAN ST3	7830502	SCWZERSG2	8050810	SLNSBYT53	8321508
RYAN ST3	7830504	SCWZERSG2	8050812	SLNSBYT59	8321510
RYAN STA	7830402	SCWZERSG2	8050814	SMITH 800	1710602
RYAN STA	7830404	SCWZERSG2	8051404	SMITH 800	1710608
RYANARB	7840102	SCWZERSG2	8051604	SMITH 800	8360802
SAAB SF340	7850100	SCWZERSG2	8051606	SMITH 800	8360804
SCBFLG111	3801381	SCWZERTG3A	8050802	SMITH 800	8360805
SCBFLGBERGFK	3801315	SEMCO 30	8070504	SMITH 800	8360808
SCBFLGGSF25	3801322	SEMCO CLINGER	8070802	SNIAS 350	8680801
SCBFLGGSF25	3801325	SEMCO MARKV	8071802	SNIAS 350	8680802
SCBFLGGSF27	380135F	SEMCO MODEL T	8071701	SNIAS 350	8680803
SCBFLGGSF27	380135V	SEMCO TC4	8071408	SNIAS 350	8680804
SCBFLGGSF28	380135X	SEMCO TC4	8071409	SNIAS AS332	8680808
SCHLER13	38015GS	SIoux 60	8250102	SNIAS AS332	8680809
SCHLERASK14	38015GW	SIoux 90	8250106	SNIAS CONCRD	8690102
SCHLERASK21	38015GY	SIREN C30	8270302	SNIAS SA318	8680506
SCHLERASW12	38015HR	SKRSKYS39	8140502	SNIAS SA318	8680508
SCHLERASW15	38015H2	SKRSKYS39	8140504	SNIAS SA318	8680511
SCHLERASW15	38015HZ	SKRSKYS51	8141102	SNIAS SA330	8680612
SCHLERASW17	3801507	SKRSKYS52	8141308		

**TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)**

<u>SDR</u>	<u>FAA</u>	<u>SDR</u>	<u>FAA</u>	<u>SDR</u>	<u>FAA</u>
SNIAS SA341	8680610	STNSNSR5	8631102	TCRAFTA	8850202
SNIAS SE313	8680502	STNSNSR5	8631104	TCRAFTBC	8850302
SOCATAMS880	5910304	STNSNSR5	8631108	TCRAFTBC	8850304
SOCATAMS893	8402838	STNSNSR5	8631110	TCRAFTBC	8850306
SOCATAMS894	8402842	STNSNSR5	8631112	TCRAFTBC	8850308
SOCATARALLYE	8400125	STNSNSR6	8631202	TCRAFTBC	8850310
SOCATARALLYE	8400131	STNSNSR6	8631204	TCRAFTBC	8850314
SPARTN7W	8430302	STNSNSR7	8631304	TCRAFTBC	8850316
SPARTNC2	8430102	STNSNSR7	8631306	TCRAFTBC	8850318
SPARTNC3	8430206	STNSNSR8	8631404	TCRAFTBC	8850320
SPARTNC3	8430208	STNSNSR8	8631408	TCRAFTBC	8850322
SPARTNC3	8430210	STNSNSR8	8631412	TCRAFTBC	8850323
SPHRTHCIRRUS	38019VC	STNSNSR8	8631416	TCRAFTBC	8850324
SPHRTHCIRRUS	38019VE	STNSNSR9	8631502	TCRAFTBC	9230916
SPHRTHJANUS	3802002	STNSNSR9	8631504	TCRAFTBC	9230920
SPHRTHNIMBUS	3801923	STNSNSR9	8631508	TCRAFTBC	9230928
SPHRTHNIMBUS	3801925	STNSNSR9	8631518	TCRAFTBF	8850326
SPHRTHNIMBUS	3801950	STNSNSR9	8631526	TCRAFTBF	8850332
SPHRTHNIMBUS	38019VD	STNSONV77	8631802	TCRAFTBF	8850336
SPHRTHNIMBUS	38019VF	STNSONV77	8631804	TCRAFTBF	8850340
SPHRTHNIMBUS	38019VG	STNSONW	8631902	TCRAFTBL	8850346
SPHRTHNIMBUS	38019VJ	STOLACUC1	8640202	TCRAFTBL	8850350
SPHRTHS	3801933	STOLACUC1	9220102	TCRAFTBL	8850354
SPHRTHS	3801939	STOLAMRC3	3080202	TCRAFTBL	8850356
SPHRTHSH1	3801945	STOLAMRC3	3080204	TCRAFTTC6	8850102
SPHRTHSHK	3801920	STOLAMRC3	3080206	TEAL TSC1A	8880102
SPHRTHVENTUS	3802050	STRMAN3	8560202	TEAL TSC1A	8960404
SPHRTHVENTUS	3802051	STRMAN3	8560208	TEMCO 11A	8890402
SPORT GEOPEN	3802433	STRMAN4	8560302	TEMCO 11A	8890404
SPTPUZRF4D	8451012	STRMAN4	8560306	TEMCO T35	8890601
SPTPUZRF5	8451014	STRMAN6	8560402	TEMCO T35	8890602
SPTPUZRF5	8451016	SUD GY80	8681006	TEMCO TT1	8890502
STAR CAVALR	8480102	SUD SE210	8680206	TH55	4471002
STAR CAVALR	8480104	SUPAC 14	8730402	THUNDRAX5	05604UK
STAR CAVALR	8480106	SUPAC 14	8730404	THUNDRAX5	05604UM
STATE F	8521004	SUPAC LA	8730202	THUNDRAX5	05604UN
STBROSS25	8100525	SUPAC LA	8730204	THUNDRAX5	05604UP
STBROSSC7	8100512	SUPAC LA	8730206	THUNDRAX5	8970100
STBROSSD3	8100602	SUPAC LA	8730208	THUNDRAX6	8970102
STLOUSC2	7920304	SUPAC V	8730302	THUNDRAX6	8970104
STLOUSYPT15	7920302	SUPAC V	8730306	THUNDRAX7	8970105
STNSON10	8632002	SWALOWSWALOW	8760102	THUNDRAX7	8970106
STNSON10	8632004	SWALOWTP	8760202	THUNDRAX7	8970107
STNSON10	8632102	SWRNGNSA226	8780122	THUNDRAX7	8970108
STNSON10	8632104	SWRNGNSA226	8780404	THUNDRAX7	8970110
STNSON6000	8630904	SWRNGNSA226	8780405	THUNDRAX7	8970120
STNSONA	8630901	SWRNGNSA226	8780406	THUNDRAX8	8970111
STNSONJR	8630402	SWRNGNSA227	8780603	THUNDRAX8	8970112
STNSONJR	8630404	SWRNGNSA227	8780610	THUNDRAX9	8970115
STNSONJR	8630406	SWRNGNSA227	8780615	TIMM COLEGT	8980102
STNSONL1	8630102	SWRNGNSA227	8780620	TIMM N2T	8980202
STNSONL1	8630114	SWRNGNSA26	8780102	TMPSONNAVION	6150104
STNSONL5	8630202	SWRNGNSA26	8780112	TMPSONNAVION	6150112
STNSONL5	8630204	SZD 41	8821641	TMPSONNAVION	6150114
STNSONL5	8630206	SZD 45	8822002	TMPSONNAVION	6150120
STNSONL5	8630210	SZD 48	8821648	TMPSONNAVION	6150122
STNSONL5	8630212	TCRAFTK21	8850906	TMPSONNAVION	6150130
STNSONL5	8630214	TCRAFTKD	8850402	TOMCAT	2390302
STNSONSM2	8630604	TCRAFTKD	8850404	TRYTEK65	0190406
STNSONSM7	8630702	TCRAFTKD	8850408	TRYTEK65	0190712
STNSONSM7	8630704	TCRAFTKD	8850410	TRYTEK65	0190716
STNSONSM8	8630802	TCRAFTKD	8850412	TRYTEK65	0190920
STNSONSR10	8631602	TCRAFTKD	8850414	TRYTEK65	0190922
STNSONSR10	8631604	TCRAFTKD	8850415	TRYTEK65	0190926
STNSONSR10	8631608	TCRAFTKD	8850416	TRYTEK65	0190928
STNSONSR10	8631614	TCRAFTKD	8850420	TRYTEK65	0190930
STNSONSR10	8631616	TCRAFT15A	8850702	TRYTEK65	0190932
STNSONSR10	8631620	TCRAFT20	8851002	TRYTEKCF	0190202

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL
CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
TRYTEKK	0190402	WACO	AGC8	WING D1	9690302
TRYTEKK	0190404	WACO	ASO	WINDKR AC7	9720209
TRYTEKKC	0190204	WACO	ATO	WSK M18	9810102
UNIPRO113	9250302	WACO	AVN8	WTHRLY201	9630404
UNIPRO70	9250202	WACO	BSO	WTHRLY201	9630406
UNIPROD145	9250502	WACO	CRG	WTHRLY201	9630408
UNIVACGC1	9230102	WACO	CSO	WTHRLY201	9630410
UNIVACGC1	9230104	WACO	CTO	WTHRLY620	9630602
UNIVACGC1	9230106	WACO	DSO	WTHRLY620	9630604
UNIVACGC1	9230108	WACO	EGC	ZENITH26	9950102
UNIVACGC1	9230110	WACO	GC7	ZLIN 526	9970212
UNIVACGC1	9230112	WACO	GXE	ZLIN 526	9970222
UNIVAR108	9230402	WACO	INF		
UNIVAR108	9230404	WACO	JC		
UNIVAR108	9230406	WACO	JC		
UNIVAR108	9230408	WACO	JYM		
UNIVAR108	9230412	WACO	KNF		
UNIVAR108	9230414	WACO	P		
UNIVAR108	9230416	WACO	P		
UNIVAR108	9230418	WACO	Q		
UNIVAR415	0420104	WACO	Q		
UNIVAR415	0420202	WACO	Q		
UNIVAR415	0420204	WACO	QC6		
UNIVAR415	0420302	WACO	QC6		
UNIVAR415	0420304	WACO	QC6		
UNIVAR415	0420306	WACO	QC6		
UNIVAR415	0420308	WACO	QC6		
UNIVAR415	0420310	WACO	R		
UNIVAR415	0420312	WACO	R		
UNIVAR415	0420314	WACO	RE		
UNIVAR415	0420316	WACO	RE		
UNIVAR415	0420318	WACO	RE		
UNIVAR415	0420320	WACO	RPT		
UNIVAR415	0420322	WACO	S3MD		
UNIVAR415	0420324	WACO	U		
UNIVAR415	0420326	WACO	U		
UNIVAR415	0420328	WACO	U		
UNIVAR415	0420330	WACO	U		
UNIVAR415	0420332	WACO	U		
UNIVAR415	0420334	WACO	UC		
UNIVAR415	0420336	WACO	UC		
UNIVAR415	0420338	WACO	UKC		
UNIVAR415	0420402	WACO	UKC		
UNIVAR415	0420406	WACO	UKC		
UNIVAR415	0420502	WACO	UKC		
UNIVAR415	0420504	WACO	UKS		
UNIVAR415	0420702	WACO	UKS		
UNIVAR415	0420722	WACO	UKS		
UNIVAR415	0540102	WACO	UMF		
UNIVAR415	0540104	WACO	UPF7		
UNIVAR415	5872014	WACO	UPF7		
UNIVAR415	5872018	WACO	YK		
VARGA 2150	5940202	WACO	YK		
VARGA 2150	5940204	WACO	YK		
VARGA 2150	9350102	WACO	YK		
VARGA 2180	9350104	WACO	YK		
VARGA 2180	9350105	WACO	YK		
VICKER745	9470204	WACO	YMF		
VICKER745	9470402	WACO	YOC		
VICKER745	9470404	WACO	YOC		
VICKER745	9470602	WACO	YPF		
VIKINGB	9520102	WACO	YPF		
VIKINGB	9520104	WACO	YPF		
VIZOLAA21	1870101	WACO	YPF		
VLGTBWSAGITA	0550201	WACO	ZGC		
VOUGHTF4U	2152608	WACO	ZGC8		
WACO 125	9600202	WESTLD30			
WACO 9	9600102	WHITE D25			

APPENDIX E
SDR ENGINE GROUP NAME - FAA MANUFACTURER/MODEL CODES

THE FOLLOWING TABLE SHOWS THE CORRESPONDENCE BETWEEN THE SERVICE DIFFICULTY REPORTING (SDR) ENGINE GROUP NAMES AND THE FAA ENGINE MANUFACTURER/MODEL/SERIES (MMS) CODES AND APPEARS IN ALPHABETICAL ORDER BY SDR NAME. THE SDR NAMES COMBINE MMS CODES FOR AIRCRAFT OF SIMILAR DESIGN INTO GROUPS FOR ANALYTIC PURPOSES. THE TABLE CONTAINS ENTRIES FOR ALL THE SDR NAMES APPEARING IN THE ENGINE STATISTICS TABLE IN THE BODY OF THIS REPORT.

TABLE E-1. SDR ENGINE GROUP NAME - FAA MANUFACTURER/MODEL CODES

SDR	FAA	SDR	FAA	SDR	FAA
ALLSN 250B	03003	FRNKLN6AV350	27043	ONAN B48	99999
ALLSN 250B	03012	FRNKLN6V4	27033	PCKARDV1650	49001
ALLSN 250C	03002	FRNKLN6V6245	27036	PIGMANS	37002
ALLSN 250C	03011	FRNKLN6VS335	27040	PORSCH6784	51001
ALLSN 250C	03013	GE CF6	30020	PWA JFTD12	52047
ALLSN 501D	03004	GE CF700	30010	PWA JT12	52042
ALLSN 501D	03005	GE CJ610	30002	PWA JT15	52060
ALLSN 501D	03006	GE CJ610	30006	PWA JT15	52112
AMES TRS	04501	GE CJ805	30004	PWA JT3C	52036
AMTRMCMCCULH	42501	GE CJ805F	30005	PWA JT3D	52039
ARSRCHTFE731	01518	GE CT58	30001	PWA JT4	52037
ARSRCHTPE331	01502	GE CT58	30008	PWA JT8	52044
ARSRCHTPE331	01506	GE CT7	30030	PWA JT8	52046
ARSRCHTPE331	01508	GLADENK5	37503	PWA JT8	52048
ARSRCHTPE331	01510	GLADENR5	37504	PWA JT8	52049
ARSRCHTPE331	01512	GULF R670	31701	PWA JT8	52051
ARSRCHTSE331	01505	JACOBPR755	35006	PWA JT9	52050
BRSDLYGIPSY	20003	JACOBPR755	35007	PWA PT6	52043
CFMINTCFM56	13802	JACOBPR755	35008	PWA PT6	52053
CONT 6285	17038	JACOBPR755	35003	PWA PT6T	52045
CONT 975	17037	JACOBSR915	35005	PWA R1340	52009
CONT A40	17001	LYC 0540	41532	PWA R1340	52010
CONT A50	17002	LYC AL5512	41581	PWA R1340	52012
CONT A65	17003	LYC LTS101	41560	PWA R1340	52016
CONT A75	17005	LYC 0145	41501	PWA R1690	52001
CONT A80	17006	LYC 0145	41502	PWA R1830	52017
CONT C125	17011	LYC 0145	41503	PWA R1830	52018
CONT C145	17012	LYC 0235	41505	PWA R1830	52019
CONT C85	17008	LYC 0290	41506	PWA R1830	52020
CONT C90	17009	LYC 0320	41500	PWA R2000	52021
CONT E165	17013	LYC 0320	41508	PWA R2000	52023
CONT E185	17014	LYC 0320	41509	PWA R2800	52024
CONT E225	17015	LYC 0340	41510	PWA R2800	52025
CONT 0200	17020	LYC 0360	41511	PWA R2800	52026
CONT 0300	17022	LYC 0360	41513	PWA R4360	52027
CONT 0300	17024	LYC 0360	41514	PWA R985	52006
CONT 0346	17033	LYC 0360	41515	PWA R985	52007
CONT 0360	17023	LYC 0360	41522	PWA R985	52008
CONT 0360	17025	LYC 0360	41524	PWA T34	52055
CONT 0470	17026	LYC 0435	41516	RROYCEDART	54503
CONT 0470	17027	LYC 0435	41517	RROYCEDART	54504
CONT 0470	17028	LYC 0435	41518	RROYCEDART	54505
CONT 0470	17029	LYC 0435	41519	RROYCEDART	54506
CONT 0520	17032	LYC 0435	41520	RROYCEDART	54507
CONT 0520	17035	LYC 0435	41521	RROYCEDART	54508
CONT 0520	17040	LYC 0435	41523	RROYCEDART	54509
CONT 0526	17030	LYC 0435	41525	RROYCEGIPSY	20005
CONT R670	17016	LYC 0435	41526	RROYCEGIPSY	20006
CONT R670	17018	LYC 0480	41527	RROYCEGIPSY	20007
DHAVXXGIPSY	20004	LYC 0480	41529	RROYCEGRIFF	54501
FCD 6410	26002	LYC 0540	41530	RROYCETYN	54510
FCD 6440	26003	LYC 0540	41531	RROYCEVIPER	10201
FRNKLN4A235	27011	LYC 0540	41533		
FRNKLN4AC150	27002	LYC 0540	41534		
FRNKLN4AC150	27003	LYC 0540	41535		
FRNKLN4AC150	27004	LYC 0540	41538		
FRNKLN4AC171	27005	LYC 0541	41536		
FRNKLN4AC176	27006	LYC 0541	41539		
FRNKLN4AC176	27007	LYC 0720	41546		
FRNKLN4AC199	27008	LYC R680	41540		
FRNKLN4AC199	27009	LYC R680	41541		
FRNKLN4AC199	27010	LYC R680	41542		
FRNKLN4A150	27024	LYC R680	41543		
FRNKLN4A185	27025	LYC R680	41544		
FRNKLN4A200	27027	LYC R680	41545		
FRNKLN4A8215	27030	LYC T53	41552		
FRNKLN4AG4	27026	LYC T55	41555		
FRNKLN4AV335	27020	MNASCOC4	43504		

BIBLIOGRAPHY

- Census of U.S. Civil Aircraft, Calendar Year 1985, U.S. Department of Transportation, Federal Aviation Administration, Washington, DC: U.S. Government Printing Office, 1986.
- Code of Federal Regulations, Aeronautics and Space, Title 14, Parts 60 to 139, Office of the Federal Register, National Archives and Records Administration, Washington, DC: U.S. Government Printing Office, 1986.
- FAA Air Traffic Activity, Fiscal Year 1985, Federal Aviation Administration, Washington, DC, 1986.
- General Aviation Avionics Statistics (1979 Data), U.S. Department of Transportation, Federal Aviation Administration, Washington, DC: U.S. Government Printing Office, 1981.
- Standards for Discussion and Presentation of Errors in Data, U.S. Department of Commerce, Bureau of the Census, Washington, DC: U.S. Government Printing Office, 1974.
- United States Code Annotated, Title 49, Section 1401, St. Paul, Minnesota: West Publishing Co., 1978.